







ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
CY/DE NC/RA/SB TURBO 4/5 cyls 76.5 mm bore 1,588 cc 1,986 cc	DPKAD107651A ALFIN HEAD ANODIZED FITS TAPERED CON. ROD K-90732600 M-0297900 N-8710980010	DPNAD107651A length(STD) 71.7 length(O/S) 71.45 comp.(STD) 41.7 comp.(O/S) 41.45 height -1.6 pin = 24.0 × 64.0	DRSAD107651 top 1.75 2nd 2.0 oil 3.0 A-R43850 A-R45270 G-0810950000 G-0810980000 K-800000610000 M-02954/55N0	 
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
CN/CR CY/JK 4/5 cyls 76.5 mm bore 1,588 cc 1,986 cc	DPKAD107652A ALFIN K-93260600 M-0295500 N-8710950000	DPNAD107652A length 71.7 comp. 41.7 height -1.6 pin = 24.0 × 64.0	DRSAD107651 top 1.75 2nd 2.0 oil 3.0 A-R43850 A-R45270 G-0810950000 G-0810980000 K-800000610000 M-02954/55N0	 
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
AFB TURBO AKN TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107831B (for cyl 1/2/3) ALFIN OIL GALLERY SKIRT MOS2 TREATED K-99776600 M-0334000	DPNAD107831B (for cyl 1/2/3) length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -6.5 -16.5 pin = 26.0 × 65.5	DRSAD107831 top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0	 
	piston stock size 0.00 (STD) ⊙ 025 (010) 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
AFB TURBO AKN TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107832B (for cyl 4/5/6) ALFIN OIL GALLERY SKIRT MOS2 TREATED K-99777600 M-0334100	DPNAD107832B (for cyl 4/5/6) length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -6.5 -16.5 pin = 26.0 × 65.5	DRSAD107831 top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0		
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙				
AKE/AYM BAU/BCZ/BFC TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107833B (for cyl 1/2/3) ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD	DPNAD107833B (for cyl 1/2/3) length(STD) 71.83 length(O/S) 71.83 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.25 pin = 26.0 × 58.0	DRSAD107831 top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0		
	K-99534600 M-0334200				
	piston stock size 0.00 (STD) 0.50 (020) 1.00 (040)				
AKE/AYM BAU/BCZ/BFC TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107834B (for cyl 4/5/6) ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD	DPNAD107834B (for cyl 4/5/6) length(STD) 71.83 length(O/S) 71.83 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.25 pin = 26.0 × 58.0	DRSAD107831 top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0		
	K-99535600 M-0334300				
	piston stock size 0.00 (STD) 0.50 (020) 1.00 (040)				

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BDG TURBO BDH TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107835B (for cyl 1/2/3)	DPNAD107835B (for cyl 1/2/3)	DRSAD107831	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99542600	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.4 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0	
	piston stock size 0.00 (STD) 0.50 (020)			
BDG TURBO BDH TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKAD107836B (for cyl 4/5/6)	DPNAD107836B (for cyl 4/5/6)	DRSAD107831	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99543600	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.4 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0	
	piston stock size 0.00 (STD) 0.50 (020)			
1Z/AFN/AGR AHF/ALH/ASV TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107951A (for cyl 1/2)	DPNAD107951A (for cyl 1/2)	DRSAD107951	
	ALFIN TOP RING LAND AND SKIRT MOS2 TREATED K-94427700 M-0304000 N-8711490095	length 71.8 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -8.8 -17.8 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
1Z/AFN/AGR AHF/ALH/ASV TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107952A (for cyl 3/4)	DPNAD107952A (for cyl 3/4)	DRSAD107951		
	ALFIN TOP RING LAND AND SKIRT MOS2 TREATED K-94428700 M-0304100 N-8711490090	length 71.8 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -8.8 -17.8	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
1Y 3D/AAS 4/5 cyls 79.5 mm bore 1,896 cc 2,370 cc	DPKAD107953A	DPNAD107953A	DRSAD107951		
	ALFIN K-91386600 M-0298200 N-8799010040	length 65.7 comp.(STD/0.25) 39.65 comp.(0.50/1.00) 39.4 height -1.9	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 24.0 × 64.0			
AAZ TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD407954A	DPNAD407954A	DRSAD407951		
	ALFIN HEAD ANODIZED SKIRT MOS2 TREATED K-91429600 M-0299600 N-8799010010	length 71.65 comp.(STD/0.25) 45.65 comp.(0.50/1.00) 45.4 height -1.9	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
ASZ TURBO AVF TURBO AWX TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107955B (for cyl 1/2)	DPNAD107955B (for cyl 1/2)	DRSAD107951		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99470600 M-0308600 N-8711490045	length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.3 -17.5	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
ASZ TURBO AVF TURBO AWX TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107956B (for cyl 3/4)	DPNAD107956B (for cyl 3/4)	DRSAD107951		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99471600 M-0308700 N-8711490046	length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.3 -17.5	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
AJM TURBO ATU TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107957B (for cyl 1/2)	DPNAD107957B (for cyl 1/2)	DRSAD107951		
	ALFIN OIL GALLERY TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99842600 M-0305600 N-8711490005	length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.4 -17.8	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AJM TURBO ATU TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKAD107958B (for cyl 3/4) ALFIN OIL GALLERY TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99843600 M-0305700 N-8711490015	DPNAD107958B (for cyl 3/4) length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.4 -17.8 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-80000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
ATD/AVB AXR/BKC/BXE 4 cyls 79.5 mm bore 1,896 cc	DPKAD107959B (for cyl 1/2) ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99850600 M-0306500	DPNAD107959B (for cyl 1/2) length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -1.1 -17.75 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-80000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
ATD/AVB AXR/BKC/BXE 4 cyls 79.5 mm bore 1,896 cc	DPKAD10795AB (for cyl 3/4) ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99851600 M-0306600	DPNAD10795AB (for cyl 3/4) length(STD) 69.8 length(O/S) 69.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -1.1 -17.75 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-80000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BHC TURBO 3 cyls 79.5 mm bore 1,422 cc	DPKAD10795BA (for cyl 1/2) ALFIN TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON. ROD M-0305400	DPNAD10795BA (for cyl 1/2) length(STD) 69.8 length(O/S) comp.(STD) 45.8 comp.(O/S) 45.5 height -8.7 -17.6 pin = 26.0 × 63.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
BHC TURBO 3 cyls 79.5 mm bore 1,422 cc	DPKAD10795CA (for cyl 3) ALFIN TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON. ROD M-0305500	DPNAD10795CA (for cyl 3) length(STD) 69.8 length(O/S) comp.(STD) 45.8 comp.(O/S) 45.5 height -8.7 -17.6 pin = 26.0 × 63.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
BLS BXE 4 cyls 79.5 mm bore 1,896 cc	DPKAD10795DA (for cyl 1/2) ALFIN FITS TAPERED CON. ROD K-40421600	DPNAD10795DA (for cyl 1/2) length(STD/0.25) 69.8 length(0.50/1.00) 69.55 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -17.34 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BLS BXE 4 cyls 79.5 mm bore 1,896 cc	DPKAD10795EA (for cyl 3/4) ALFIN FITS TAPERED CON. ROD K-40422600	DPNAD10795EA (for cyl 3/4) length(STD/0.25) 69.8 length(0.50/1.00) 69.55 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -17.34 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSAD107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			
ACV/AGX AHD/AHY AJT/ANJ APA/AUF AXG/AYC AYY/BBE BBF 5 cyls 81.0 mm bore 2,461 cc	DPKAD108101A (for cyl 1/2) ALFIN HEAD ANODIZED SKIRT MOS2 TREATED PIN BOSS GAP=27MM K-99742700 M-0305800 N-8750150000	DPNAD108101A (for cyl 1/2) length(STD) 69.75 length(O/S) 69.5 comp.(STD) 45.75 comp.(O/S) 45.5 height -6.9 pin = 26.0 × 68.0 PIN BUSHING INSERTED	DRSAD108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			
ACV/AGX AHD/AHY AJT/ANJ APA/AUF AXG/AYC AYY/BBE BBF 5 cyls 81.0 mm bore 2,461 cc	DPKAD108102A (for cyl 3/4/5) ALFIN HEAD ANODIZED SKIRT MOS2 TREATED PIN BOSS GAP=27mm K-99743700 M-0305900 N-8750150010	DPNAD108102A (for cyl 3/4/5) length(STD) 69.75 length(O/S) 69.5 comp.(STD) 45.75 comp.(O/S) 45.5 height -6.9 pin = 26.0 × 68.0 PIN BUSHING INSERTED	DRSAD108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BPW 4 cyls 81.0 mm bore 1,968 cc	DPKAD108103B (for cyl 1/2)	DPNAD108103B (for cyl 1/2)	DRSAD108102	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-40408600 M-0280600	length(STD) 68.8 length(O/S) 68.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.4 -17.5 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙			
BPW 4 cyls 81.0 mm bore 1,968 cc	DPKAD108104B (for cyl 3/4)	DPNAD108104B (for cyl 3/4)	DRSAD108102	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-40409600 M-0280700	length(STD) 68.8 length(O/S) 68.55 comp.(STD) 45.8 comp.(O/S) 45.55 height -10.4 -17.5 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙			
BLB/BNA/BRD BRE/BRF/BUY BVA/BVF/BVG 4 cyls 81.0 mm bore 1,968 cc	DPKAD408105B	DPNAD408105B	DRSAD408102	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD	length(STD/0.25) 68.8 length(0.50) 68.55 comp.(STD/0.25) 45.8 comp.(0.50) 45.55 height -10.1 -17.8 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
AXD/AXE BAC/BLJ BLK TURBO 5 cyls 81.0 mm bore 2,461 cc 2,498 cc	DPKAD108106B (for cyl 1/2)	DPNAD108106B (for cyl 1/2)	DRSAD108101		
	ALFIN OIL GALLERY FITS TAPERED CON. ROD M-0309700 N-8742100010	length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	top 2.5 2nd 2.0 oil 3.0		A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0
	piston stock size 0.00 (STD) ⊙				
AXD/AXE BAC/BLJ BLK TURBO 5 cyls 81.0 mm bore 2,461 cc 2,498 cc	DPKAD108107B (for cyl 3/4/5)	DPNAD108107B (for cyl 3/4/5)	DRSAD108101		
	ALFIN OIL GALLERY FITS TAPERED CON. ROD M-0309800 N-8742100020	length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	top 2.5 2nd 2.0 oil 3.0		A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0
	piston stock size 0.00 (STD) ⊙				
1T/AAT ABP/AEL 5 cyls 81.0 mm bore 2,461 cc	DPKAD10810AA (for cyl 1/2)	DPNAD10810AA (for cyl 1/2)	DRSAD108101		
	ALFIN SKIRT MOS2 TREATED PIN BOSS GAP=22.0mm K-94429700 M-0349000 N-8750150020	length(STD) 69.75 length(O/S) 69.5 comp.(STD) 45.75 comp.(O/S) 45.5 height -7.0 -17.2 pin = 26.0 × 68.0 PIN BUSHING INSERTED	top 2.5 2nd 2.0 oil 3.0		A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙				

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1T/AAT ABP/AEL 5 cyls 81.0 mm bore 2,461 cc	DPKAD10810BA (for cyl 3/4/5)	DPNAD10810BA (for cyl 3/4/5)	DRSAD108101	
	ALFIN SKIRT MOS2 TREATED PIN BOSS GAP=22.0mm	length(STD) 69.75 length(O/S) 69.5 comp.(STD) 45.75 comp.(O/S) 45.5 height -7.0 -17.2	top 2.5 2nd 2.0 oil 3.0	
	K-94430700 M-0349100 N-8750150030	pin = 26.0 × 68.0 PIN BUSHING INSERTED	A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙				
CAGA/CAGB CAGC/CAHA CAHB/CBAA CBAB 4 cyls 81.0 mm bore 1,968 cc	DPKAD408108B	DPNAD408108B	DRSAD408102	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.COD	length 68.8 comp. 45.8 height -7.9 -12.7	top 1.75 2nd 2.0 oil 3.0	
	K-40558600	pin = 26.0 × 66.0 PIN BUSHING INSERTED	G-0813950000 K-800070540000 K-800072710000	
piston stock size 0.00 (STD) ⊙ 0.25 (010) ⊙				