




FIAT / IVECO DIESEL INDEX

Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page
188 A8/A9 199A2/M733 AT.12	69.6	2			21
127 A5/ M703 AA	76.0				
182 B4/ 185 B4/ 185 A6	82.0				
186A8/192A1/937A7/939A182	82.0	3			22
192 B1/A5 937A4/A5	82.0				
939 A3.000	82.0				
DW8 TD WJC/Y/Z	82.2	4			23
146 B2/149 B3/M705 BA/149 A	82.6				
M 721/M721 FA	82.6				
D9B/DJY/XUD 9A	83.0	5			24
D8B/DHX/XUD 9BTF/XUD 9TF	83.0				
DW10 ATED / RHZ	85.0				
DW10 BTED4	85.0	6			25
4HW	85.0				
F1AE 0481 A/B/C	88.0				
F1AE 0481 D/F/G/H/M/R	88.0	7			26
D 3.152 / D 4.203	91.48				
DJ5 T / DK5 ATE	92.0				
8140.07 / 8140.67	93.0	8			27
8144.614/8140.61/8142.61	93.0				
8140.21/8144.21 TRUBO	93.0				
8140.27/8144.40/8144.47 TURBO	93.0	9			28
B 25/CRD 93/U25	93.01				
8140.23/8140.43 TURBO	94.4				
F1CE 0481 HA/F1CE 0481 HC	95.8	10			29
4.236	98.48				
8025.02/8030.02/8035.02/8040	100.0				
8035.06/8045.06/8065.06	100.0	11			30
8031.05/8035.05/8040.05/8045	104.0				
		12			31
		13			32
		14			33
		15			34
		16			35
		17			36
		18			37
		19			38
		20			39

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
188 A8/A9 199 A2 M 733 AT.12.Z 4 cyls 69.6 mm bore 1,248 cc 1,251 cc	DPKFT406961A ALFIN SKIRT MOS2 TREATED FITS TAPERED CON. ROD A-A354085 K-40213600 M-8713760000	DPNFT406961A length 63.43 comp. 40.43 height -5.5 -12.4 pin = 23.0 × 56.5	DRSFT406961 top 2.0 2nd 1.5 oil 2.0 A-R66830 G-0813760000 M-01004N0	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙	7 172 8500		
127 A5 M703 AA 4 cyls 76.0 mm bore 1,297 cc	DPKFT407601A ALFIN A-A350664 K-90092600 M-0073220	DPNFT407601A length 78.8 comp. 46.8 height 4.95 pin = 22.0 × 64.5	DRSFT407601 top(DK) 2.5 2nd 2.0 oil 3.0 A-R47020 K-800005840000 M-00732N0 G-0821520010 5 881 369	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙			
182 B4 185 B4/M 722 BT.19 185 A6/M 722 BT.24 4/5 cyls 82.0 mm bore 1,910 cc 2,387 cc	DPKFT108201A ALFIN SKIRT MOS2 TREATED A-A350534 K-94966600 M-0633700 N-8710800000	DPNFT108201A length 73.25 comp. 47.25 height -1.4 -17.5 pin = 25.99 × 61.0 PIN BUSHING INSERTED	DRSFT108201 top(DK) 3.0 2nd 2.0 oil 3.0 A-R49870 G-0810800000	
	piston stock size 0.00 (STD) 0.60 (024)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
186 A8 192 A1 937 A7 939 A1 4 cyls 82.0 mm bore 1,910 cc	DPKFT408202A	DPNFT408202A	DRSFT408202	
	ALFIN SKIRT MOS2 TREATED	length 72.5 comp. 46.5 height -6.0 -17.5	top 2.0 2nd 2.0 oil 2.0	
	A-A354067 K-40218600 K-99724600 M-0101500 N-8712400030	pin = 25.988 × 61.0 PIN BUSHING INSERTED	A-R60580 A-R67925 G-0812400000 G-0814610000 K-800072610000 K-800073040000 M-00981N0	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) 0.60 (024) ⊙			
192 B1/A5 937A4/A5 841 G/M/N M729 AT.19 M729 AT.24 4 cyls 82.0 mm bore 1,910 cc 2,387 cc	DPKFT108203B	DPNFT108203B	DRSFT108202	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED	length 73.5 comp. 46.5 height -0.7 -15.4	top 2.0 2nd 2.0 oil 2.0	
	A-A354086 K-40660600 M-0101600 N-8714610000	pin = 26.0 × 61.0 PIN BUSHING INSERTED	A-R60580 A-R67925 G-0812400000 G-0814610000 K-800072610000 K-800073040000 M-00981N0	
	piston stock size 0.00 (STD) 0.40 (016) 0.60 (024)			
939 A3.000 5 cyls 82.0 mm bore 2,387 cc	DPKFT508204B	DPNFT508204B	DRSFT508202	
	ALFIN OIL GALLERY FITS TAPERED CON. ROD	length 73.63 comp. 46.63 height -15.6	top 2.0 2nd 2.0 oil 2.0	
	K-40036600	pin = 30.0 × 67.0	A-R60580 A-R67925 G-0812400000 G-0814610000 K-800072610000 K-800073040000 M-00981N0	
	piston stock size 0.00 (STD)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
DW8 TD WJC WJY WJZ 4 cyls 82.2 mm bore 1,868 cc	DPKFT408221	DPNFT408221	DRSFT408221	
	A-350544 K-99877600 M-0400100 N-8710400000	length(STD) 77.7 length(O/S); 77.45 comp.(STD); 46.8 comp.(O/S) 46.55 height -1.2	top 2.0 2nd 2.0 oil 3.0	
		pin = 25.0 × 66.0	A-R60230 G-0810400000 K-800045840000 M-04001N0 0640 PO	
piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙	0628 J2			
146 B2 149 B3 M705 BA 149 A1 160 A7 4 cyls 82.6 mm bore 1,698 cc 1,929 cc	DPKFT408261A	DPNFT408261A	DRSFT408261	
	ALFIN HEAD ANODIZED A-A350668 M-0072800 N-8778230000	length 84.1 comp. 45.6 height 2.3	top(DK) 2.5 2nd 2.0 oil 4.0	
		pin = 25.0 × 69.5	A-R47120 G-0878230000 M-00728N0	
piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙	5 889 143 5 889 144 5 889 145 5 890 334			
M 721 M721 FA 4 cyls 82.6 mm bore 1,698 cc 1,929 cc	DPKFT408262A	DPNFT408262A	DRSFT408262	
	ALFIN SKIRT MOS2 TREATED M-0094700	length 78.2 comp. 42.9 height 2.19	top(DK) 2.5 2nd 2.0 oil 3.0	
		pin = 25.0 × 69.4	A-R47130 G-0878540000 K-800036641000 K-800036642000 M-00913N0 M-00913V0	
piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙	5 896 559			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
D9B / DJY XUD 9A 4 cyls 83.0 mm bore 1,905 cc	DPKFT408301	DPNFT408301	DRSFT408301	
	A-350709 K-93648700 M-0392400 N-8715200010	length 84.3 comp. 46.8 height -2.2 pin = 25.0 x 72.0	top 2.0 2nd 2.0 oil 3.0 A-R66390 G-0815200000 K-800003740000 M-03924N0	
		piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.80 (032) ⊙		
D8B/DHX XUD 9BTF XUD 9TF TURBO 4 cyls 83.0 mm bore 1,905 cc	DPKFT408302A	DPNFT408302A	DRSFT408302	
	ALFIN HEAD ANODIZED SKIRT MOS2 TREATED FITS TAPERED CON. ROD A-A350520 K-94786700 M-0399600 N-8710550000	length(STD) 79.3 length(O/S) 79.3 comp.(STD) 46.8 comp.(O/S) 46.65 height -3.5 pin = 28.0 x 68.0	top(DK) 3.0 2nd 2.0 oil 3.0 A-R60140 G-0810550000 M-03996N0	
		piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.80 (032) ⊙		
DW10 ATED RHZ 4 cyls 85.0 mm bore 1,997 cc	DPKFT408501A	DPNFT408501A	DRSFT408501	
	ALFIN SKIRT MOS2 TREATED FITS TAPERED CON. ROD A-A350566 K-99879601 M-0399900 N-8711470000	length 80.7 comp. 46.7 height -6.0 -18.3 pin = 28.0 x 70.0	top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
		piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
DW10 BTED4 4 cyls 85.0 mm bore 1,997 cc	DPKFT408502B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD K-99700600	DPNFT408502B length 80.7 comp. 46.7 height -4.7 -15.4 pin = 28.0 × 70.0	DRSFT408501 top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
	piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙			
4HW 4 cyls 85.0 mm bore 2,179 cc	DPKFT408503B ALFIN OIL GALLERY SKIRT MOS2 TREATED K-40406600	DPNFT408503B length 77.7 comp. 48.7 height -9.8 -18.0 pin = 30.0 × 68.0	DRSFT408501 top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 0.60 (024) ⊙			
F1AE 0481 A F1AE 0481 B F1AE 0481 C 4 cyls 88.0 mm bore 2,286 cc	DPKFT408801B ALFIN OIL GALLERY FITS TAPERED CON. ROD A-A350728 K-40285600 M-0098600 N-8713800000	DPNFT408801B length 84.0 comp. 57.0 height -18.1 pin = 31.0 × 67.0	DRSFT408801 top(DK) 2.5 2nd 2.0 oil 2.5 A-R66800 G-0813800000 K-800070740000 M-00986N0	
	piston stock size 0.00 (STD) 040 (016) 0.60 (024)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
F1AE 0481 D/F F1AE 0481 G/H F1AE 0481 M/R 4 cyls 88.0 mm bore 2,286 cc	DPKFT408802B ALFIN OIL GALLERY FITS TAPERED CON. ROD A-A354126 K-40286600 N-8713800010	DPNFT408802B length 84.0 comp. 57.0 height -13.75 pin = 31.0 × 67.0	DRSFT408801 top(DK) 2.5 2nd 2.0 oil 2.5 A-R66800 G-0813800000 K-800070740000 M-00986N0	
	piston stock size 0.00 (STD) 040 (016) 0.60 (024)			
D 3.152 D 4.203 3/4 cyls 91.48 mm bore 2,503 cc 3,335 cc	DPKFT109151 A-350245 K-92772600 M-0432400 N-8752510000	DPNFT109151 length 109.6 comp. 61.9 height -10.25 -18.4 pin = 31.75 × 75.0 313 546 12	DRSFT109151 top 2.385 2nd 2.385 3rd 3.16 1st oil 6.335 2nd oil 6.335 A-R34550 A-R34560K G-0831460000 G-0852510000 K-800015711000 M-04321V0	
	piston stock size 0.00 (STD) ☉			
DJ5 T DK5 ATE 4 cyls 92.0 mm bore 2,446 cc	DPKFT409201B ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED FITS TAPERED CON. ROD A-A354071 K-91313700 M-0390600	DPNFT409201B length(STD) 82.0 length(O/S); 81.6 comp.(STD); 49.84 comp.(O/S) 49.47 height -2.3 pin = 34.0 × 68.0	DRSFT409201 top(DK) 3.0 2nd 1.75 oil 3.5 A-R67430 G-08326630000 K-800059940000 M-03906N0	
	piston stock size 0.00 (STD) ☉ 050 (020) ☉			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8140.07 8140.67 4 cyls 93.0 mm bore 2,499 cc	DPKFT409301A	DPNFT409301A	DRSFT409301	
	ALFIN	length 96.8 comp. 58.8 height -13.1 -17.8	top(DK) 3.0 2nd 2.0 oil 3.0	
	K-94327700 M-0070400	pin = 32.0 x 74.0	A-R47080 G-0824520000 K-800006840000 M-00805V0 7 302 172 7 302 173	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 0.60 (024) ⊙			
8144.614 8140.61 8142.61 4 cyls 93.0 mm bore 2,429 cc 2,445 cc	DPKFT409302A	DPNFT409302A	DRSFT409302	
	ALFIN HEAD ANODIZED	length 89.8 comp. 54.7 height -2.0	top 3.0 2nd 2.0 oil 4.0	
	A-A350663 K-93378700 M-0079800 N-8721450000	pin = 32.0 x 74.4	A-R47010 G-0821450010 K-800007040000 M-00798V0 7 301 400 7 301 402 7 301 403 7 301 499	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 0.60 (024) ⊙	7 301 503 7 031 808 7 301 811 7 301 815/887 7 301 923/926 7 302 280/290		
8140.21 8144.21 TURBO 4 cyls 93.0 mm bore 2,445 cc	DPKFT409303A	DPNFT409303A	DRSFT409301	
	ALFIN	length 97.65 comp. 59.65 height -5.8 -14.8	top(DK) 3.0 2nd 2.0 oil 3.0	
	A-A350671 K-93123600 M-0080500 N-8724520030	pin = 32.0 x 75.2	A-R47080 G-0824520000 K-800006840000 M-00805V0 7 302 172 7 302 173	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 0.60 (024) ⊙	7 303 023		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8140.27 8144.40 8144.47 TURBO 4 cyls 93.0 mm bore 2,499 cc	DPKFT409304B	DPNFT409304B	DRSFT409301	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED A-A350510 K-94382600 M-0090700	length 96.75 comp. 58.75 height -14.0 -18.4 pin = 32.0 × 78.1 PIN BUSHING INSERTED	top(DK) 3.0 2nd 2.0 oil 3.0 A-R47080 G-0824520000 K-800006840000 M-00805V0 7 302 172 7 302 173	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 0.60 (024) ⊙			
B 25 CRD 93 U25 4 cyls 93.01 mm bore 2,499 cc	DPKFT409305	DPNFT409305	DRSFT409303	
	A-A350704 K-93844700 M-0318200 N-8715270000	length 95.0 comp. 52.75 height -7.4 pin = 30.0 × 78.0	top 2.5 2nd 2.0 oil 4.0 A-R60970 G-0815270000 K-800004041000 M-03182N0	
	piston stock size 0.00 (STD) 050 (020) 0.75 (030)			
8140.23 8140.43 TURBO 4 cyls 94.4 mm bore 2,798 cc	DPKFT409441B	DPNFT409441B	DRSFT409441	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON. ROD A-A350582 K-94701600 M-0098900	length 87.6 comp. 58.8 height -15.1 -19.45 pin = 32.0 × 72.0	top(DK) 2.5 2nd 2.0 oil 2.5 A-R60070 G-0812220000 K-800038241000 M-00990N0	
	piston stock size 0.00 (STD) ⊙ 040 (016) 0.60 (024)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
F1CE 0481 HA F1CE 0481 HC 4 cyls 95.8 mm bore 2,998 cc	DPKFT409581B ALFIN OIL GALLERY FITS TAPERED CON. ROD K-40510600	DPNFT409581B length 92.9 comp. 63.0 height -16.0 pin = 36.0 × 81.0	DRSFT409581 top(DK) 2.5 2nd 2.0 oil 2.5 K-800057810000	
	piston stock size 0.00 (STD) 040 (016)			
4.236 4 cyls 98.48 mm bore 3,864 cc	DPKFT409851A ALFIN HEAD ANODIZED SKIRT MOS2 TREATED K-93592600 M-0433100	DPNFT409851A length 121.0 comp. 70.3 height -20.5 pin = 34.93 × 84.0	DRSFT409851 top 2.385 2nd 2.385 oil 4.747 A-R34740 G-0831890010 K-800033710000 M-04331N0	
	piston stock size 0.00 (STD) ☉			
8025.02 8030.02 8035.02 8040.03 8045.02 8060.02 8065.02 2/3/4/6 cyls 100.0 mm bore 1,728 cc 2,592 cc 3,456 cc 5,184 cc	DPKFT110001 A-350617 K-92628600 M-0079700 N-8720680000	DPNFT110001 length 101.15 comp. 59.65 height -12.15 -23.5 pin = 32.0 × 83.4	DRSFT110001 top 2.5 2nd 2.5 oil 5.5 A-R46830 G-0820680000 M-00797V0	
	piston stock size 0.00 (STD) ☉ 0.60 (024) ☉ 1.00 (040) ☉			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8035.06 8045.06 8065.06 3/4/6 cyls 100.0 mm bore 2,708 cc 3,613 cc 5,418 cc	DPKFT110002	DPNFT110002	DRSFT110002	
	A-350622 K-99567600 M-0081800 N-8778190010	length 108.5 comp. 65.1 height -13.1 -22.7	top 2.5 2nd 2.5 oil 4.0	
	piston stock size 0.00 (STD) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙	pin = 38.0 × 85.0	A-R47070 G-0878190000 K-800043411000 M-01003N0	
8031.05 8035.05 8040.05 8045.06 8055.05 8060.05 8065.05 3/4/5/6 cyls 104.0 mm bore 2,931 cc 3,908 cc 4,885 cc 5,861 cc	DPKFT110401A	DPNFT110401A	DRSFT110401	
	ALFIN FITS TAPERED CON. ROD A-A350682 K-90158700 M-0083500	length 108.5 comp. 65.15 height -13.5 -22.5	top 2.5 2nd 2.5 oil 4.0	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙ 0.80 (032) ⊙	pin = 38.0 × 85.0	A-R47200 G-0824780000 K-800007510000 M-00835N0	