



| ENGINE MODEL   | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips  | PISTON RINGS<br>piston rings set   | PISTON HEAD |
|--|--|---|--|-------------|
| F6JA<br>F6JB<br><br>4 cyls<br><br>73.7 mm bore<br><br>1,398 cc                 | DPKFD407371A   | DPNFD407371A  | DRSFD407371  |             |
|  | ALFIN<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD                                      | length 65.44<br>comp. 42.94<br>height -8.5<br>-14.7                                   | top(DK) 2.5<br>2nd 1.95<br>oil 2.5   |             |
|  | <b>A-A354118</b><br><b>K-40469600</b><br><b>M-0400300</b><br><b>N-8713530000</b>         | pin = 25.0 × 60.0   | <b>A-R66770</b><br><b>G-0813530000</b><br><b>K-800046040000</b><br><b>M-04005N0</b>                          |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.25 (010) ⊙<br>0.50 (020) ⊙                 |   |  |             |
| HDDA/Hddb<br>HHDA/HHDB<br><br>4 cyls<br><br>75.0 mm bore<br><br>1,560 cc       | DPKFD407501B   | DPNFD407501B  | DRSFD407501  |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD                       | length 65.3<br>comp. 41.7<br>height -6.0<br>-13.2                                     | top(DK) 3.0<br>2nd 2.0<br>oil 2.5  |             |
|  | <b>A-A354125</b><br><b>K-40179600</b><br><b>M-0400600</b><br><b>N-8742400000</b>         | pin = 26.0 × 61.0   | <b>G-0842400000</b><br><b>K-800054940000</b><br><b>M-04006N0</b>   |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040)                   |   |  |             |
| AFN/AHU<br>1Z/MF/MG<br>TURBO<br><br>4 cyls<br><br>79.5 mm bore<br><br>1,896 cc | DPKFD107951A<br>(for cyl 1/2)  | DPNFD107951A<br>(for cyl 1/2)   | DRSFD107951  |             |
|  | ALFIN<br>TOP RING LAND AND<br>SKIRT MOS2 TREATED   | length 71.8<br>comp.(STD/0.25) 45.8<br>comp.(0.50/1.00) 45.55<br>height -8.8<br>-17.8 | top 1.75<br>2nd 2.0<br>oil 3.0   |             |
|  | <b>K-94427700</b><br><b>M-0304000</b><br><b>N-8711490095</b>                             | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.25 (010) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙ |   |  |             |

| ENGINE MODEL   | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips  | PISTON RINGS<br>piston rings set | PISTON HEAD |  |
|--|--|---|----------------------------------|-------------|--|
| AFN/AHU<br>1Z/MF/MG<br>TURBO<br><br>4 cyls<br><br>79.5 mm bore<br><br>1,896 cc | DPKFD107952A<br>(for cyl 3/4)  | DPNFD107952A<br>(for cyl 3/4)   | DRSFD107951                      |             |  |
|  | ALFIN<br>TOP RING LAND AND<br>SKIRT MOS2 TREATED<br><br><b>K-94428700</b><br><b>M-0304100</b><br><b>N-8711490090</b>               | length 71.8<br>comp.(STD/0.25) 45.8<br>comp.(0.50/1.00) 45.55<br>height -8.8<br>-17.8                 | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.25 (010)<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |
| ASZ TURBO<br><br>4 cyls<br><br>79.5 mm bore<br><br>1,896 cc                    | DPKFD107953B<br>(for cyl 1/2)  | DPNFD107953B<br>(for cyl 1/2)   | DRSFD107951                      |             |  |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99470600</b><br><b>M-0308600</b><br><b>N-8711490045</b> | length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -10.3<br>-17.5 | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |
| ASZ TURBO<br><br>4 cyls<br><br>79.5 mm bore<br><br>1,896 cc                    | DPKFD107954B<br>(for cyl 3/4)  | DPNFD107954B<br>(for cyl 3/4)   | DRSFD107951                      |             |  |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99471600</b><br><b>M-0308700</b><br><b>N-8711490046</b> | length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -10.3<br>-17.5 | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips  | PISTON RINGS<br>piston rings set | PISTON HEAD |  |
|---|--|---|----------------------------------|-------------|--|
| <b>AUY TURBO</b><br><br><b>4 cyls</b><br><br><b>79.5 mm bore</b><br><br><b>1,896 cc</b> | <b>DPKFD107955B</b><br>(for cyl 1/2)   | <b>DPNFD107955B</b><br>(for cyl 1/2)  | <b>DRSFD107951</b>               |             |  |
|   | ALFIN<br>OIL GALLERY<br>TOP RING LAND AND SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99842600</b><br><b>M-0305600</b><br><b>N-8711490005</b> | length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -10.4<br>-17.8 | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |
|   |  |   |                                  |             |  |
| <b>AUY TURBO</b><br><br><b>4 cyls</b><br><br><b>79.5 mm bore</b><br><br><b>1,896 cc</b> | <b>DPKFD107956B</b><br>(for cyl 3/4)   | <b>DPNFD107956B</b><br>(for cyl 3/4)  | <b>DRSFD107951</b>               |             |  |
|   | ALFIN<br>OIL GALLERY<br>TOP RING LAND AND SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99843600</b><br><b>M-0305700</b><br><b>N-8711490015</b> | length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -10.4<br>-17.8 | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |
|   |  |   |                                  |             |  |
| <b>ANU</b><br><br><b>4 cyls</b><br><br><b>79.5 mm bore</b><br><br><b>1,896 cc</b>       | <b>DPKFD107957B</b><br>(for cyl 1/2)   | <b>DPNFD107957B</b><br>(for cyl 1/2)  | <b>DRSFD107951</b>               |             |  |
|   | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99850060</b><br><b>M-0306500</b>  | length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -17.75         | top 1.75<br>2nd 2.0<br>oil 3.0   |             | <b>A-R60370</b><br><b>G-0811490000</b><br><b>K-800000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b> |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | pin = 26.0 × 66.0<br>PIN BUSHING INSERTED   |                                  |             |  |
|   |  |   |                                  |             |  |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips  | PISTON RINGS<br>piston rings set   | PISTON HEAD |
|---|--|---|--|-------------|
| ANU<br><br>4 cyls<br><br>79.5 mm bore<br><br>1,896 cc   | DPKFD107958B<br>(for cyl 3/4)<br><br>ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><br><b>K-99850160</b><br><b>M-0306600</b>                       | DPNFD107958B<br>(for cyl 3/4)<br><br>length(STD) 69.8<br>length(O/S) 69.55<br>comp.(STD) 45.8<br>comp.(O/S) 45.55<br>height -17.75<br><br>pin = 26.0 × 66.0<br>PIN BUSHING INSERTED | DRSFD107951<br><br>top 1.75<br>2nd 2.0<br>oil 3.0<br><br><b>A-R60370</b><br><b>G-0811490000</b><br><b>K-80000810000</b><br><b>K-800051640000</b><br><b>M-03020N0</b>                         |             |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   |   |  |             |
|   |  |   |  |             |
| RTA/RTB<br>RTC/RTD<br>RTE/RTF<br>RTG/RTH<br>RTJ/RTK<br><br>4 cyls<br><br>82.5 mm bore<br><br>1,753 cc | DPKFD408251A<br><br>ALFIN<br><br><b>H-A350979</b><br><b>K-91780600</b><br><b>M-0136300</b><br><b>M-0145500</b>   | DPKFD408251A<br><br>length 73.7<br>comp. 45.7<br>height -1.3<br>-2.8<br><br>pin = 26.0 × 59.0   | DRSFD408251<br><br>top 2.0<br>2nd 2.0<br>oil 3.0<br><br><b>A-R43390</b><br><b>G-0878350000</b><br><b>K-800037040000</b><br><b>M-01363N0</b>  |             |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | <b>6184022</b>  |  |             |
|   |  |   |  |             |
| RTA/RFD<br>RFN/RFS<br>RFU/RVA<br>TURBO<br><br>4 cyls<br><br>82.5 mm bore<br><br>1,753 cc              | DPKFD408252A<br><br>ALFIN<br>SKIRT MOS2 TREATED<br><b>A-A350848</b><br><b>K-91042602</b><br><b>K-93065602</b><br><b>K-94664602</b><br><b>M-0147200</b><br><b>M-0149300</b> | DPKFD408252A<br><br>length 75.8<br>comp. 46.65<br>height -1.5<br>-3.0<br><br>pin = 26.0 × 69.0  | DRSFD408252<br><br>top(HK) 2.5<br>2nd 2.0<br>oil 3.0<br><br><b>A-R60080</b><br><b>G-0810700000</b><br><b>K-800005204000</b><br><b>K-800005514000</b><br><b>M-01493N0</b><br><b>M-01505N0</b> |             |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙   | <b>6184026</b><br><b>6792216</b><br><b>89FF-6102AA</b><br><b>89FF-6102EA</b>  |  |             |
|   |  |   |  |             |

| ENGINE MODEL   | PISTON KIT<br>piston set+rings  | PISTON SET<br>piston+pin+clips                    | PISTON RINGS<br>piston rings set   | PISTON HEAD |
|--|---|---|--|-------------|
| C9DA<br>C9DB<br>C9DC<br><br>4 cyls<br><br>82.5 mm bore<br><br>1,753 cc | DPKFD408253A  | DPKFD408253A                                      | DRSFD408252  |             |
|  | ALFIN<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>A-A350551</b><br><b>K-40014600</b><br><b>K-99372600</b><br><b>M-0150500</b><br><b>N-871070000</b> | length 70.7<br>comp. 45.7<br>height -4.7<br>-16.1 | top(HK) 2.5<br>2nd 2.0<br>oil 3.0  |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙  | pin = 28.0 × 66.0                                 | <b>A-R60080</b><br><b>G-0810700000</b><br><b>K-800005204000</b><br><b>K-800005514000</b><br><b>M-01493N0</b><br><b>M-01505N0</b> |             |
| F9DA<br>F9DB<br><br>4 cyls<br><br>82.5 mm bore<br><br>1,753 cc         | DPKFD408254B  | DPKFD408254B                                      | DRSFD408252  |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99384600</b><br><b>K-99960600</b><br><b>M-0150600</b>                            | length 71.2<br>comp. 45.7<br>height -4.0<br>-14.0 | top(HK) 2.5<br>2nd 2.0<br>oil 3.0  |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙  | pin = 28.0 × 66.0                                 | <b>A-R60080</b><br><b>G-0810700000</b><br><b>K-800005204000</b><br><b>K-800005514000</b><br><b>M-01493N0</b><br><b>M-01505N0</b> |             |
| KKDA<br><br>4 cyls<br><br>82.5 mm bore<br><br>1,753 cc                 | DPKFD408255B  | DPKFD408255B                                      | DRSFD408252  |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99963600</b>   | length 71.2<br>comp. 45.7<br>height -5.4<br>-12.5 | top(HK) 2.5<br>2nd 2.0<br>oil 3.0  |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙  | pin = 28.0 × 66.0                                 | <b>A-R60080</b><br><b>G-0810700000</b><br><b>K-800005204000</b><br><b>K-800005514000</b><br><b>M-01493N0</b><br><b>M-01505N0</b> |             |

| ENGINE MODEL   | PISTON KIT<br>piston set+rings  | PISTON SET<br>piston+pin+clips                     | PISTON RINGS<br>piston rings set  | PISTON HEAD |
|--|---|--|---|-------------|
| G6DA<br>G6DB<br><br>4 cyls<br><br>85.0 mm bore<br><br>1,997 cc                 | DPKFD408501B  | DPKFD408501B                                       | DRSFD408501   |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>K-99700600</b>                         | length 80.7<br>comp. 46.7<br>height -4.7<br>-15.4  | top(DK) 3.5<br>2nd 2.0<br>oil 3.0   |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.60 (024) ⊙  | pin = 28.0 × 70.0                                  | <b>A-R60410</b><br><b>G-0811470000</b><br><b>K-800045940000</b><br><b>M-03999N0</b> |             |
| FMBA<br>QWFA<br><br>4 cyls<br><br>86.0 mm bore<br><br>1,998 cc<br><br>2,198 cc | DPKFD408601B  | DPKFD408601B                                       | DRSFD408601   |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>1373522</b>                            | length 69.8<br>comp. 43.4<br>height -6.0<br>-15.8  | top 2.0<br>2nd 2.0<br>oil 2.0   |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040)  | pin = 30.0 × 66.8                                  | <b>A-R67410</b><br><b>G-0814080000</b><br><b>K-800071540000</b><br><b>M-01570N0</b> |             |
| ABFA<br>D5BA<br>D6BA<br><br>4 cyls<br><br>86.0 mm bore<br><br>1,998 cc         | DPKFD408602A  | DPKFD408602A                                       | DRSFD408601   |             |
|  | ALFIN<br>SKIRT MOS2 TREATED<br><b>A-A350591</b><br><b>K-40173600</b><br><b>M-0156900</b><br><b>N-8714080000</b> | length 74.0<br>comp. 47.58<br>height -5.6<br>-16.5 | top 2.0<br>2nd 2.0<br>oil 2.0   |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.25 (010)<br>0.50 (020) ⊙  | pin = 30.0 × 67.0                                  | <b>A-R67410</b><br><b>G-0814080000</b><br><b>K-800071540000</b><br><b>M-01570N0</b> |             |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips   | PISTON RINGS<br>piston rings set  | PISTON HEAD |
|---|--|--|---|-------------|
| F3FA/FIFA<br>HJBA/HJBB<br>HJBC/N7BA<br><br>4 cyls<br><br>86.0 mm bore<br><br>1,998 cc | DPKFD408603B<br><br>ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><b>A-A350592</b><br><b>K-40174600</b><br><b>M-0157000</b><br><b>N-8714080010</b> | DPKFD408603B<br><br>length      74.1<br><br>comp.        47.7<br>height       -4.6<br>-15.2<br><br>pin = 30.0 × 67.0 | DRSFD408601<br><br>top            2.0<br>2nd            2.0<br>oil              2.0<br><br><b>A-R67410</b><br><b>G-0814080000</b><br><b>K-800071540000</b><br><b>M-01570N0</b>                      |             |
|   | <b>piston stock size</b><br>0.00 (STD)      ⊙<br>0.25 (010)      ⊙<br>0.50 (020)      ⊙  |  |   |             |
|   |  |  |   |             |
|   |  |  |   |             |
| RF<br><br>4 cyls<br><br>86.0 mm bore<br><br>2,184 cc                                  | DPKFD408604A<br><br>ALFIN<br><br><b>K-94372700</b>   | DPNFD408604A<br><br>length      86.3<br><br>comp.        47.3<br>height       -1.6<br><br>pin = 25.0 × 68.5          | DRSFD408602<br><br>top            2.0<br>2nd            2.0<br>oil              4.0<br><br><b>R201-23-130A</b><br><b>R201-23-130B</b><br><b>A-R42580</b><br><b>G-0828360000</b><br><b>M-62734V0</b> |             |
|   | <b>piston stock size</b><br>0.00 (STD)      ⊙<br>0.50 (020)      ⊙<br>0.75 (030)      ⊙<br>1.00 (040)      ⊙   | <b>RF01-23-200</b><br><b>RF01-23-200B</b>  |   |             |
|   |  |  |   |             |
|   |  |  |   |             |
| VTA<br><br>4 cyls<br><br>88.0 mm bore<br><br>1,948 cc                                 | DPKFD408801<br><br><b>K-92791600</b><br><b>M-0395400</b>   | DPNFD408801<br><br>length      95.35<br><br>comp.        58.7<br>height       -2.0<br><br>pin = 28.0 × 72.0          | DRSFD408801<br><br>top            2.0<br>2nd            2.0<br>3rd            2.0<br>oil              4.5<br><br><b>K-800009240000</b><br><b>M-03954V0</b>  |             |
|   | <b>piston stock size</b><br>0.00 (STD)      ⊙  |  |   |             |
|   |  |  |   |             |
|   |  |  |   |             |















| ENGINE MODEL   | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips                    | PISTON RINGS<br>piston rings set                                 | PISTON HEAD |
|--|--|---|--|-------------|
| DOFA<br><br>4 cyls<br><br>89.9 mm bore<br><br>2,402 cc         | DPKFD408991A   | DPNFD408991A                                      | DRSFD408991  |             |
|  | ALFIN<br>SKIRT MOS2 TREATED<br><br><b>1373531</b>  | length 80.4<br>comp. 53.5<br>height -6.0<br>-16.3 | top 2.0<br>2nd 2.0<br>oil 2.0                                    |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙   | pin = 32.0 × 66.0                                 | <b>G-0814810000</b><br><b>K-800051140000</b><br><b>M-01580N0</b> |             |
| D2FA<br>F4FA<br><br>4 cyls<br><br>89.9 mm bore<br><br>2,402 cc | DPKFD408992A   | DPNFD408992A                                      | DRSFD408991  |             |
|  | ALFIN<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><br><b>1309103</b><br><b>K-40171600</b><br><b>M-0159400</b>   | length 80.4<br>comp. 53.5<br>height -7.7<br>-17.0 | top 2.0<br>2nd 2.0<br>oil 2.0                                    |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙   | pin = 32.0 × 66.0                                 | <b>G-0814810000</b><br><b>K-800051140000</b><br><b>M-01580N0</b> |             |
| D4FA<br><br>4 cyls<br><br>89.9 mm bore<br><br>2,402 cc         | DPKFD408993B   | DPNFD408993B                                      | DRSFD408991  |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD<br><br><b>1369684</b><br><b>A-A354115</b><br><b>K-40172600</b><br><b>M-0158000</b><br><b>N-8714810000</b> | length 80.5<br>comp. 53.5<br>height -7.8<br>-17.2 | top 2.0<br>2nd 2.0<br>oil 2.0                                    |             |
|  | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.50 (020) ⊙   | pin = 32.0 × 71.0                                 | <b>G-0814810000</b><br><b>K-800051140000</b><br><b>M-01580N0</b> |             |

| ENGINE MODEL   | PISTON KIT<br>piston set+rings                                     | PISTON SET<br>piston+pin+clips                    | PISTON RINGS<br>piston rings set                        | PISTON HEAD |
|--|--|---|---|-------------|
| JXFA<br>PHFA<br>H9FA<br>4 cyls<br>89.9 mm bore<br>2,402 cc       | DPKFD408994B   | DPNFD408994B                                      | DRSFD408991   |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD | length 80.5<br>comp. 53.5<br>height -7.3<br>-15.6 | top 2.0<br>2nd 2.0<br>oil 2.0                           |             |
|  | 1369691<br>N-8714810010  | pin = 32.0 x 71.0                                 | G-0814810000<br>K-800051140000<br>M-01580N0             |             |
| piston stock size<br>0.00 (STD) ⊙<br>0.25 (010)<br>0.50 (020) ⊙  |  |   |   |             |
| H9FA<br>H9FB<br>4 cyls<br>89.9 mm bore<br>2,402 cc               | DPKFD408995B   | DPNFD408995B                                      | DRSFD408991   |             |
|  | ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED<br>FITS TAPERED CON.ROD | length 80.5<br>comp. 53.5<br>height -6.0<br>-16.3 | top 2.0<br>2nd 2.0<br>oil 2.0                           |             |
|  | 1376491<br>A-A354116<br>N-8714810030                               | pin = 32.0 x 71.0                                 | G-0814810000<br>K-800051140000<br>M-01580N0             |             |
| piston stock size<br>0.00 (STD) ⊙<br>0.50 (020) ⊙                |  |   |   |             |
| SCB/SCC<br>SCD/VM<br>TURBO<br>4 cyls<br>92.0 mm bore<br>2,499 cc | DPKFD409201A   | DPNFD409201A                                      | DRSFD409201   |             |
|  | ALFIN<br>HEAD AND TOP RING<br>LAND ANODIZED                        | length 86.1<br>comp. 51.1<br>height -2.3<br>-3.9  | top(DK) 2.5<br>2nd 2.0<br>oil 4.0                       |             |
|  | K-92286600<br>K-92286700<br>M-4891300                              | pin = 30.0 x 75.5                                 | A-R47730<br>G-0811010000<br>K-800000110000<br>M-48912N0 |             |
| piston stock size<br>0.00 (STD) ⊙                                |  |   |   |             |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings  | PISTON SET<br>piston+pin+clips   | PISTON RINGS<br>piston rings set   | PISTON HEAD |
|---|---|--|--|-------------|
| WL-C<br><br>4 cyls<br><br>93.0 mm bore<br><br>2,499 cc                                    | DPKFD409301B<br><br>ALFIN<br>OIL GALLERY<br>SKIRT MOS2 TREATED                        | DPNFD409301B<br><br>length 81.2<br>comp. 51.7<br>height -7.1<br>-15.2<br><br>pin = 34.0 × 70.0 | DRSFD409301<br><br>top 2.0<br>2nd 1.5<br>oil 2.0<br><br>1449009<br>1449010<br>1449011  |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>1.00 (040) ⊙                     | 1449002<br>1449003<br>1449005  |  |             |
|   |   |  |  |             |
| 2401 E/4AA<br>2402 E<br><br>4/6 cyls<br><br>93.65 mm bore<br><br>2,358 cc<br><br>3,537 cc | DPKFD109361<br><br>K-92813600<br>M-0141700<br>N-8720732100                            | DPNFD109361<br><br>length 108.1<br>comp. 61.6<br>height -1.0<br><br>pin = 29.0 × 74.5          | DRSFD109361<br><br>top(HK) 2.38<br>2nd 2.38<br>oil 4.75<br><br>A-R40120<br>G-0820730010<br>K-800009720000<br>M-01417N0             |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.65 (025) ⊙<br>1.00 (040) ⊙                     | 735F-6110-BAA<br>735F-6110-BBA<br>735F-6110-BCA  |  |             |
|   |   |  |  |             |
| 4AB/4BA<br>4BB/4CA<br>4FA<br><br>4 cyls<br><br>93.67 mm bore<br><br>2,496 cc              | DPKFD409370A<br><br>ALFIN<br><br>H-A350826<br>K-92189600<br>M-0148200<br>N-8778480000 | DPNFD409370A<br><br>length 94.0<br>comp. 59.5<br>height -5.8<br>-18.0<br><br>pin = 29.0 × 77.0 | DRSFD409370<br><br>top(DK) 2.5<br>2nd 2.0<br>oil 4.0<br><br>A-R45060<br>G-0878480000<br>K-800009940000<br>M-01482N0<br>894F-6148AA |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.65 (025) ⊙<br>1.00 (040) ⊙                     | 86TM-6110EA2D  |  |             |
|   |   |  |  |             |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings  | PISTON SET<br>piston+pin+clips                    | PISTON RINGS<br>piston rings set  | PISTON HEAD |
|---|---|---|-----------------------------------|-------------|
| 4AB/4BA<br>4BB/4CA<br>4FA/4GA<br>4HB/4HC<br><br>4 cyls<br><br>93.67 mm bore<br><br>2,496 cc | DPKFD409371A  | DPNFD409371A                                      | DRSFD409371                       |             |
|   | ALFIN<br>SKIRT MOS2 TREATED<br><br><b>H-A350999</b><br><b>N-8712370030</b>                        | length 94.0<br>comp. 59.5<br>height -5.8<br>-18.0 | top(HK) 2.5<br>2nd 2.0<br>oil 4.0 |             |
|   | pin = 29.0 × 77.0<br><br><b>piston stock size</b><br>0.00 (STD) ⊙<br>0.65 (025) ⊙<br>1.00 (040) ⊙ | <b>A-R49520</b><br><b>G-0812370000</b>            |                                   |             |
| 4GB/4GC<br>4GE/4GF<br>4HA/4HD<br>TURBO<br><br>4 cyls<br><br>93.67 mm bore<br><br>2,496 cc   | DPKFD409372A  | DPNFD409372A                                      | DRSFD409371                       |             |
|   | ALFIN<br>SKIRT MOS2 TREATED<br><br><b>A-A350502</b><br><b>N-8712370010</b>                        | length 94.0<br>comp. 59.5<br>height -17.9         | top(HK) 2.5<br>2nd 2.0<br>oil 4.0 |             |
|   | pin = 29.0 × 79.0<br><br><b>piston stock size</b><br>0.00 (STD) ⊙<br>0.65 (025) ⊙<br>1.00 (040) ⊙ | <b>A-R49520</b><br><b>G-0812370000</b>            |                                   |             |
| 4EA<br>4EB<br>4EC<br>TURBO<br><br>4 cyls<br><br>93.67 mm bore<br><br>2,496 cc               | DPKFD409373A  | DPNFD409373A                                      | DRSFD409371                       |             |
|   | ALFIN<br>SKIRT MOS2 TREATED<br><br><b>A-A350501</b><br><b>N-8712370000</b>                        | length 94.0<br>comp. 59.5<br>height -6.4<br>-18.4 | top(HK) 2.5<br>2nd 2.0<br>oil 4.0 |             |
|   | pin = 29.0 × 79.0<br><br><b>piston stock size</b><br>0.00 (STD) ⊙<br>0.65 (025) ⊙<br>1.00 (040) ⊙ | <b>A-R49520</b><br><b>G-0812370000</b>            |                                   |             |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips              | PISTON RINGS<br>piston rings set  | PISTON HEAD  |
|---|--|---|---|--|
| STP/STR<br><br>4 cyls<br><br>94.0 mm bore<br><br>2,498 cc             | DPKFD409401A   | DPNFD409401A                                | DRSFD409401   | <br><br>     |
|   | ALFIN  | length 96.42<br>comp. 53.92<br>height -1.8  | top 2.0<br>2nd 2.0<br>oil 4.0   |  |
|   |  | pin = 30.0 × 78.8                           | <b>A-R66140</b><br><b>G-0831870010</b><br><b>K-800004140000</b><br><b>M-03948N0</b> |  |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.40 (016) ⊙<br>0.60 (024) ⊙<br>1.00 (040) ⊙ |   |   |  |
| LXD 2<br>YTR<br>YTT<br><br>4 cyls<br><br>94.0 mm bore<br><br>2,304 cc | DPKFD409402  | DPNFD409402                                 | DRSFD409401   | <br><br> |
|   | <b>A-350707</b><br><b>K-93520600</b><br><b>M-0395000</b><br><b>N-8731870000</b>          | length 99.92<br>comp. 57.42<br>height -1.8  | top 2.0<br>2nd 2.0<br>oil 4.0   |  |
|   |  | pin = 30.0 × 78.8                           | <b>A-R66140</b><br><b>G-0831870010</b><br><b>K-800004140000</b><br><b>M-03948N0</b> |  |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.40 (016) ⊙<br>0.60 (024) ⊙<br>1.00 (040) ⊙ | <b>83EM-6K100AA</b>                         |   |  |
| XD 2S<br>TURBO<br><br>4 cyls<br><br>94.0 mm bore<br><br>2,304 cc      | DPKFD409403A   | DPNFD409403A                                | DRSFD409402   | <br><br> |
|   | ALFIN  | length 99.87<br>comp. 57.37<br>height -1.95 | top(DK) 3.0<br>2nd 2.0<br>oil 4.0   |  |
|   | <b>K-93703600</b><br><b>M-0395200</b>  | pin = 30.0 × 78.0                           | <b>A-R66000</b><br><b>G-0832020010</b><br><b>M-03947N0</b><br><b>M-03952N0</b>      |  |
|   | <b>piston stock size</b><br>0.00 (STD) ⊙<br>0.40 (016) ⊙<br>0.60 (024) ⊙<br>1.00 (040) ⊙ |   |   |  |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings   | PISTON SET<br>piston+pin+clips                                 | PISTON RINGS<br>piston rings set             | PISTON HEAD  |  |
|---|--|--|--|--|--|
| SFA/SFB<br>TURBO<br><br>4 cyls<br><br>94.0 mm bore<br><br>2,498 cc  | DPKFD409404B   | DPNFD409404B   | DRSFD409402                                  | <br><br>     |  |
|   | ALFIN<br>OILL GALLERY<br>SKIRT MOS2 TREATED<br><br><b>K-93608600</b><br><b>M-0394700</b> | length 96.37<br>comp. 53.87<br>height -2.27                    | top(DK) 3.0<br>2nd 2.0<br>oil 4.0            |  | <b>A-R66000</b><br><b>G-0832020010</b><br><b>M-03947N0</b><br><b>M-03952N0</b>   |
|   | <b>piston stock size</b><br>0.00 (STD) ☉<br>0.40 (016)<br>0.60 (024)                     | pin = 32.0 × 78.8  |  |  |  |
| TD27T<br><br>4 cyls<br><br>96.0 mm bore<br><br>2,664 cc   | DPKFD409601B   | DPNFD409601B   | DRSFD409601                                  | <br><br> |  |
|   | ALFIN<br>OILL GALLERY<br>SKIRT MOS2 TREATED<br>HEAD ANODIZED<br><br><b>K-94406600</b>    | length 87.2<br>comp. 50.4<br>height -1.4                       | top(HK) 2.5<br>2nd 2.0<br>oil 3.0            |  | <b>12033-0W813</b><br><b>12033-0W814</b><br><b>12033-0W81A</b><br><b>12033-2W211</b><br><b>12033-7F400</b><br><b>12033-NA010</b> |
|   | <b>piston stock size</b><br>0.00 (STD) ☉<br>0.50 (020) ☉<br>0.75 (030)<br>1.00 (040) ☉   | <b>12010-0W820</b><br><b>12010-0W821</b><br><b>12010-0W82A</b> | pin = 30.0 × 80.0                            |  |  |
| 2700/2701 E<br>2706 E<br>2704 E<br>2709 E<br><br>4/6 cyls<br><br>104.77 mm bore<br><br>3,966 cc<br><br>5,944 cc | DPKFD110481  | DPNFD110481  | DRSFD110481                                  | <br><br> |  |
|   | A-350067<br>K-90495600<br>M-0143500<br>N-8720280000                                      | length 118.0<br>comp. 71.0<br>height -25.9                     | top 2.39<br>2nd 2.39<br>3rd 2.39<br>oil 4.75 |  | <b>A-R40040</b><br><b>G-0820280000</b><br><b>K-800010010000</b><br><b>M-01571N0</b>  |
|   | <b>piston stock size</b><br>0.00 (STD)<br>0.50 (020)                                     | pin = 34.93 × 90.0   |  |  |  |

| ENGINE MODEL  | PISTON KIT<br>piston set+rings                                    | PISTON SET<br>piston+pin+clips  | PISTON RINGS<br>piston rings set                                      | PISTON HEAD |
|---|---|---|---|-------------|
| 2504 E/ND<br>RD<br><br>3/4 cyls<br><br>106.69 mm bore<br><br>2,870 cc<br><br>3,815 cc                             | DPKFD110671A  | DPNFD110671A  | DRSFD110671   |             |
|   | ALFIN   | length 129.0<br>comp. 70.2<br>height -17.1                                  | top 2.38<br>2nd 2.38<br>3rd 2.38<br>oil 4.75                          |             |
|   | A-A350199V1<br>K-93566600<br>M-0148900<br>N-8720810010            | pin = 38.1 × 89.0   | G-0820810000<br>K-800010110000<br>M-1703N0                            |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.50 (020) ⊙<br>0.75 (030) ⊙ | C5NN6108V<br>C7NN6108AJ<br>D4NN6108L<br>D4NN6108N<br>D6NN6108P<br>DNW6108AJ |   |             |
| 2711 E/2712 E<br>2722/2714 E<br>2715 C/2725<br><br>4/6 cyls<br><br>107.21 mm bore<br><br>4,161 cc<br><br>6,227 cc | DPKFD110721A  | DPNFD110721A  | DRSFD110721   |             |
|   | ALFIN   | length 119.9<br>comp. 71.2<br>height -19.0<br>-27.8                         | top 2.39<br>2nd 2.39<br>3rd 2.39<br>oil 4.75                          |             |
|   | H-350031V1<br>K-92587600<br>M-0143800<br>N-8721480010             | pin = 36.512 × 90.0   | A-R40110<br>G-0821480010<br>K-800010211000<br>M-01438N0<br>703F-6148A |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.50 (020) ⊙                 | 703F-6102AAB<br>703F-6110AAB<br>793F-6102AAA<br>793F-6102BAA                |   |             |
| 2514 E/256<br><br>4 cyls<br><br>111.77 mm bore<br><br>4,195 cc  | DPKFD411171A  | DPNFD411171A  | DRSFD411171   |             |
|   | ALFIN   | length 129.5<br>comp. 70.6<br>height -18.6                                  | top 2.39<br>2nd 2.39<br>3rd 2.39<br>oil 4.75                          |             |
|   | A-A350202V2<br>N-8720240000<br>K-97505600<br>M-0144900            | pin = 38.1 × 89.0   | A-R31640<br>G-0820240010<br>K-800010311000<br>M-01442N0               |             |
|   | piston stock size<br>0.00 (STD) ⊙<br>0.50 (020) ⊙                 |   |   |             |

| ENGINE MODEL   | PISTON KIT<br>piston set+rings | PISTON SET<br>piston+pin+clips                                     | PISTON RINGS<br>piston rings set  | PISTON HEAD |
|--|--------------------------------|--|---|-------------|
| 201/BSD 333H<br>256<br>401<br><br>3/4/6 cyls<br><br>111.77 mm bore<br><br>3,294 cc<br><br>4,195 cc<br><br>6,571 cc | DPKFD411172A                   | DPNFD411172A   | DRSFD411171   |             |
|  | ALFIN                          | length      127.0<br><br>comp.         68.1<br>height        -19.7 | top            2.39<br>2nd            2.39<br>3rd            2.39<br>oil             4.75 |             |
|  | A-A350382<br>N-8720240010      | pin = 38.1 × 89.0  | A-R31640<br>G-0820240010<br>K-800010311000<br>M-01442N0                                   |             |
| piston stock size<br>0.00 (STD)      ⊙<br>0.50 (020)      ⊙  |                                |  |   |             |
|  |                                |  |   |             |
|  |                                |  |   |             |
|  |                                |  |   |             |
|  |                                |  |   |             |