




FORD GASOLINE INDEX

Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page
G6A/GUF	68.7	2			
ZETEC/ROCAM	68.7				
HCS 1.0L/GUD/GUE	68.7				
AE	70.3	3			
ZL 13	73.96				
J4C/D/J/L/M/N/P/Q/R/S/T/JBD/	73.97				
J4B/J6A/J6B/JBC/JBE	73.97	4			
L1E/F/G/H/J/K/L/N/Q/LUH/LUJ	76.0				
FXDA/FXDB/FXDC/FXDD/FXJA/	76.0				
FHD/FHF	76.0	5			
CVH/FUA	77.25				
FYDA/FYDB	79.0				
FYJA/FYJB	79.0	6			
CVH/EFI/LJB/LR1/LR2/LRA/LUA	80.0				
CVH/LUC/LUV	80.0				
RDA/RDB/RKA/RKB/RKC/RQB/F	80.6	7			
ZH18N	80.6				
2737E/HC	80.96				
2735E / J2/3/3D/3E KL13	80.96	8			
ZL16	82.07				
ZETEC ROCAM 8V	82.07				
CGBA/CGBB/CHBA/CHBB/CSDA	83.0	9			
EAO ZH20	84.8				
EDDB/EDDC/EDDD/EDDF	84.8				
CAA/EAO/Sigma Zetec	84.8	10			
EDDB/EDDC/EDDD/EDDF	84.8				
Mondeo 2.0L	84.8				
K9K/N9L/NSD/NSE/NSF	86.0	11			
N8A/B/C/D N9A/B/C/D/E/F NE	86.0				
AODA/AODB/CJBA/CJBB	87.5				
GZ	87.5	12			
L3	87.5				
281	90.2				
KOLN 2V	90.8	13			
HC/N41/N4A/NE/NEL/NEN/NE	90.8				
Falcon 4.0L	92.25				
ESSEX 3.0 V6	93.65	14			
ESSEX 3.0 V6	93.65				
XR6 V6	93.65				
XR6 V6	93.65	15			
ESSEX 3.0 V6 / ESSEX V4	93.65				
ESSEX 3.4 V6	94.67				
L4 153 CID	96.0	16			
245 CID	100.4				

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
G6A GUF 4 cyls 68.7 mm bore 1,119 cc	GPKFD406871	GPNFD406871	GRSFD406871	
	A-24016 K-92079700 M-0145700 N-8778410010	length 53.9 comp. 29.4 height -3.5	top 1.5 2nd 1.75 oil 3.0	
		pin = 18.0 × 59.0	A-R43430 G-0878410000 K-800035040000 M-01456N0 89BM-6148AA	
	89BM-6110N2C			
ZETEC ROCAM 4 cyls 68.7 mm bore 999 cc	GPKFD406873	GPNFD406873	GRSFD406872	
	SKIRT MOS2 TREATED	length 53.88 comp. 28.88 height -3.0	top 1.2 2nd 1.5 oil 2.0	
	M-S59560	pin = 18.03 × 44.0	M-A59870	
		M-E59560		
HCS 1.0L GUD GUE 4 cyls 68.7 mm bore 1,119 cc 1,005 cc	GPKFD406874	GPNFD406874	GRSFD406871	
	A-23512 K-92054700 M-0145600 M-S59500 N-8778410000	length 54.0 comp. 29.4 height 0	top 1.5 2nd 1.75 oil 3.0	
		pin = 18.0 × 59.0	A-R43430 G-0878410000 K-800035040000 M-01456N0 89BM-6148AA	
	M-E59500 89BM-6102AA 89BM-6102BA 89BM-6102CA 89BM-6110B2C			




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AE 4 cyls 70.3 mm bore 1,000 cc	GPKFD407031	GPNFD407031	GRSFD407031	
	M-S59490	length 61.8 comp. 33.8 height -2.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 20.0 × 54.0	M-A59490	
M-E59490				
ZL 13 4 cyls 73.96 mm bore 1,299 cc	GPKFD407401	GPNFD407401	GRSFD407401	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED K-99837600	length 48.9 comp. 24.9 height -2.8	top 1.2 2nd 1.5 oil 2.0	
		pin = 18.034 × 53.5	K-800038340000	
J4C/D/J/L/M/N J4P/Q/R/S/T JBD/JJA~M2 4 cyls 73.97 mm bore 1,299 cc 1,297 cc	GPKFD407402	GPNFD407402	GRSFD407402	
	A-23513 K-92396604 M-0145300 M-0145310 N-8778500000	length 53.9 comp. 29.4 height 0	top 1.5 2nd 1.75 oil 3.0	
		pin = 18.0 × 64.0	A-R43440 G-0878500000 K-800039310000 K-800039340000 M-01453N0	
89BM-6102DA 89BM-6110H2C				

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
J4B/J6A J6B/JBC/JBE 4 cyls 73.97 mm bore 1,299 cc 1,297 cc	GPKFD407403	GPNFD407403	GRSFD407402		
	A-24017 K-99419600 M-0145900 M-0145910 N-8778500010	length 53.9 comp. 29.4 height -3.5	top 1.5 2nd 1.75 oil 3.0		A-R43440 G-0878500000 K-800039310000 K-800039340000 M-01453N0
		pin = 18.0 × 64.0	6598838 92BM-6102A1A		
L1E/F/G/H/J L1K/L/N/Q LUH/LUJ 4 cyls 76.0 mm bore 1,597 cc	GPKFD407601	GPNFD407601	GRSFD407601		
	A-23983 K-94916600 M-0158800 N-8778630000	length 58.0 comp. 32.5 height 1.75	top 1.5 2nd 1.6 oil 2.5		A-R46060 G-0879630000 K-800043741000 M-01573N0
		pin = 20.63 × 63.4			
FXDA/FXDB FXDC/FXDD FXJA/FXJB 4 cyls 76.0 mm bore 1,388 cc	GPKFD407602	GPNFD407602	GRSFD407602		
	K-40032600	length 54.25 comp. 28.25 height 1.22	top 1.2 2nd 1.5 oil 2.5		A-R49760 G-0810230000 K-800054240000 M-01503N0
		pin = 19.0 × 47.0			

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
FHD FHF 4 cyls 76.0 mm bore 1,388 cc	GPKFD407603	GPNFD407603	GRSFD407602	
		length 50.8 comp. 28.3 height -1.0	top 1.2 2nd 1.5 oil 2.5	
		pin = 19.0 × 57.0	A-R49760 G-0810230000 K-800054240000 M-01503N0	
CVH FUA 4 cyls 77.25 mm bore 1,396 cc	GPKFD407731	GPNFD407731	GRSFD407731	
	A-22010 K-93828604 M-0131800	length 75.6 comp. 39.3 height 6.3	top 1.6 2nd 2.0 oil 4.0	
		pin = 20.63 × 63.5	A-R42330 G-0878110000 K-800008140000 M-01317N0 86SM-6148AA/BA/CA 6153165 6153166 6153167	
FYDA FYDB 4 cyls 79.0 mm bore 1,596 cc	GPKFD407901	GPNFD407901	GRSFD407901	
	SKIRT MOS2 TREATED	length 48.1 comp. 25.1 height -0.7	top 1.2 2nd 1.5 oil 2.0	
	M-79L82	pin = 18.0 × 51.0	A-R49770 G-0814130000 M-01498N0 3S6G-6159CA 3S6G-6161CA 98MM-6150CB 98MM-6152CB	

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
FYJA FYJB 4 cyls 79.0 mm bore 1,596 cc	GPKFD407902	GPNFD407902	GRSFD407901	
	SKIRT MOS2 TREATED M-0157600	length 48.3 comp. 25.3 height -0.7	top 1.2 2nd 1.5 oil 2.0	
		pin = 18.0 × 54.0	A-R49770 G-0814130000 M-01498N0 3S6G-6159CA 3S6G-6161CA 98MM-6150CB 98MM-6152CB	
CVH/EFI/LJB LR1/LR2/LRA LUA/LUB 4 cyls 80.0 mm bore 1,597 cc	GPKFD408002	GPNFD408002	GRSFD408001	
	A-20760 K-93363604 M-0133800	length 78.0 comp. 37.5 height 10.7	top 1.6 2nd 2.0 oil 4.0	
		pin = 20.63 × 67.0	A-R33716 K-800008341000 M-01337N0 G-0821410000 81SM-6148BA	
CVH LUC LUV 4 cyls 80.0 mm bore 1,599 cc	GPKFD408003	GPNFD408003	GRSFD408001	
	H-21893 K-90204600 M-0136100	length 74.8 comp. 36.5 height 8.2	top 1.6 2nd 2.0 oil 4.0	
		pin = 20.63 × 67.0	A-R33716 K-800008341000 M-01337N0 G-0821410000 81SM-6148BA	
		81SM-6102DA 81SM-6102HA 81SM-6102MA 81SM-6110F1D 81SM-6100F2D 86SM-6100D2A		
		86SM-6102BA 86SM-6102BB 86SM-6102LA 86SM-6102NA		




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
RDA/RDB/RKA RKB/RKC/RQB RQC 4 cyls 80.6 mm bore 1,796 cc	GPKFD408061	GPNFD408061	GRSFD408061	
	H-23984 K-94917600 M-0130200 M-S59520 N-8778650000	length 57.2 comp. 33.2 height 0	top 1.5 2nd 1.6 oil 2.5	
		pin = 20.63 × 63.5	A-R46070 G-0878650000 K-800051940000 M-01302N0 M-A59520	
	958M-6011GA1 968M-6011AA1 M-E59520 M-P9164			
ZH18N 4 cyls 80.6 mm bore 1,796 cc	GPKFD408062	GPNFD408062	GRSFD408062	
	SKIRT MOS2 TREATED A-24628	length 52.2 comp. 28.2 height -1.3	top 1.2 2nd 1.5 oil 2.5	
	pin = 19.0 × 50.0	A-R66680 G-0813660000		
2737E 2737HC 4 cyls 80.96 mm bore 1,599 cc	GPKFD408091	GPNFD408091	GRSFD408091	
	H-18649K/V1 K-92460600 K-97514600 M-0146500 N-8778060010	length 83.8 comp. 44.1 height -12.8	top 1.6 2nd 2.0 oil 3.95	
		pin = 20.63 × 71.2	A-R25106 M-01463N0 G-0878060010 711M-6149AD 711M-6149DD	
	711M-6110HC			




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
2735E J2/J3/J3D/J3E KL13 4 cyls 80.96 mm bore 1,298 cc	GPKFD408101	GPNFD408101	GRSFD408101		
	H-18647K/V1 K-92458600 M-0146300	length 83.9 comp. 44.3 height -12.9	top 1.6 2nd 2.0 oil 3.95		A-R25106 M-01463N0 G-0878060010 711M-6149AD 711M-6149DD
		pin = 20.64 × 71.5	711M-6110EC		
ZL16 4 cyls 82.07 mm bore 1,598 cc	GPKFD408201	GPNFD408201	GRSFD408201		
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED K-99838600	length 48.9 comp. 24.9 height -3.1	top 1.2 2nd 1.5 oil 2.0		K-800038440000 M-A59840
		pin = 18.034 × 53.5			
ZETEC ROCAM 8V 4 cyls 82.07 mm bore 1,598 cc	GPKFD408202	GPNFD408202	GRSFD408201		
	SKIRT MOS2 TREATED M-S59570	length 48.34 comp. 24.84 height -3.0	top 1.2 2nd 1.5 oil 2.0		K-800038440000 M-A59840
		pin = 18.03 × 52.0	M-E59570		




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
CGBA/CGBB CHBA/CHBB CSDA/CSDB Q7DA/QQDA QQDB 4 cyls 83.0 mm bore 1,798 cc	GPKFD408301	GPNFD408301	GRSFD408301		
	SKIRT MOS2 TREATED TOP AND 2ND RING LANDS ANODIZED K-99456600 M-0156800	length 51.0 comp. 28.5 height 0	top 1.2 2nd 1.2 oil 2.5		K-800044840000 M-01568N0
		pin = 21.0 × 60.0			
EAO ZH20 4 cyls 84.8 mm bore 1,998 cc	GPKFD408481	GPNFD408481	GRSFD408481		
	H-24003 M-0147300	length 57.0 comp. 33.0 height 0	top 1.5 2nd 1.75 oil 3.0		A-R48110 G-0878640000 M-01473N0
		pin = 20.64 × 62.0			
EDDB/EDDC EDDD/EDDF 4 cyls 84.8 mm bore 1,988 cc	GPKFD408482	GPNFD408482	GRSFD408481		
	SKIRT MOS2 TREATED	length 53.4 comp. 29.4 height 0.8 -5.4	top 1.5 2nd 1.75 oil 3.0		A-R48110 G-0878640000 M-01473N0
		pin = 20.0 × 58.0			
		F8CZ-6108-AA XS7Z-6100-AA			




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
CAA/EAO/Sigma Zetec 4 cyls 84.8 mm bore 1,998 cc	GPKFD408483	GPNFD408483	GRSFD408482	
	SKIRT MOS2 TREATED	length 56.9 comp. 32.9 height 0	top 1.2 2nd 1.75 oil 3.0	
	M-0130300	pin = 20.63 × 63.5	M-01303N0	
EDDB/EDDC EDDD/EDDF 4 cyls 84.8 mm bore 1,988 cc	GPKFD408484	GPNFD408484	GRSFD408483	
		length 51.8 comp. 27.8 height -1.35	top 1.5 2nd 1.5 oil 3.0	
		pin = 19.0 × 55.0		
		XS7G-6100-AA		
Mondeo 2.0L 4 cyls 84.8 mm bore 1,998 cc	GPKFD408485	GPNFD408485	GRSFD408481	
		length 52.0 comp. 28.0 height -1.4	top 1.5 2nd 1.75 oil 3.0	
		pin = 19.0 × 55.0	A-R48110 G-0878640000 M-01473N0	




FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
K9K/N9L NSD/NSE/NSF 4 cyls 86.0 mm bore 1,998 cc	GPKFD408601	GPNFD408601	GRSFD408601	
	K-99380601 M-0156000	length(STD) 62.27 length(O/S) 61.97 comp.(STD) 32.27 comp.(O/S) 31.97 height -1.2	top 1.6 2nd 1.75 oil 3.0	
		pin = 20.63 × 63.4	A-R47990 G-0878420000 K-800052140000	
N8A/N8B/N8C N8D/N9A/N9B N9C/N9D/N9E N9F/NES 4 cyls 86.0 mm bore 1,998 cc	GPKFD408602	GPNFD408602	GRSFD408601	
	H-23996 K-90028601 M-0147700 N-8778420000	length(STD) 62.27 length(O/S) 61.97 comp.(STD) 32.27 comp.(O/S) 31.97 height -2.2	top 1.6 2nd 1.75 oil 3.0	
		pin = 20.63 × 63.4	A-R47990 G-0878420000 K-800052140000	
		88WM-6102AA 95WM-6102AA		
AODA/AODB CJBA/CJBB 4 cyls 87.5 mm bore 1,999 cc	GPKFD408751	GPNFD408751	GRSFD408751	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED K-99457600	length(STD) 51.0 length(O/S) 51.0 comp. 28.5 height(STD) -0.35 height(O/S) -0.58	top 1.2 2nd 1.2 oil 2.5	
		pin = 21.0 × 60.0	G-084234000 K-800044940000 M-01561N0	

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
GZ 4 cyls 87.5 mm bore 2,261 cc	GPKFD408752	GPNFD408752	GRSFD408751	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 51.0 comp. 28.6 height -4.0	top 1.2 2nd 1.2 oil 2.5	
		pin = 21.0 × 61.5	G-084234000 K-800044940000 M-01561N0	
		1L5Z-6009BA		
L3 4 cyls 87.5 mm bore 2,261 cc	GPKFD408754	GPNFD408754	GRSFD408751	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 51.0 comp. 28.5 height -4.0	top 1.2 2nd 1.2 oil 2.5	
		pin = 21.0 × 60.0	G-084234000 K-800044940000 M-01561N0	
281 8 cyls 90.2 mm bore 4,600 cc	GPKFD809021	GPNFD809021	GRSFD809021	
	SKIRT MOS2 TREATED	length 51.6 comp. 30.7 height -4.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 22.0 × 62.0	2L3Z-6148AA F5LY-6148A F7AZ-6148AA N-SWF30-006	
		F8AZ-6108BA		

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
KOLN 2V 4 cyls 90.8 mm bore 1,994 cc	GPKFD409081	GPNFD409081	GRSFD409081	
		length 69.7 comp. 41.6 height 0	top 1.6 2nd 2.0 oil 4.0	
		pin = 24.0 × 68.5	A-R40230 G-0878030000 K-800009440000 M-01422N0	
HC/N41/N4A/NE NEL/NEN/NER NET/NRA/NRB NRD/NRI 4 cyls 90.8 mm bore 1,994 cc	GPKFD409082	GPNFD409082	GRSFD409081	
	H-21426V1 K-90606600 M-0142100	length 69.5 comp. 41.6 height 0	top 1.6 2nd 2.0 oil 4.0	
		pin = 24.0 × 73.0 70HM-6110L1B/2B 70HM-6110N1B/2B 79HM-6102LA 79HM-6102NA 80HM-6102LA	A-R40230 G-0878030000 K-800009440000 M-01422N0	
Falcon 4.0L 6 cyls 92.25 mm bore 3,984 cc	GPKFD609231	GPNFD609231	GRSFD609231	
	SKIRT MOS2 TREATED	length 56.9 comp. 30.9 height 2.0	top 1.2 2nd 1.5 oil 3.0	
		pin = 23.17 × 65.0	HT-2C4931	



FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
ESSEX 3.0 V6 6 cyls 93.65 mm bore 2,993 cc	GPKFD609361	GPNFD609361	GRSFD609361	
		length 95.0 comp. 46.0 height -14.0	top 2.0 2nd 2.0 oil 4.75	
		pin = 22.0 × 69.5		
ESSEX 3.0 V6 6 cyls 93.65 mm bore 2,993 cc	GPKFD609362	GPNFD609362	GRSFD609361	
		length 95.0 comp. 46.0 height -11.7	top 2.0 2nd 2.0 oil 4.75	
		pin = 22.0 × 69.5		
XR6 V6 6 cyls 93.65 mm bore 2,993 cc	GPKFD609363	GPNFD609363	GRSFD609361	
		length 95.0 comp. 46.0 height -14.0	top 2.0 2nd 2.0 oil 4.75	
		pin = 23.8 × 75.0		

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
XR6 V6 6 cyls 93.65 mm bore 2,993 cc	GPKFD609364	GPNFD609364	GRSFD609362	
		length 86.0 comp. 46.0 height -14.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 22.0 × 69.7		
ESSEX V4 ESSEX 3.0 V6 4/6 cyls 93.65 mm bore 1,995 cc 2,993 cc	GPKFD109371	GPNFD109371	GRSFD109371	
		length 95.0 comp. 46.0 height -14.0	top 2.0 2nd 2.0 oil 4.75	
		pin = 23.8 × 75.0		
ESSEX 3.4 V6 6 cyls 94.67 mm bore 3,376 cc	GPKFD609471	GPNFD609471	GRSFD609471	
	SKIRT MOS2 TREATED	length 69.9 comp. 40.0 height -12.2	top 1.5 2nd 1.5 oil 3.0	
		pin = 24.0 × 68.8		

FORD GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
L4 153 CID 4 cyls 96.0 mm bore 2,474 cc	GPKFD409601	GPNFD409601	GRSFD409601	
		length 63.2 comp. 30.7 height -2.2	top 1.5 2nd 1.5 oil 3.0	
		pin = 23.17 × 66.0	HT-2C4912 M-41726	
		F87Z-6108HA F87Z-6108JA		
245 CID 6 cyls 100.4 mm bore 4,015 cc	GPKFD610041	GPNFD610041	GRSFD610041	
		length 69.8 comp. 36.9 height -7.7	top 1.6 2nd 1.75 oil 3.5	
		pin = 24.0 × 72.0	M-51550CP M-A59310 N-SWT20-072 F0TZ-6148M	
		F6TZ-6108PA F6TZ-6108RA F8TZ-6108AA		