

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 660 (SMART) 3 cyls 65.5 mm bore 799 cc	DPKMZ306551A ALFIN SKIRT MOS2 TREATED K-94597600 M-0039500	DPNMZ306551A length(STD) 60.0 length(O/S) 60.0 comp.(STD) 36.0 comp.(O/S) 35.75 height -2.9 -11.1 pin = 23.0 × 53.0	DRSMZ306551 top 1.5 2nd 1.5 oil 2.5 G-0814060000 K-800070110000 M-00395N0 660 037 01 16 660 037 02 18 660 037 03 16	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	660 030 01 17		
OM 660 (SMART) 3 cyls 65.5 mm bore 799 cc	DPKMZ306552A ALFIN SKIRT MOS2 TREATED K-40486600	DPNMZ306552A length 60.0 comp. 36.0 height -5.5 -12.6 pin = 23.0 × 53.0	DRSMZ306551 top 1.5 2nd 1.5 oil 2.5 G-0814060000 K-800070110000 M-00395N0 660 037 01 16 660 037 02 18 660 037 03 16	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	660 030 03 17		
OM 668 TURBO 4 cyls 80.0 mm bore 1,689 cc	DPKMZ408001B ALFIN OIL GALLERY SKIRT MOS2 TREATED M-0031500	DPNMZ408001B length 70.65 comp. 44.65 height -11.65 pin = 28.0 × 60.0	DRSMZ408001 top 2.0 2nd 2.0 oil 3.0 G-0810540000 M-00315N0	
	piston stock size 0.00 (STD) 0.50 (020)	668 030 01 17 668 030 04 17 668 037 03 01		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 642 6 cyls 83.0 mm bore 2,987 cc	DPKMZ108301B (for cyl 1/2/3)	DPNMZ108301B (for cyl 1/2/3)	DRSMZ108301	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-40095600	length 71.7 comp. 45.7 height -4.0 -14.7 pin = 30.0 × 66.0	top(DK) 2.0 2nd 2.0 oil 2.0 K-800055820000 M-00523N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	642 030 06 17 642 030 26 17 642 030 45 17		
OM 642 6 cyls 83.0 mm bore 2,987 cc	DPKMZ108302B (for cyl 4/5/6)	DPNMZ108302B (for cyl 4/5/6)	DRSMZ108301	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-40096600	length 71.7 comp. 45.7 height -4.0 -14.7 pin = 30.0 × 66.0	top(DK) 2.0 2nd 2.0 oil 2.0 K-800055820000 M-00523N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	642 030 07 17 642 030 27 17 642 030 46 17		
OM 639 (SMART) OM640 3/4 cyls 83.0 mm bore 1,493 cc 1,991 cc	DPKMZ108303B	DPNMZ108303B	DRSMZ108302	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-99941600	length 71.65 comp. 45.65 height -14.65 pin = 30.0 × 66.0	top 2.0 2nd 2.0 oil 3.0 K-80054710000	
	piston stock size 0.00 (STD) 0.50 (020)	640 030 04 17 640 030 05 17		







ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 628 8 cyls 86.0 mm bore 3,996 cc	DPKMZ108601B (for cyl 1/2/3/4)	DPNMZ108601B (for cyl 1/2/3/4)	DRSMZ108601	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED	length 68.25 comp. 42.25 height -13.0	top 2.5 2nd 2.0 oil 3.0	
	M-0040100	pin = 30.0 × 68.0	G-0813630000 M-00401N0 628 030 00 24	
	piston stock size 0.00 (STD)	628 030 05 17 628 037 04 01		
OM 628 8 cyls 86.0 mm bore 3,996 cc	DPKMZ108602B (for cyl 5/6/7/8)	DPNMZ108602B (for cyl 5/6/7/8)	DRSMZ108601	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED	length 68.25 comp. 42.25 height -13.0	top 2.5 2nd 2.0 oil 3.0	
	M-0040200	pin = 30.0 × 68.0	G-0813630000 M-00401N0 628 030 00 24	
	piston stock size 0.00 (STD)	628 030 06 17 628 037 05 01		
OM 628 NEW 8 cyls 86.0 mm bore 3,996 cc	DPKMZ108603B (for cyl 1/2/3/4)	DPNMZ108603B (for cyl 1/2/3/4)	DRSMZ108601	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED	length 68.25 comp. 42.25 height -12.25	top 2.5 2nd 2.0 oil 3.0	
	M-0040300	pin = 30.0 × 68.0	G-0813630000 M-00401N0 628 030 00 24	
	piston stock size 0.00 (STD)	628 030 07 17 628 037 06 01		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 628 NEW 8 cyls 86.0 mm bore 3,996 cc	DPKMZ108603B (for cyl 5/6/7/8) ALFIN OIL GALLERY SKIRT MOS2 TREATED M-0040400	DPNMZ108603B (for cyl 5/6/7/8) length 68.25 comp. 42.25 height -12.25 pin = 30.0 × 68.0	DRSMZ108601 top 2.5 2nd 2.0 oil 3.0 G-0813630000 M-00401N0 628 030 00 24	
	piston stock size 0.00 (STD)	628 030 08 17 628 037 07 01		
OM 601 OM 602 OM 603 4/5/6 cyls 87.0 mm bore 1,997 cc 2,497 cc 2,996 cc	DPKMZ108701A ALFIN SKIRT MOS2 TREATED K-94330600 M-0029300 N-8874360010	DPNMZ108701A length 74.85 comp. 44.85 height -4.4 -9.05 pin = 26.0 × 55.0	DRSMZ108701 top 2.5 2nd 2.0 oil 3.0 A-R48040 G-0874360000 K-800017311000 M-00293N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.70 (028) ⊙	601 030 (07/08/11/15) 17 601 030 (17/20/22) 17 601 037 (08/14) 01 601 037 (15/19) 01 601 037 15 19 603 030 00 17		
OM 602 OM 603 TURBO 5/6 cyls 87.0 mm bore 2,497 cc 2,996 cc	DPKMZ108702B ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED K-90016600 M-0022300 N-8718330000	DPNMZ108702B length 74.8 comp. 44.8 height -9.0 pin = 28.0 × 70.0	DRSMZ108701 top 2.5 2nd 2.0 oil 3.0 A-R48040 G-0874360000 K-800017311000 M-00293N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.70 (028) ⊙	602 030 00 17 602 037 00 01 603 030 09 17 603 030 10 17 603 030 13 17		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 604 OM 605 OM 606 4/5/6 cyls 87.0 mm bore 1,997 cc 2,497 cc 2,996 cc	DPKMZ108703A ALFIN TOP RING LAND AND SKIRT MOS2 TREATED K-94819700 M-00230000 N-8774360000	DPNMZ108703A length 76.22 comp. 44.9 height 1.32 -2.7 pin = 26.0 × 55.0	DRSMZ108701 top 2.5 2nd 2.0 oil 3.0 A-R48040 G-0874360000 K-800017311000 M-00293N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	606 030 060 17		
OM 605 OM 606 TURBO 5/6 cyls 87.0 mm bore 2,497 cc 2,996 cc	DPKMZ108704B ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED K-94820700 M-0010200	DPNMZ108704B length 76.22 comp. 44.87 height 1.3 -4.6 pin = 28.0 × 70.0	DRSMZ108701 top 2.5 2nd 2.0 oil 3.0 A-R48040 G-0874360000 K-800017311000 M-00293N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	605 030 00 17 605 030 01 17 605 030 02 17 605 030 04 17 605 037 00 01		
OM 611 OM 612 OM 613 4/5/6 cyls 88.0 mm bore 2,151 cc 2,686 cc 3,222 cc	DPKMZ108801B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS STRAIGHT CON.ROD K-97409600 M-0045700 N-8711790000	DPNMZ108801B length 72.3 comp. 42.3 height -3.3 -13.9 pin = 30.0 × 70.0	DRSMZ108801 top 2.5 2nd 2.0 oil 3.0 A-R60400 G-0811790000 K-800048010000 K-800073420000 M-00136N0 611 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	613 030 01 17 613 030 02 17		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 611 NEW OM 612 NEW OM 613 NEW 4/5/6 cyls 88.0 mm bore 2,151 cc 2,686 cc 3,222 cc	DPKMZ108802B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD M-0045600 N-8711790020	DPNMZ108802B length 72.3 comp. 42.3 height -3.3 -13.9 pin = 30.0 × 70.0	DRSMZ108801 top 2.5 2nd 2.0 oil 3.0 A-R60400 G-0811790000 K-800048010000 K-800073420000 M-00136N0 611 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	611 030 (03/05) 17 611 030 (07/11) 17 611 030 (12/14) 17 612 030 04 17		
OM 646 OM 647 OM 648 4/5/6 cyls 88.0 mm bore 2,151 cc 2,685 cc 3,227 cc	DPKMZ108803B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-97482600 M-0045900	DPNMZ108803B length 72.3 comp. 42.3 height -4.0 -14.1 pin = 30.0 × 70.0	DRSMZ108801 top 2.5 2nd 2.0 oil 3.0 A-R60400 G-0811790000 K-800048010000 K-800073420000 M-00136N0 611 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			
OM 611 4 cyls 88.0 mm bore 2,151 cc	DPKMZ408804B ALFIN OIL GALLERY M-0013600 N-8711790010	DPNMZ408804B length 72.3 comp. 42.3 height -13.3 pin = 28.0 × 68.0	DRSMZ408801 top 2.5 2nd 2.0 oil 3.0 A-R60400 G-0811790000 K-800048010000 K-800073420000 M-00136N0 611 030 00 24	
	piston stock size 0.00 (STD) 0.50 (020) 0.75 (030) 1.00 (040)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 646 4 cyls 88.0 mm bore 2,148 cc	DPKMZ408805B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40304600	length 74.3 comp. 44.3 height -4.5 -13.8 pin = 30.0 × 70.0	DRSMZ408801 top 2.5 2nd 2.0 oil 3.0 A-R60400 G-0811790000 K-800048010000 K-800073420000 M-00136N0 611 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			
OM 602 TURBO 5 cyls 89.0 mm bore 2,874 cc	DPKMZ508901B ALFIN OIL GALLERY SKIRT MOS2 TREATED K-94823700 M-0010100 N-8774310000	length 74.75 comp. 44.75 height -7.4 -16.7 pin = 28.0 × 70.0	DRSMZ508901 top 2.5 2nd 2.0 oil 3.0 A-R45080 G-0874310000 K-800017810000 M-00224N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	602 030 05 17 602 030 06 17 602 030 07 17 602 030 08 17 602 030 09 17 602 030 10 17		
OM 601 OM 661 OM 602 OM 662 4/5 cyls 89.0 mm bore 2,299 cc 2,874 cc	DPKMZ108902A ALFIN SKIRT MOS2 TREATED K-91372600 M-0022400 N-8774310010	length 74.6 comp. 44.6 height -8.9 pin = 26.0 × 62.0	DRSMZ108901 top 2.5 2nd 2.0 oil 3.0 A-R45080 G-0874310000 K-800017810000 M-00224N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.70 (028) ⊙	601 030 13 17 601 030 18 17 601 037 17 01 601 037 18 01		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 601 OM 603 TURBO 4/6 cyls 89.0 mm bore 2,299 cc 3,449 cc	DPKMZ108903B ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED M-0013300 N-8774310040	DPNMZ108903B length 74.6 comp. 44.6 height -9.0 pin = 28.0 × 70.0	DRSMZ108901 top 2.5 2nd 2.0 oil 3.0 A-R45080 G-0874310000 K-800017810000 M-00224N0	 
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	603 030 16 17 603 030 18 17 603 030 19 17 603 030 21 17 603 037 05 01		
OM 601 OM 661 OM 602 OM 662 4/5 cyls 89.0 mm bore 2,299 cc 2,874 cc	DPKMZ108904A ALFIN SKIRT MOS2 TREATED K-94675600 M-00224100	DPNMZ108904A length 74.6 comp. 44.4 height -8.9 pin = 26.0 × 62.0	DRSMZ108901 top 2.5 2nd 2.0 oil 3.0 A-R45080 G-0874310000 K-800017810000 M-00224N0	 
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.70 (028)	601 030 25 17		
OM 604 4 cyls 89.0 mm bore 2,155 cc	DPKMZ408905B ALFIN OIL GALLERY SKIRT MOS2 TREATED K-40109600 M-0010400 N-8774310030	DPNMZ408905B length 73.55 comp. 43.55 height -4.55 pin = 26.0 × 55.0	DRSMZ408901 top 2.5 2nd 2.0 oil 3.0 A-R45080 G-0874310000 K-800017810000 M-00224N0	 
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	604 030 01 17 604 030 03 17 604 030 04 17		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 616 OM 617 4/5 cyls 90.9 mm bore 2,399 cc 2,998 cc	DPKMZ109091A ALFIN SKIRT MOS2 TREATED K-9344600 M-0024900 N-8717670000	DPNMZ109091A length 81.9 comp. 48.4 height -1.2 -9.0 pin = 26.0 × 74.0	DRSMZ109091 top 3.0 2nd 2.0 oil 4.0 A-R41220 G-0817670010 K-800018410000 M-00249N0 616 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.35 (014) 0.60 (024) 0.80 (032) ⊙	616 030 39 17 616 030 60 17 616 030 64 17 616 030 66 17 616 030 69 17		
OM 616 OM 617 4/5 cyls 90.9 mm bore 2,399 cc 2,998 cc	DPKMZ109092A ALFIN SKIRT MOS2 TREATED K-92800630 M-0024400	DPNMZ109092A length 81.85 comp. 48.35 height -1.05 -6.27 pin = 26.0 × 74.0	DRSMZ109091 top 3.0 2nd 2.0 oil 4.0 A-R41220 G-0817670010 K-800018410000 M-00249N0 616 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.35 (014) 0.60 (024) 0.80 (032) ⊙	602 030 63 17 616 030 (35/44) 17 616 030 (49/59) 17 616 030 (62/63) 17 616 030 (67/70) 17 617 030 44 17		
OM 617 5 cyls 90.9 mm bore 2,998 cc	DPKMZ509093B ALFIN OILL GALLERY TOP RING LAND AND SKIRT MOS2 TREATED K-93255600 M-0024700	DPNMZ509093B length 81.85 comp. 48.35 height -9.15 pin = 28.0 × 77.0	DRSMZ509091 top 3.0 2nd 2.0 oil 4.0 A-R41220 G-0817670010 K-800018410000 M-00249N0 616 030 00 24	
	piston stock size 0.00 (STD) ⊙ 0.35 (014) 0.60 (024) ⊙	617 030 10 17 617 030 18 17		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
OM 314/340 OM 343/394 OM 341/344 OM 352/353 OM 396 4/6 cyls 97.0 mm bore 3,780 cc 5,675 cc	DPKMZ109701A ALFIN K-90274800 M-0044510 N-8717430000 piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	DPNMZ109701A length(STD) 115.7 length(0.50) 115.3 length(1.00) 115.1 comp.(STD) 65.2 comp.(0.50) 64.8 comp.(1.00) 64.6 height -20.0 pin = 36.0 × 82.5 352 030 (14~19) 19 352 030 (15/18/19) 18 352 030 25 (17/18/19) 352 030 (26/27) 19	DRSMZ109701 top(DK) 3.0 2nd 3.0 3rd 3.0 1st oil 5.5 2nd oil 5.5 G-0817430010 K-800010910000 M-00445N0	
OM 314/340 OM 343/344 OM 352/353 OM 394/396 4/6 cyls 97.0 mm bore 3,780 cc 5,675 cc	DPKMZ109704A ALFIN SKIRT MOS2 TREATED K-93882600 M-0045100 N-8717880000 piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	DPNMZ109704A length(STD) 115.7 length(0.50) 115.4 length(1.00) 115.1 comp.(STD) 65.2 comp.(0.50) 64.9 comp.(1.00) 64.6 height -20.0 pin = 36.0 × 82.5	DRSMZ109703 top(DK) 3.0 2nd 3.0 3rd 3.0 oil 5.5 A-R45970 G-0817880000 K-800010810000 M-00451N0	
OM 360 6 cyls 115.0 mm bore 8,725 cc	DPKMZ611501A ALFIN SKIRT MOS2 TREATED K-93508600 M-0051100 N-8717640000 piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	DPNMZ611501A length 133.4 comp. 85.4 height -22.0 pin = 42.0 × 98.0	DRSMZ611501 top(DK) 3.5 2nd 3.0 oil 5.5 G-0817640010 K-800011010000 M-00511N0	