







OPEL GASOLINE INDEX

Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page
GM 1.0L MPFI	71.1	2			
GM 1.0L MPFI	71.1				
GM 1.0 NE	71.1				
1.0N / 1.0 S	72.0	3			
X 1.2 SZ	72.0				
X 1.0 XE / Z 1.0 XE	72.5				
X 1.2 XE / Z 1.2 XE	72.5	4			
Z 1.0 XEP	73.4				
Z 1.2 XEP	73.4				
Z1.4 XEP	73.4	5			
13S/13SB/C 13 N	75.0				
13S/13SB/C 13 N	75.0				
1.3 NE	75.0	6			
1.3 NE	75.0				
1.3 N / 1.3 NB	75.0				
1.4 NV/NVH / C 1.4 NZ / X 1.4	77.6	7			
1.4 NV/NVH / C 1.4 NZ / X 1.4	77.6				
C 1.4 SEL/NC/NE/NZ/SZ/XE	77.6				
Z1.4 XE	77.6	8			
1.6 SV / C 1.6 SE / E 1.6 SE	79.0				
C 1.6 NZ / E 1.6 NZ / X 1.6 SZ	79.0				
16LZ KAT / C 1.6 LZ	79.0	9			
1.6 ECOTEC	79.0				
1.6 CORSA	79.0				
1.2 N/S	79.0	10			
X 1.6 XE/XEL	79.0				
C 1.6 XE / X 1.6 XE / X 1.6XEL	79.0				
X 1.6 XE/XEL	79.0	11			
Y 1.6 XE / Z 1.6 SE / Z 1.6 XE	79.0				
Z 1.6 XEP	79.0				
1.6 SH	80.0	12			
X 18 XE1/Z 18 XE/Z 18 XEL	80.5				
C 1.8 XE/C 1.8 XEL/X 1.8 XE	81.6				
C 25 LET/NE/XE X 25 XE	81.6	13			
F4R 720	82.7				
1.8 E/SHE/SV	84.8				
1.8 E	84.8	14			
1.8 S	84.8				
1.8 N/NH	84.8				
GM 1.8 YVH	84.8	15			
1.8 NE	84.8				
20SE/SHE/SER	86.0				
C 2.0 NE	86.0	16			
2.0 XEH / C 2.0 XE	86.0				
X 2.0 SE/2.0 ZE/2.0 SHE/2.0 XE	86.0				
C 2.0 XEV / X 2.0 XEV	86.0	17			
C 2.0 SEL/X 2.2 SE/X 2.2 XE	86.0				
Z 2.2 SE	86.0				
C 2.0 NE/NZ	86.0	18			
C 2.0 NE/NZ	86.0				
GM 2.0 YVH	86.0				
GM 2.0L GAS	86.0	19			
GM 2.2L EFI/MPFI	86.0				
C 22 NE	86.0				
1.7 L/S	88.0				
C 24 NE	95.0				




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>GM 1.0L MPFI</b>  4 cyls  71.1 mm bore  999 cc	<b>GPKOP407111</b>	<b>GPNOP407111</b>	<b>GRSOP407111</b>	
	M-S14080	length      59.1 comp.        38.0 height        0	top            1.5 2nd            1.5 oil             3.0	
		pin = 18.0 × 50.0	<b>M-A14140</b>	
	<b>M-E14080</b>			
<b>GM 1.0L MPFI</b>  4 cyls  71.1 mm bore  999 cc	<b>GPKOP407113</b>	<b>GPNOP407113</b>	<b>GRSOP407111</b>	
	M-S14145	length      58.3 comp.        37.3 height        -1.98	top            1.5 2nd            1.5 oil             3.0	
		pin = 18.0 × 50.0	<b>M-A14140</b>	
	<b>M-E14145</b>			
<b>GM 1.0 NE</b>  4 cyls  71.1 mm bore  999 cc	<b>GPKOP407114</b>	<b>GPNOP407114</b>	<b>GRSOP407111</b>	
	M-S14140	length      58.25 comp.        37.25 height        -1.84	top            1.5 2nd            1.5 oil             3.0	
		pin = 18.0 × 50.0	<b>M-A14140</b>	
	<b>M-E14140</b>			




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.0 N</b> <b>1.0 S</b>  4 cyls  72.0 mm bore  993 cc	<b>GPKOP407201</b>	<b>GPNOP407201</b>	<b>GRSOP407201</b>	
	H-21293 K-91095600 M-0112000	length 76.0 comp. 38.0 height -1.5  pin = 20.0 × 65.0	top 2.0 2nd 2.0 oil 5.0  A-R40240 G-0830220000 K-800020240000 M-01120V0	
		900 026 51~57 900 051 02/13 900 073 43~58		
<b>X 1.2 SZ</b>  4 cyls  72.0 mm bore  1,195 cc	<b>GPKOP407202</b>	<b>GPNOP407202</b>	<b>GRSOP407202</b>	
	M-0115100 K-94662600	length(STD) 59.0 length(O/S) 58.7 comp.(STD) 32.06 comp.(O/S) 31.75 height -2.8  pin = 18.0 × 50.0	top 1.5 2nd 1.5 oil 3.0  A-R49590 G-0830750000 K-800036940000 M-01150N0	
<b>X 1.0 XE</b> <b>Z 1.0 XE</b>  3 cyls  72.5 mm bore  973 cc	<b>GPKOP307251</b>	<b>GPNOP307251</b>	<b>GRSOP307251</b>	
	FITS TAPERED CON.ROD  A-24123 K-40382600 M-0120100 N-8710270000	length 45.0 comp. 24.0 height -1.2  pin = 18.0 × 51.0	top 1.2 2nd 1.5 oil 2.0  A-R49990 G-0810270000 K-800070940000 M-01184N0	

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>X 1.2 XE</b> <b>Z 1.2 XE</b>  4 cyls  72.5 mm bore  1,199 cc	<b>GPKOP407251</b>	<b>GPNOP407251</b>	<b>GRSOP407251</b>	
	A-24124 K-40383600 M-0118400 N-8710270010	length 45.0 comp. 24.0 height -1.3	top 1.2 2nd 1.5 oil 2.0	
		pin = 18.0 × 51.0	<b>A-R49990</b> <b>G-0810270000</b> <b>K-800070940000</b> <b>M-01184N0</b>	
<b>Z 1.0 XEP</b>  3 cyls  73.4 mm bore  998 cc	<b>GPKOP307341</b>	<b>GPNOP307341</b>	<b>GRSOP307341</b>	
	SKIRT MOS2 TREATED  K-40384600 M-0121800	length 45.0 comp. 24.0 height -0.8	top 1.2 2nd 1.2 oil 2.0	
	pin = 18.0 × 51.0	<b>K-800071010000</b> <b>M-01218N0</b>		
<b>Z 1.2 XEP</b>  4 cyls  73.4 mm bore  1,199 cc	<b>GPKOP407341</b>	<b>GPNOP407341</b>	<b>GRSOP407341</b>	
	SKIRT MOS2 TREATED  K-40385600 M-0122200	length 45.53 comp. 24.0 height 0.53	top 1.2 2nd 1.2 oil 2.0	
	pin = 18.0 × 51.0	<b>K-800071010000</b> <b>M-01218N0</b>		




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>Z 1.4 XEP</b>  4 cyls  73.4 mm bore  1,364 cc	<b>GPKOP407342</b>  HEAD, TOP AND 2ND RING LANDS ANODIZED  <b>K-40386600</b> <b>M-0121900</b>	<b>GPNOP407342</b>  length 44.0  comp. 23.0 height -1.25  pin = 18.0 × 51.0	<b>GRSOP407341</b>  top 1.2 2nd 1.2 oil 2.0  <b>K-800071010000</b> <b>M-01218N0</b>	
<b>13S</b> <b>13SB</b> <b>C 13 N</b>  4 cyls  75.0 mm bore  1,297 cc	<b>GPKOP407501</b>  <b>H-21776</b> <b>K-93868600</b> <b>M-0112600</b> <b>N-873060700</b>	<b>GPNOP407501</b>  length(STD) 62.4 length(O/S) 62.1 comp.(STD) 35.8 comp.(O/S) 35.5 height -3.6  pin = 20.0 × 65.0	<b>GRSOP407501</b>  top 1.5 2nd 1.5 oil 4.0  <b>A-R41270</b> <b>G-0830630000</b> <b>K-800020340000</b> <b>M-01126N0</b> <b>T-50013</b>	
		<b>900 069 59/60</b> <b>900 069 62~65</b> <b>900 069 67/68</b> <b>900 069 70~77</b> <b>900 069 80</b> <b>901 080 23</b>		
<b>13S</b> <b>13SB</b> <b>C 13 N</b>  4 cyls  75.0 mm bore  1,297 cc	<b>GPKOP407502</b>	<b>GPNOP407502</b>  length 62.1  comp. 35.6 height -3.7  pin = 20.0 × 65.0	<b>GRSOP407501</b>  top 1.5 2nd 1.5 oil 4.0  <b>A-R41270</b> <b>G-0830630000</b> <b>K-800020340000</b> <b>M-01126N0</b> <b>T-50013</b>	




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.3 NE</b>  4 cyls  75.0 mm bore  1,297 cc	<b>GPKOP407503</b>	<b>GPNOP407503</b>	<b>GRSOP407502</b>	
		length 53.1 comp. 32.1 height -3.3	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 50.0		
<b>1.3 NE</b>  4 cyls  75.0 mm bore  1,297 cc	<b>GPKOP407504</b>	<b>GPNOP407504</b>	<b>GRSOP407501</b>	
		length 53.1 comp. 32.1 height -3.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 50.0	A-R41270 G-0830630000 K-800020340000 M-01126N0 T-50013	
<b>1.3 N</b> <b>1.3 NB</b>  4 cyls  75.0 mm bore  1,297 cc	<b>GPKOP407506</b>	<b>GPNOP407506</b>	<b>GRSOP407501</b>	
	H-21777 K-93867700 M-0112700	length(STD) 62.4 length(O/S) 62.1 comp.(STD) 35.8 comp.(O/S) 35.5 height -6.8	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 65.0	A-R41270 G-0830630000 K-800020340000 M-01126N0 T-50013	
	<b>900 769 05</b>			

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.4 NV/NVH</b> <b>C 1.4 NZ</b> <b>X 1.4 SZ</b>  4 cyls  77.6 mm bore  1,396 cc	<b>GPKOP407761</b>	<b>GPNOP407761</b>	<b>GRSOP407761</b>	
	A-23707V1 M-0110600 N-8730710020	length 59.0 comp. 32.0 height -3.3	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	A-R43740 G-0830710000 K-800020540000 M-01106N0 T-50012 903 246 89	
	903 246 66			
<b>1.4 NV/NVH</b> <b>C 1.4 NZ</b> <b>X 1.4 SZ/NZ</b>  4 cyls  77.6 mm bore  1,389 cc	<b>GPKOP407762</b>	<b>GPNOP407762</b>	<b>GRSOP407761</b>	
	K-97286600	length(STD) 52.5 length(O/S) 52.5 comp.(STD) 32.0 comp.(O/S) 31.7 height -3.4	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	A-R43740 G-0830710000 K-800020540000 M-01106N0 T-50012 903 246 89	
<b>C 1.4 SEL</b> <b>C 1.4 NC/NE</b> <b>C 1.4 NZ/SZ/XE</b>  4 cyls  77.6 mm bore  1,389 cc	<b>GPKOP407763</b>	<b>GPNOP407763</b>	<b>GRSOP407761</b>	
	H-24052 K-94798600 M-0110200 N-8730710030	length 57.05 comp. 32.05 height 1.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	A-R43740 G-0830710000 K-800020540000 M-01106N0 T-50012 903 246 89	
	904 702 19			

OPEL GASOLINE




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>Z 1.4 XE</b>  4 cyls  77.6 mm bore  1,389 cc	<b>GPKOP407764</b>	<b>GPNOP407764</b>	<b>GRSOP407762</b>	
	M-0121000	length 55.75 comp. 31.3 height 2.45	top 1.2 2nd 1.5 oil 2.0	
		pin = 18.0 × 55.0	<b>G-0814420000</b> <b>M-01210N0</b>	
<b>1.6 SV</b> <b>C 1.6 SE</b> <b>E 1.6 SE</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407901</b>	<b>GPNOP407901</b>	<b>GRSOP407901</b>	
H-22304 K-90556605 M-0111000 N-8730690010	length 48.3 comp. 28.1 height 0.2 height -1.6	top 1.2 2nd 1.5 oil 3.0		
	pin = 18.0 × 55.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>		
<b>C 1.6 NZ</b> <b>E 1.6 NZ</b> <b>X 1.6 SZR</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407902</b>	<b>GPNOP407902</b>	<b>GRSOP407901</b>	
	H-22305 K-90555605 M-0110800 N-8730690000	length(STD) 48.5 length(O/S) 48.2 comp.(STD) 27.9 comp.(O/S) 27.6 height 0.3 height -2.7	top 1.2 2nd 1.5 oil 3.0	
pin = 18.0 × 55.0		<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>		
		<b>902 295 885</b> <b>902 958 83</b> <b>902 958 84</b> <b>902 958 85</b> <b>902 958 86</b> <b>902 982 57</b>		
		<b>902 970 83</b> <b>902 987 78</b>		






OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>16LZ KAT C 1.6 LZ</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407903</b>	<b>GPNOP407903</b>	<b>GRSOP407901</b>	
	K-90054605 M-0110900	length(STD) 48.4 length(O/S) 48.1 comp.(STD) 28.0 comp.(O/S) 27.7 height 0.4 height -3.9	top 1.2 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>	
	<b>MO-102656700</b>			
<b>1.6 ECOTEC</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407904</b>	<b>GPNOP407904</b>	<b>GRSOP407901</b>	
		length 48.5 comp. 27.8 height 0.6 height -2.5	top 1.2 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>	
<b>1.6 CORSA</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407906</b>	<b>GPNOP407906</b>	<b>GRSOP407901</b>	
	M-S14185	length 47.9 comp. 28.0 height -2.7	top 1.2 2nd 1.5 oil 3.0	
		pin = 18.0 × 55.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>	
	<b>M-E14185</b>			




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.2 N</b> <b>1.2 S</b>  4 cyls  79.0 mm bore  1,196 cc	<b>GPKOP407907</b>	<b>GPNOP407907</b>	<b>GRSOP407902</b>	
	H-20201 K-92272600 M-0111200	length      76.0 comp.        38.0 height       -2.0	top            2.0 2nd           2.0 oil             5.0	
		pin = 20.0 × 65.0	<b>A-R33294K</b> <b>G-0830420000</b> <b>K-800020840000</b> <b>M-01112N0</b>	
<b>X 1.6 XE</b> <b>X 1.6 XEL</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407908</b>	<b>GPNOP407908</b>	<b>GRSOP407901</b>	
	K-94637600	length(STD) 51.0 length(O/S) 51.0 comp.(STD) 28.0 comp.(O/S) 27.7 height       -0.8	top            1.2 2nd           1.5 oil             3.0	
		pin = 18.0 × 55.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>	
<b>C 1.6 XE</b> <b>X 1.6 XE</b> <b>X 1.6 XEL</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP407909</b>	<b>GPNOP407909</b>	<b>GRSOP407903</b>	
	A-24015 M-0116900 N-8730780010	length      51.0 comp.        28.0 height       -0.8	top            1.2 2nd           1.5 oil             2.5	
		pin = 18.0 × 55.0	<b>A-R48380</b> <b>A-R60570</b> <b>G-0812560000</b> <b>G-0830780000</b> <b>K-800039740000</b> <b>M-01169N0</b>	




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>X 1.6 XE</b> <b>X 1.6 XEL</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP40790A</b>	<b>GPNOP40790A</b>	<b>GRSOP407901</b>	
		length 47.9 comp. 27.6 height -0.8	top 1.2 2nd 1.5 oil 3.0	
		pin = 18.0 × 57.0	<b>A-R43150</b> <b>G-0830690000</b> <b>K-800020740000</b> <b>M-01108N0</b> <b>T-50011</b>	
<b>Y 1.6 XE</b> <b>Z 1.6 SE</b> <b>Z 1.6 XE</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP40790B</b>	<b>GPNOP40790B</b>	<b>GRSOP407903</b>	
	<b>A-24146</b> <b>K-40380600</b> <b>M-0121200</b> <b>N-8712560000</b>	length 50.2 comp. 27.2 height 0	top 1.2 2nd 1.5 oil 2.5	
		pin = 18.0 × 55.0	<b>A-R48380</b> <b>A-R60570</b> <b>G-0812560000</b> <b>G-0830780000</b> <b>K-800039740000</b> <b>M-01169N0</b>	
<b>Z 1.6 XEP</b>  4 cyls  79.0 mm bore  1,598 cc	<b>GPKOP40790C</b>	<b>GPNOP40790C</b>	<b>GRSOP407904</b>	
	<b>K-40388600</b> <b>M-0122100</b>	length 48.7 comp. 26.7 height 0	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 52.0	<b>K-800072040000</b> <b>M-01221N0</b>	




OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.6 SH</b>  4 cyls  80.0 mm bore  1,598 cc	<b>GPKOP408001</b>	<b>GPNOP408001</b>	<b>GRSOP408001</b>	
	H-21262 K-93637700 M-0115600 N-8730560710	length 72.1 comp. 40.0 height -3.1	top 1.5 2nd 1.75 oil 4.0	
		pin = 23.0 × 70.0	<b>A-R35930</b> <b>G-0830560000</b> <b>K-800020940000</b> <b>M-01156N0</b>	
	<b>901 065 33</b> <b>901 405 21</b>			
<b>X 18 XE1</b> <b>Z 18 XE</b> <b>Z 18 XEL</b>  4 cyls  80.5 mm bore  1,796 cc	<b>GPKOP408051</b>	<b>GPNOP408051</b>	<b>GRSOP408051</b>	
	SKIRT MOS2 TREATED  K-99741601 M-0120200	length 44.7 comp. 24.1 height 0	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 55.0	<b>G-0814120000</b> <b>K-800038940000</b> <b>M-01202N0</b>	
<b>C 1.8 XE</b> <b>C 1.8 XEL</b> <b>X 1.8 XE</b>  4 cyls  81.6 mm bore  1,796 cc	<b>GPKOP408161</b>	<b>GPNOP408161</b>	<b>GRSOP408161</b>	
	SKIRT MOS2 TREATED  H-24088 K-99438600 M-0117000 N-8730770010	length(STD) 50.4 length(O/S) 50.1 comp.(STD) 30.4 comp.(O/S) 30.1 height -1.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	<b>A-R49600</b> <b>G-0830770000</b> <b>K-800040320000</b> <b>K-800040340000</b> <b>M-01170N0</b>	
	<b>904 865 78</b>			

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>C 25 LET/NE</b> <b>C 25 XE</b> <b>X 25 XE</b>  6 cyls  81.6 mm bore  2,498 cc	<b>GPKOP608162</b>	<b>GPNOP608162</b>	<b>GRSOP608161</b>	
	A-24090 K-94954600 M-0120600 N-8730770000	length 51.08 comp. 30.45 height 0.6	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 56.0	<b>A-R49600</b> <b>G-0830770000</b> <b>K-800040320000</b> <b>K-800040340000</b> <b>M-01170N0</b>	
	904 668 89			
<b>F4R 720</b>  4 cyls  82.7 mm bore  1,998 cc	<b>GPKOP408271</b>	<b>GPNOP408271</b>	<b>GRSOP408271</b>	
	K-40355600	length 56.75 comp. 30.25 height -2.6	top 1.2 2nd 1.5 oil 2.0	
		pin = 21.0 × 61.0	<b>K-800074510000</b> <b>M-02210N0</b>	
<b>1.8 E</b> <b>1.8 SHE</b> <b>1.8 SV</b>  4 cyls  84.8 mm bore  1,796 cc	<b>GPKOP408481</b>	<b>GPNOP408481</b>	<b>GRSOP408481</b>	
	H-23379 K-90252600 M-0116300	length 53.6 comp. 33.6 height -4.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	<b>A-R43260</b> <b>G-0830720000</b> <b>K-800021140000</b> <b>M-01163N0</b> <b>T-50010</b>	
	902 653 09 902 712 93~97 902 713 06 903 549 75 904 104 15			

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.8 E</b>  4 cyls  84.8 mm bore  1,796 cc	<b>GPKOP408482</b>	<b>GPNOP408482</b>	<b>GRSOP408482</b>	
		length 72.0 comp. 40.0 height -3.0	top 1.5 2nd 1.75 oil 4.0	
		pin = 23.0 × 70.0	<b>A-R39880</b> <b>G-0830600000</b> <b>M-01166N0</b>	
<b>1.8 S</b>  4 cyls  84.8 mm bore  1,796 cc	<b>GPKOP408483</b>	<b>GPNOP408483</b>	<b>GRSOP408482</b>	
	<b>H-21295</b> <b>K-93890600</b> <b>M-0116500</b>	length 72.0 comp. 40.0 height -2.3 -3.5	top 1.5 2nd 1.75 oil 4.0	
		pin = 23.0 × 70.0	<b>A-R39880</b> <b>G-0830600000</b> <b>M-01166N0</b>	
		<b>901 671 49~65</b>		
<b>1.8 N</b> <b>1.8 NH</b>  4 cyls  84.8 mm bore  1,795 cc	<b>GPKOP408484</b>	<b>GPNOP408484</b>	<b>GRSOP408482</b>	
	<b>K-93889600</b> <b>M-0116600</b>	length(STD) 72.0 length(O/S) 71.7 comp.(STD) 40.0 comp.(O/S) 39.7 height -5.0	top 1.5 2nd 1.75 oil 4.0	
		pin = 23.0 × 70.0	<b>A-R39880</b> <b>G-0830600000</b> <b>M-01166N0</b>	

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>GM 1.8 YVH</b>  4 cyls 84.8 mm bore 1,796 cc	<b>GPKOP408485</b>	<b>GPNOP408485</b>	<b>GRSOP408481</b>	
	M-S14230	length 57.15 comp. 33.65 height 3.75	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43260 G-0830720000 K-800021140000 M-01163N0 T-50010	
	M-E14230			
<b>1.8 NE</b>  4 cyls 84.8 mm bore 1,796 cc	<b>GPKOP408486</b>	<b>GPNOP408486</b>	<b>GRSOP408481</b>	
	M-S14350	length 58.2 comp. 33.3 height -3.2	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43260 G-0830720000 K-800021140000 M-01163N0 T-50010	
	M-E14350			
<b>20 SE</b> <b>20 SHE</b> <b>20 SER</b>  4 cyls 86.0 mm bore 1,998 cc	<b>GPKOP408601</b>	<b>GPNOP408601</b>	<b>GRSOP408601</b>	
	H-23394 N-8730680040	length 50.4 comp. 30.4 height -5.1	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>C 2.0 NE</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408602</b>	<b>GPNOP408602</b>	<b>GRSOP408601</b>	
		length 50.1 comp. 30.1 height -5.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
<b>2.0 XEH</b> <b>C 2.0 XE</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408603</b>	<b>GPNOP408603</b>	<b>GRSOP408601</b>	
	A-24024 K-91023700 M-0117700 N-8730680010	length 55.4 comp. 30.4 height -0.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
<b>X 2.0 SE</b> <b>2.0 SE</b> <b>2.0 SHE/2.0 XE</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408604</b>	<b>GPNOP408604</b>	<b>GRSOP408601</b>	
	K-90245600 M-0117400	length 55.4 comp. 30.4 height -5.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
		902 994 57 904 676 29 904 676 37 905 096 10		
		902 653 72 903 549 67		



OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>C 2.0 XEV</b> <b>X 2.0 XEV</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408605</b>	<b>GPNOP408605</b>	<b>GRSOP408601</b>	
	K-97332600 M-0117300	length(STD) 55.5 length(O/S) 55.5 comp.(STD) 30.4 comp.(O/S) 30.1 height -3.2	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
	<b>904 870 97</b>			
<b>C 2.0 SEL</b> <b>X 2.2 SE</b> <b>X 2.2 XE</b>  4 cyls  86.0 mm bore  1,998 cc  2,198 cc	<b>GPKOP408606</b>	<b>GPNOP408606</b>	<b>GRSOP408601</b>	
	K-97363600 M-0110300	length(STD) 55.4 length(O/S) 55.4 comp.(STD) 30.4 comp.(O/S) 30.1 height -6.5	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
	<b>904 994 20</b> <b>905 010 58</b>			
<b>Z 2.2 SE</b>  4 cyls  86.0 mm bore  2,198 cc	<b>GPKOP408607</b>	<b>GPNOP408607</b>	<b>GRSOP408602</b>	
	TOP AND 2ND RING LANDS ANODIZED  K-94912600 M-0121500	length 48.9 comp. 26.75 height -0.61	top 1.2 2nd 1.5 oil 2.5	
		pin = 20.0 × 62.0	K-800049140000 M-01220N0	



OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>C 2.0 NE</b> <b>C 2.0 NZ</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408608</b>	<b>GPNOP408608</b>	<b>GRSOP408601</b>	
	K-92123600 M-0117500	length(STD) 55.4 length(O/S) 55.1 comp.(STD) 30.4 comp.(O/S) 30.1 height -5.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
	902 653 51 902 713 28 902 713 29 902 713 30 902 713 31			
<b>C 2.0 NE</b> <b>C 2.0 NZ</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP408609</b>	<b>GPNOP408609</b>	<b>GRSOP408601</b>	
	M-S14290	length 55.4 comp. 30.4 height -5.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
	<b>M-E14290</b>			
<b>GM 2.0 YVH</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP40860A</b>	<b>GPNOP40860A</b>	<b>GRSOP408601</b>	
	M-S14250	length 61.4 comp. 30.4 height 4.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 61.5	A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
	<b>M-E14250</b>			

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>GM 2.0L GAS</b>  4 cyls  86.0 mm bore  1,998 cc	<b>GPKOP40860B</b>	<b>GPNOP40860B</b>	<b>GRSOP408601</b>	
	M-S14270	length 50.0 comp. 30.0 height -3.3  pin = 21.0 × 61.5	top 1.5 2nd 1.5 oil 3.0  A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
		M-E14270		
<b>GM 2.2L EFI</b> <b>GM 2.2L MPFI</b>  4 cyls  86.0 mm bore  2,198 cc	<b>GPKOP40860C</b>	<b>GPNOP40860C</b>	<b>GRSOP408601</b>	
		length 50.0 comp. 30.0 height -7.0  pin = 21.0 × 62.0	top 1.5 2nd 1.5 oil 3.0  A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	
<b>C 22 NE</b>  4 cyls  86.0 mm bore  2,189 cc	<b>GPKOP40860E</b>	<b>GPNOP40860E</b>	<b>GRSOP408601</b>	
	K-97333605	length 50.0 comp. 30.0 height -7.1  pin = 21.0 × 61.5	top 1.5 2nd 1.5 oil 3.0  A-R43290 G-0830680000 K-800021240000 M-01158N0 903 504 99 903 516 58 904 230 82	

OPEL GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>1.7 L</b> <b>1.7 S</b>  4 cyls  88.0 mm bore  1,698 cc	<b>GPKOP408801</b>	<b>GPNOP408801</b>	<b>GRSOP408801</b>	
		length      87.0 comp.        45.0 height        0	top            2.0 2nd            2.0 oil             5.0	
		pin = 23.0 × 76.0		
<b>C 24 NE</b>  4 cyls  95.0 mm bore  2,410 cc	<b>GPKOP409502</b>	<b>GPNOP409502</b>	<b>GRSOP409502</b>	
	H-24089 K-91937600 M-0119500	length      61.0 comp.        31.5 height        -2.25	top            1.5 2nd            1.5 oil             3.0	
		pin = 22.0 × 65.0	<b>A-R49610</b> <b>G-0830730000</b> <b>M-01195N0</b>	
		<b>903 237 19</b>		