

























ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
DV 4 TD DV 4 TED 4 cyls 73.7 mm bore 1,398 cc	DPKPG407371A ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-A354118 K-40469600 M-0400300 N-8713530000	DPNPG407371A length 65.44 comp. 42.94 height -8.5 -14.7 pin = 25.0 × 60.0	DRSPG407371 top(DK) 2.5 2nd 1.95 oil 2.5 A-R66770 G-0813530000 K-800046040000 M-04005N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) ⊙ 0.50 (020) ⊙	0628 N7		
DV 6 ATED4 DV 6 TED4 4 cyls 75.0 mm bore 1,560 cc	DPKPG407501B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-A354125 K-40179600 M-0400600 N-8742400000	DPNPG407501B length 65.3 comp. 41.7 height -6.0 -13.2 pin = 26.0 × 61.0	DRSPG407501 top(DK) 3.0 2nd 2.0 oil 2.5 G-0842400000 K-800054940000 M-04006N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	0628 R4		
TUD 5 4 cyls 77.0 mm bore 1,527 cc	DPKPG407701 K-94642700 M-0390100	DPNPG407701 length(STD) 66.32 length(O/S) 66.32 comp.(STD) 40.37 comp.(O/S) 40.1 height -1.5 -24 pin = 23.0 × 60.0	DRSPG407701 top 2.0 2nd 1.75 oil 3.0 A-R49960 G-0832580000 K-800036541000 M-03901N0	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙			



ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
XUD 7 4 cyls 80.0 mm bore 1,769 cc	DPKPG408001	DPNPG408001	DRSPG408001	 
	A-350705 K-93784700 M-0397800 N-8732150010 piston stock size 0.00 (STD) ⊙ 050 (020) ⊙ 0.80 (032) ⊙	length 84.5 comp. 46.8 height -2.0 pin = 25.0 × 69.5	top 2.0 2nd 2.0 oil 3.0 A-R66400 G-0832150000 K-800003240000 M-01154N0	
		0626 17 0627 04 0628 64 0628 E1		
XUD 7TE XUD 7TEY 4 cyls 80.0 mm bore 1,769 cc	DPKPG408002A	DPNPG408002A	DRSPG408002	 
	ALFIN HEAD ANODIZED A-A350536 K-90354600 M-0397300 N-8732360000 piston stock size 0.00 (STD) ⊙ 050 (020) ⊙ 0.80 (032)	length 84.5 comp. 46.8 height -1.85 pin = 28.0 × 68.0	top(DK) 3.0 2nd 2.0 oil 3.0 A-R49910 G-0832360000 K-800003340000 M-03973N0	
		0627 24 0628 19 0628 37		
DW8 DW8 B XUD 9AY 4 cyls 82.2 mm bore 1,868 cc	DPKPG408221	DPNPG408221	DRSPG408221	 
	A-350544 K-99877600 M-0400100 N-8710400000 piston stock size 0.00 (STD) ⊙ 060 (024) ⊙	length(STD) 77.7 length(O/S) 77.45 comp.(STD) 46.8 comp.(O/S) 46.55 height -1.2 pin = 25.0 × 66.0	top 2.0 2nd 2.0 oil 3.0 A-R60230 G-0810400000 K-800045840000 M-04001N0 0640 PO	
		0628 J2		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
XUD 9/9A XUD 9B/9K XUD 9Y 4 cyls 83.0 mm bore 1,905 cc	DPKPG408301	DPNPG408301	DRSPG408301	 
	A-350709 K-93648700 M-0392400 N-8715200010 piston stock size 0.00 (STD) ⊙ 050 (020) ⊙ 0.80 (032) ⊙	length 84.3 comp. 46.8 height -2.2 pin = 25.0 × 72.0	top 2.0 2nd 2.0 oil 3.0 A-R66390 G-0815200000 K-800003740000 M-03924N0 0640 43 0640 46 0640 81	
		0627 07 0628 15 0628 E3	0640 43 0640 46 0640 81	
XUD 9 AF XUD 9 BSD XUD 9 BTF XUD 9 SD XUD 9 SE XUD 9 TE XUD 9 TF XUD 9 TFU XUD 9 UTF 4 cyls 83.0 mm 1,905 cc	DPKPG408302A	DPNPG408302A	DRSPG408302	 
	ALFIN HEAD ANODIZED SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-350520 K-94786700 M-0399600 N-8710550000 piston stock size 0.00 (STD) ⊙ 050 (020) ⊙ 0.80 (032) ⊙	length(STD) 79.3 length(O/S) 79.3 comp.(STD) 46.8 comp.(O/S) 46.65 height -3.5 pin = 28.0 × 68.0	top(DK) 3.0 2nd 2.0 oil 3.0 A-R60140 G-0810550000 M-03996N0	
		0627 07 0628 15 0628 E3	0640 43 0640 46 0640 81	
DW 10 ATED DW 10 ATED3 DW 10 BTED DW 10 TD DW 10 TED RHY/RHZ 4 cyls 85.0 mm 1,997 cc	DPKPG408501A	DPNPG408501A	DRSPG408501	 
	ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-A350566 K-99879601 M-0399900 N-8711470000 piston stock size 0.00 (STD) ⊙ 060 (024) ⊙ 1.00 (040) ⊙	length 80.7 comp. 46.7 height -6.0 -18.3 pin = 28.0 × 70.0	top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
		0627 07 0628 15 0628 E3	0640 43 0640 46 0640 81	

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
DW10 BTED4 4 cyls 85.0 mm bore 1,997 cc	DPKPG408502B ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99700600	DPNPG408502B length 80.7 comp. 46.7 height -4.7 -15.4 pin = 28.0 × 70.0	DRSPG408501 top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
	piston stock size 0.00 (STD) ⊙ 060 (024) ⊙			
DW12 TED4 4 cyls 85.0 mm bore 2,179 cc	DPKPG408503B ALFIN OIL GALLERY SKIRT MOS2 TREATED K-40406600	DPNPG408503B length 77.7 comp. 48.7 height -9.8 -18.0 pin = 30.0 × 68.0	DRSPG408501 top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 060 (024) ⊙			
DW12 TED DW12 UTED 4 cyls 85.0 mm bore 2,179 cc	DPKPG408504A ALFIN SKIRT MOS2 TREATED K-40405600 M-0402200	DPNPG408504A length 77.7 comp. 48.7 height -1.2 -17.7 pin = 30.0 × 68.0	DRSPG408501 top(DK) 3.5 2nd 2.0 oil 3.0 A-R60410 G-0811470000 K-800045940000 M-03999N0	
	piston stock size 0.00 (STD) ⊙ 040 (016) ⊙ 060 (024) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
TMD 4.88 XD P 4.88 XD 4.88 XD 88 4 cyls 88.0 mm bore 1,948 cc	DPKPG408801	DPNPG408801	DRSPG408801	 
	K-92791600 M-0395400	length 95.35 comp. 58.7 height -2.0	top 2.0 2nd 2.0 3rd 2.0 oil 4.5	
		pin = 28.0 × 72.0	K-800009240000 M-03954V0	
piston stock size 0.00 (STD) ⊙				
DJ5 T DK5 ATE 4 cyls 92.0 mm bore 2,446 cc	DPKPG409202B	DPNPG409202B	DRSPG409202	 
	ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-A354071 K-91313700 M-0390600	length(STD) 82.0 length(O/S) 81.6 comp.(STD) 49.84 comp.(O/S) 49.47 height -2.3	top(DK) 3.0 2nd 1.75 oil 3.5	
		pin = 34.0 × 68.0	A-R67430 G-0832630000 K-8000599940000 M-03906N0 0640 G9 0640 J8	
piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙	0628 91			
CRD 93 CRD 93 L U25 4 cyls 93.01 mm bore 2,499 cc	DPKPG409301	DPNPG409301	DRSPG409301	 
	A-350704 K-93844700 M-0318200 N-8715270000	length 95.0 comp. 52.75 height -7.4	top 2.5 2nd 2.0 oil 4.0	
		pin = 30.0 × 78.0	A-R60970 G-0815270000 K-800004041000 M-03182N0	
piston stock size 0.00 (STD) 0.50 (020) 0.75 (030)				

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
XD 3P 4 cyls 94.0 mm bore 2,498 cc	DPKPG409401A	DPNPG409401A	DRSPG409401	 
	ALFIN	length 96.42 comp. 53.92 height -1.8	top 2.0 2nd 2.0 oil 4.0	
	pin = 30.0 × 78.8	A-R66140 G-0831870010 K-800004140000 M-03948N0 0640 33 0640 42		
piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙	0623 61/62/70/71/73/74 0626 04 0626 05 0627 05 0627 06 7306 27			
XD 2 XD 2P XD 94 4 cyls 94.0 mm bore 2,304 cc	DPKPG409402	DPNPG409402	DRSPG409401	 
	A-350707 K-93520600 M-0395000 N-8731870000	length 99.92 comp. 57.42 height -1.8	top 2.0 2nd 2.0 oil 4.0	
	pin = 30.0 × 78.8	A-R66140 G-0831870010 K-800004140000 M-03948N0 0640 33 0640 42		
piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙				
XD 2S TURBO 4 cyls 94.0 mm bore 2,304 cc	DPKPG409403A	DPNPG409403A	DRSPG409402	 
	ALFIN	length 99.87 comp. 57.37 height -1.95	top(DK) 3.0 2nd 2.0 oil 4.0	
	pin = 30.0 × 78.0	K-93703600 M-0395200	A-R66000 G-0832020010 M-03947N0 M-03952N0 0640 39 0640 52 0640 87	
piston stock size 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙ 1.00 (040) ⊙	0623 33 0626 37 0626 38			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
XD 3T XD 3TE TURBO 4 cyls 94.0 mm bore 2,498 cc	DPKPG409404B	DPNPG409404B	DRSPG409402	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-93608600 M-0394700	length 96.37 comp. 53.87 height -2.27	top(DK) 3.0 2nd 2.0 oil 4.0	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) 0.60 (024)	pin = 32.0 × 78.8 0626 15/16/19 0626 20/21/22 0626 23/24/25	A-R66000 G-0832020010 M-03947N0 M-03952N0 0640 39 0640 52 0640 87	
8140.23 TURBO 4 cyls 94.4 mm bore 2,798 cc	DPKPG409441B	DPNPG409441B	DRSPG409441	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD A-A350582 K-94701600 M-0098900	length 87.6 comp. 58.8 height -15.1 -19.45	top(DK) 2.5 2nd 2.0 oil 2.5	
	piston stock size 0.00 (STD) ⊙ 0.40 (016) 0.60 (024)	pin = 32.0 × 72.0	A-R60070 G-0812220000 K-800038241000 M-00990N0	