









ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
K9K 702/710 K9K 724/752 K9K 760/764  4 cyls  76.0 mm bore 1,461 cc	DPKRN407601A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>A-A350603</b> <b>K-40465600</b> <b>N-8712340000</b>	DPNRN407601A  length 66.0 comp. 41.78 height -3.7 -14.0  pin = 25.0 × 60.0	DRSRN407601  top 2.0 2nd 2.0 oil 2.5  <b>A-R60620</b> <b>G-0812340000</b> <b>K-800044540000</b> <b>M-02201N0</b> <b>77 01 473 144</b> <b>77 01 478 755</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			
K9K 702/710 K9K 724/752 K9K 760/764  4 cyls  76.0 mm bore 1,461 cc	DPKRN407602A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>A-A354068</b> <b>K-40190600</b> <b>M-0220100</b> <b>N-8712340010</b>	DPNRN407602A  length 66.0 comp. 41.78 height -3.7 -14.0  pin = 26.0 × 60.0	DRSRN407601  top 2.0 2nd 2.0 oil 2.5  <b>A-R60620</b> <b>G-0812340000</b> <b>K-800044540000</b> <b>M-02201N0</b> <b>77 01 473 144</b> <b>77 01 478 755</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			
K9K 732/764 K9K 780/804 K9K 806  4 cyls  76.0 mm bore 1,461 cc	DPKRN407603B  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>N-8712340030</b> <b>77 01 476 563</b>	DPNRN407603B  length 66.0 comp. 41.7 height -4.0 -13.1  pin = 26.0 × 60.0	DRSRN407601  top 2.0 2nd 2.0 oil 2.5  <b>A-R60620</b> <b>G-0812340000</b> <b>K-800044540000</b> <b>M-02201N0</b> <b>77 01 473 144</b> <b>77 01 478 755</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙	<b>82 00 405 107</b>		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
K9K 712/718 K9K 724/728 K9K 729/760 K9K 766/802  4 cyls  76.0 mm bore 1,461 cc	DPKRN407604B  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>N-8712340020</b> <b>12 0A 163 32R</b>	DPNRN407604B  length 66.0 comp. 41.7 height -3.7 -14.0  pin = 26.0 × 60.0	DRSRN407601  top 2.0 2nd 2.0 oil 2.5  <b>A-R60620</b> <b>G-0812340000</b> <b>K-800044540000</b> <b>M-02201N0</b> <b>77 01 473 144</b> <b>77 01 478 755</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙	<b>77 01 475 355</b>		
F9Q 718 F9Q 730 F9Q 780  4 cyls  80.0 mm bore 1,870 cc	DPKRN408001A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-99561600</b> <b>M-0215800</b>	DPNRN408001A  length 77.4 comp. 47.06 height -5.4 -17.8  pin = 28.0 × 60.0	DRSRN408001  top 2.5 2nd 2.0 oil 3.0  <b>A-R60260</b> <b>G-0810150000</b> <b>K-800036140000</b> <b>M-02158V0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙	<b>77 01 472 833</b> <b>77 01 472 834</b> <b>77 01 472 835</b>		
F8QT 610 F8QT 784 F8QT 785  4 cyls  80.0 mm bore 1,870 cc	DPKRN408003B  ALFIN OIL GALLERY  <b>A-A350542</b> <b>N-8710350000</b>	DPNRN408003B  length 66.69 comp. 41.71 height -0.8 -1.7  pin = 26.0 × 66.5	DRSRN408001  top 2.5 2nd 2.0 oil 3.0  <b>A-R60260</b> <b>G-0810150000</b> <b>K-800036140000</b> <b>M-02158V0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
F8Q 606/620 F8Q 640/644 F8Q 648/672 F8Q 676/678 F8Q 682/692 F8Q 696/704 F8Q 706/710 F8Q 714/722 F8Q 724/730 F8Q 742/764 <b>4 cyls</b> <b>80.0 mm bore</b> <b>1,870 cc</b>	DPKRN408004A	DPNRN408004A	DRSRN408002	
	ALFIN	length 67.4 comp. 42.5 height -0.7	top 2.0 2nd 2.0 oil 3.0	
	<b>K-92006800</b> <b>M-0219300</b> <b>M-0219310</b>	pin = 24.0 × 63.0	<b>A-R66330</b> <b>G-0833650000</b> <b>K-800023240000</b> <b>M-02193N0</b> <b>77 01 471 716</b> <b>77 01 473 009</b>	
	<b>piston stock size</b> 0.00 (STD) 0.25 (010) 0.50 (020)			
F8Q 630 F8Q 632 F8Q 662  <b>4 cyls</b> <b>80.0 mm bore</b> <b>1,870 cc</b>	DPKRN408005A	DPNRN408005A	DRSRN408002	
	ALFIN	length 67.1 comp. 42.2 height -4.5	top 2.0 2nd 2.0 oil 3.0	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙	pin = 24.0 × 63.0	<b>A-R66330</b> <b>G-0833650000</b> <b>K-800023240000</b> <b>M-02193N0</b> <b>77 01 471 716</b> <b>77 01 473 009</b>	
R9M  <b>4 cyls</b> <b>80.0 mm bore</b> <b>1,598 cc</b>	DPKRN408006B	DPNRN408006B		
	ALFIN OIL GALLERY	length comp. height		
	<b>piston stock size</b> 0.00 (STD)	pin = ×		

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
F8Q 630 F8Q 632 F8Q 662  4 cyls  80.0 mm bore 1,870 cc	DPKRN408007A	DPNRN408007A	DRSRN408002	
	ALFIN	length 67.2 comp. 42.2 height -1.6 -4.3	top 2.0 2nd 2.0 oil 3.0	
	M-0219100	pin = 24.0 × 63.0	A-R66330 G-0833650000 K-800023240000 M-02193N0 77 01 471 716 77 01 473 009	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙			
M9R 740 M9R 780  4 cyls  84.0 mm bore 1,995 cc	DPKRN408401B	DPNRN408401B	DRSRN408401	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD	length 76.0 comp. 47.92 height -5.3 -14.9	top(HK) 2.5 2nd 2.0 oil 2.0	
	K-40262600 N-8742200000	pin = 32.0 × 65.0	G-0842200000 K-800057140000	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			
M1D  4 cyls  84.0 mm bore 1,995 cc	DPKRN408403B	DPNRN408403B		
	ALFIN OIL GALLERY	length comp. height		
		pin = ×		
	<b>piston stock size</b> 0.00 (STD)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
M9T  4 cyls  85.0 mm bore 2,298 cc	DPKRN408504B	DPNRN408504B		
	ALFIN OIL GALLERY	length  comp. height		
	<b>piston stock size</b> 0.00 (STD)	pin = ×		
J8S  4 cyls  86.0 mm bore 2,068 cc	DPKRN408601A	DPNRN408601A	DRSRN408601	  
	ALFIN  <b>K-90436600</b> <b>M-0218400</b>	length      93.0  comp.        51.0 height       -4.0	top(DK)    2.5  2nd         2.5  oil          4.0	
	<b>piston stock size</b> 0.00 (STD)	pin = 28.0 × 75.0	<b>A-R66430</b> <b>G-0833700000</b> <b>K-800023540000</b> <b>M-02184N0</b>	
G8T 706/752 G8T 790/792 G8T 794  4 cyls  87.0 mm bore 2,188 cc	DPKRN408701A	DPNRN408701A	DRSRN408701	  
	ALFIN  <b>A-A350543</b> <b>K-94743700</b> <b>M-0215000</b> <b>N-8710160000</b>	length      75.0  comp.        45.0 height       -3.0	top          2.5  2nd         1.75  oil          2.5	
	<b>piston stock size</b> 0.00 (STD)      ⊙ 0.25 (010) 0.50 (020)      ⊙	pin = 28.0 × 68.5	<b>A-R60390</b> <b>G-0810160000</b> <b>M-02165V0</b>	

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
G8T 714/716 G8T 740/760  4 cyls  87.0 mm bore 2,188 cc	DPKRN408702B  ALFIN OIL GALLERY HEAD ANODIZED SKIRT MOS2 TREATED  <b>K-94816600</b> <b>M-0215400</b>	DPNRN408702B  length 80.0 comp. 44.78 height -2.9  pin = 31.0 × 71.0	DRSRN408702  top 3.0 2nd 1.75 oil 2.5  <b>A-R60640</b> <b>G-0811880000</b> <b>K-800053140000</b> <b>M-02154N0</b> <b>77 01 470 570</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙	<b>77 01 469 223</b> <b>77 01 469 224</b>		
G9T 710/720 G9T 722/750  4 cyls  87.0 mm bore 2,188 cc	DPKRN408703A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-99469600</b> <b>N-8712740000</b>	DPNRN408703A  length 84.2 comp. 54.53 height -5.8 -17.5  pin = 31.0 × 65.0	DRSRN408703  top(HK) 3.0 2nd 1.75 oil 2.5  <b>A-R66780</b> <b>G-0812740000</b> <b>K-800051040000</b> <b>M-02207N0</b> <b>77 01 474 973</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			
G9T 700/702 G9T 703/704 G9T 706/707 G9T 708/709 G9T 712/742 G9T 743/744  4 cyls  87.0 mm bore 2,188 cc	DPKRN408704B  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-99433600</b>	DPNRN408704B  length 84.2 comp. 54.53 height -5.8 -17.5  pin = 31.0 × 65.0	DRSRN408703  top(HK) 3.0 2nd 1.75 oil 2.5  <b>A-R66780</b> <b>G-0812740000</b> <b>K-800051040000</b> <b>M-02207N0</b> <b>77 01 474 973</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<b>G9T 600</b>  <b>4 cyls</b>  <b>87.0 mm bore</b> <b>2,188 cc</b>	<b>DPKRN408705B</b>  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-99551600</b>	<b>DPNRN408705B</b>  length 84.2 comp. 54.53 height -15.0  pin = 31.0 × 65.0	<b>DRSRN408703</b>  top(HK) 3.0 2nd 1.75 oil 2.5  <b>A-R66780</b> <b>G-0812740000</b> <b>K-800051040000</b> <b>M-02207N0</b> <b>77 01 474 973</b>	
	<b>piston stock size</b> 0.00 (STD) 0.50 (020)			
<b>P9X 701</b> <b>P9X 715</b>  <b>6 cyls</b>  <b>87.5 mm bore</b> <b>2,958 cc</b>	<b>DPKRN108751B</b> (for cyl RH)  ALFIN OIL GALLERY SKIRT MOS2 TREATED	<b>DPNRN108751B</b> (for cyl RH)  length 72.4 comp. 44.1 height -5.0 -15.2  pin = 28.5 × 70.0	<b>DRSRN108751</b>  top 2.5 2nd 1.5 oil 3.0	
	<b>piston stock size</b> 0.00 (STD) 0.50 (020)			
<b>P9X 701</b> <b>P9X 715</b>  <b>6 cyls</b>  <b>87.5 mm bore</b> <b>2,958 cc</b>	<b>DPKRN108752B</b> (for cyl LH)  ALFIN OIL GALLERY SKIRT MOS2 TREATED	<b>DPNRN108752B</b> (for cyl LH)  length 72.4 comp. 44.1 height -5.0 -15.2  pin = 28.5 × 70.0	<b>DRSRN108751</b>  top 2.5 2nd 1.5 oil 3.0	
	<b>piston stock size</b> 0.00 (STD) 0.50 (020)			



ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
G9U 720/724 G9U 730/736 G9U 750/754  4 cyls  89.0 mm bore 2,463 cc	DPKRN408902A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-40079600</b> <b>M-0222600</b> <b>N-8713750010</b>	DPNRN408902A  length 83.09 comp. 53.03 height -5.8 -17.58  pin = 31.0 × 65.0	DRSRN408902  top 2.5 2nd 1.75 oil 2.5  <b>G-0813750010</b> <b>K-800050640000</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙ 0.75 (030) 1.00 (040) ⊙			
G9U 650  4 cyls  89.0 mm bore 2,463 cc	DPKRN408903A  ALFIN SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-40271600</b>	DPNRN408903A  length 83.09 comp. 53.03 height -4.9 -16.1  pin = 31.0 × 65.0	DRSRN408901  top(HK) 3.0 2nd 1.75 oil 2.5  <b>A-R66720</b> <b>G-0813750000</b> <b>K-800053240000</b> <b>K-800059040000</b> <b>M-02213N0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.50 (020) ⊙			
G9U 630  4 cyls  89.0 mm bore 2,463 cc	DPKRN408904B  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>K-40272600</b>	DPNRN408904B  length 83.09 comp. 53.07 height -16.13  pin = 31.0 × 68.0	DRSRN408901  top(HK) 3.0 2nd 1.75 oil 2.5  <b>A-R66720</b> <b>G-0813750000</b> <b>K-800053240000</b> <b>K-800059040000</b> <b>M-02213N0</b>	
	<b>piston stock size</b> 0.00 (STD) 0.50 (020)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8140.07 8140.67  4 cyls  93.0 mm bore 2,499 cc	DPKRN409301A	DPNRN409301A	DRSRN409301	
	ALFIN  <b>K-94327700</b> <b>M-0070400</b>	length 96.8 comp. 58.8 height -13.1 -17.8	top(DK) 3.0 2nd 2.0 oil 3.0	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙	pin = 32.0 × 74.0	<b>A-R47080</b> <b>G-0824520000</b> <b>K-800006840000</b> <b>M-00805V0</b>	
8140.61 8140 58U 8U 8140  4 cyls  93.0 mm bore 2,445 cc	DPKRN409302A	DPNRN409302A	DRSRN409302	
	ALFIN HEAD ANODIZED  <b>A-A350663</b> <b>K-93911700</b> <b>M-0079810</b> <b>N-8721450000</b>	length 89.8 comp. 54.7 height -2.0	top 3.0 2nd 2.0 oil 4.0	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙	pin = 32.0 × 74.4	<b>A-R47010</b> <b>G-0821450010</b> <b>K-800007040000</b> <b>M-00798V0</b>	
8140.21.200 8140.21.235 TURBO  4 cyls  93.0 mm bore 2,445 cc	DPKRN409303A	DPNRN409303A	DRSRN409301	
	ALFIN  <b>A-A350671</b> <b>K-93123600</b> <b>M-0080500</b> <b>N-8724520030</b>	length 97.65 comp. 59.65 height -5.8 -14.8	top(DK) 3.0 2nd 2.0 oil 3.0	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙	pin = 32.0 × 75.2	<b>A-R47080</b> <b>G-0824520000</b> <b>K-800006840000</b> <b>M-00805V0</b>	

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8140.47.2711 SU9.714 TURBO  4 cyls  93.0 mm bore 2,499 cc	DPKRN409304B  ALFIN OIL GALLERY SKIRT MOS2 TREATED  <b>A-A350510</b> <b>K-94382600</b> <b>M-0090700</b>	DPNRN409304B  length 96.75 comp. 58.75 height -14.0 -18.4  pin = 32.0 × 78.1 PIN BUSHING INSERTED	DRSRN409301  top(DK) 3.0 2nd 2.0 oil 3.0  <b>A-R47080</b> <b>G-0824520000</b> <b>K-800006840000</b> <b>M-00805V0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.40 (016) ⊙ 0.60 (024) ⊙			
8140.23 8140.43 S9W 700/702 TURBO  4 cyls  94.4 mm bore 2,798 cc	DPKRN409441B  ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD  <b>A-A350582</b> <b>K-94701600</b> <b>M-0098900</b>	DPNRN409441B  length 87.6 comp. 58.8 height -15.1 -19.45  pin = 32.0 × 72.0	DRSRN409441  top(DK) 2.5 2nd 2.0 oil 2.5  <b>A-R60070</b> <b>G-0812220000</b> <b>K-800038241000</b> <b>M-00990N0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙ 0.40 (016) 0.60 (024)			
4.236  4 cyls  98.48 mm bore 3,864 cc	DPKRN409851A  ALFIN HEAD ANODIZED SKIRT MOS2 TREATED  <b>K-93592600</b> <b>M-0433100</b>	DPNRN409851A  length 121.0 comp. 70.3 height -20.5  pin = 34.93 × 84.0	DRSRN409851  top 2.385 2nd 2.385 oil 4.747  <b>A-R34740</b> <b>G-0831890010</b> <b>K-800033710000</b> <b>M-04331N0</b>	
	<b>piston stock size</b> 0.00 (STD) ⊙			