







TOYOTA GASOLINE INDEX

Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page
1KR-FE	71.0	2	7A-FE	81.0	21	22R-TEC	92.0	40
1SZ-FE	69.0		4A-L	81.0		5P	93.0	
1E/1E-L	70.5		4A-GE	81.0		2RZ	95.0	
2K	72.0	3	2ZZ-GE	82.0	22	3RZ-FE	95.0	41
2SZ-FE	72.0		4S-FE/Fi	82.5		2RZ-FE	95.0	
3SZ-FE	72.0		4S	82.5		2RZ-FE	95.0	
1NR-FE	72.5	4	21R	84.0	23	2TZ-FE	95.0	42
2E	73.0		21R	84.0		2TR-FE	95.0	
2E	73.0		21R	84.0		3RZ-FE	95.0	
3E/3E-E	73.0	5	21R/21R-C	84.0	24	1G-E	75.0	43
4E-FE	74.0		21R-C	84.0		1G-E	75.0	
5E-FE	74.0		2S-C/ELC	84.0		1G-GZE	75.0	
5E-FE	74.0	6	2S-EL	84.0	25	1G-FE	75.0	44
4E-FE	74.0		2T	85.0		1G-GEU	75.0	
3K/3K-H(H) / 4K/4K-	75.0		3T	85.0		2M	75.0	
4K/4K-E/U	75.0	7	2T/2T-B	85.0	26	2M	75.0	45
4K/4K-E/U	75.0		2T/2T-C	85.0		4M	80.0	
1NZ-FE / 2NZ-FE	75.0		2T/2T-B/C	85.0		4M	80.0	
1NZ-FE	75.0	8	2T-B	85.0	27	4M	80.0	46
2NZ-FE	75.0		13T	85.0		5M-GE	83.0	
2NZ-FE	75.0		8R	86.0		5M/5M-E	83.0	
2A	76.0	9	8R	86.0	28	7M-GE	83.0	47
2A	76.0		1Y	86.0		5M-GE	83.0	
3P	76.6		2Y/2Y-C	86.0		7M-GTE	83.0	
4P	76.6	10	3Y/3Y-EC	86.0	29	4GR-FSE(L/R)	83.0	48
4P	76.6		3S-FE	86.0		2JZ-GE	86.0	
1A / 1A-C/U	77.5		3S-FE	86.0		2JZ-GTE	86.0	
3A	77.5	11	3S-GELU	86.0	30	3VZ-FE	87.5	49
2R	78.0		1RZ	86.0		3VZ-E(L/R)	87.5	
5A-F	78.7		1RZ	86.0		2VZ-FE	87.5	
5A-F	78.7	12	3S-FE	86.0	31	1MZ-FE(L/R)	87.5	50
8A-FE	78.7		3S-FE	86.0		1MZ-FE(L/R)	87.5	
5A-F	78.7		3S-FE	86.0		F	90.0	
1ZZ-FE	79.0	13	3S-GEL/GELC	86.0	32	F	90.0	51
3ZZ-FE	79.0		3S-GE	86.0		F	90.0	
4ZZ-FE	79.0		3S-FE	86.0		3MZ-FE	92.0	
1ZZ-FE	79.0	14	3Y/3Y-C	86.0	33	5VZ-FE	93.5	52
1ZZ-FE	79.0		1AZ-FE	86.0		2F	94.0	
12R	80.5		1TR-FE	86.0		2F	94.0	
5K	80.5	15	1AZ-FSE	86.0	34	3F	94.0	53
5K	80.5		3S-FE	86.0		3F-E	94.0	
7K	80.5		3S-GE	86.0		1GR-FE	94.0	
1S / 1S-L/U	80.5	16	5S-FE	87.0	35	2GR-FE	94.0	54
1S / 1S-L/U	80.5		5S-FE	87.0		1FZ-FE	100.0	
5K	80.5		3R	88.0		1FZ-FE	100.0	
3ZR-FE	80.5	17	5R	88.0	36	1FZ-FE	100.0	55
3ZR-FAE/FBE	80.5		5R	88.0		1UZ-FE(L/R)	87.5	
2ZR-FE	80.5		5R	88.0				
1ZR-FE	80.5	18	18R	88.5	37			56
4A-C/LC	81.0		20R	88.5				
4A-GE/GEL	81.0		20R	88.5				
4A/4A-GE/GEC/GELC	81.0	19	20R (4) RINGS	88.5	38			57
4A-F/FE	81.0		2AZ-FE	88.5				
4A-GEU	81.0		4Y/4Y-EC	91.0				
7A-FE	81.0	20	4Y	91.0	39			58
4A-F/FE	81.0		22R/22R-E/EC	92.0				
4A/4A-GE/GEC/GELC	81.0		22R	92.0				



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1KR-FE 3 cyls 71.0 mm bore 998 cc	GPKTY307101 SKIRT MOS2 TREATED	GPNTY307101 length 47.05 comp. 29.25 height -3.0 -6.3 pin = 18.0 × 47.0 Circlip not required	GRSTY307101 top 1.0 2nd 1.0 oil 1.5 N- R- T-	
		13101-40020 13101-40021	13011-0Q010 13011-40030	
1SZ-FE 4 cyls 69.0 mm bore 997 cc	GPKTY406901	GPNTY406901 length 44.0 comp. 26.0 height 0.2 -2.2 pin = 18.0 × 47.2 Circlip not required	GRSTY406901 top 1.2 2nd 1.2 oil 2.0 N-SWT10-201 R-28067 T-35991/36022	
		13101-23020 13103-23020	13011-23040 13011-23041 13011-23051 13013-23040 13013-23041	
1E 1E-L 4 cyls 70.5 mm bore 999 cc	GPKTY407051	GPNTY407051 length 56.0 comp. 28.0 height -4.7 pin = 18.0 × 59.0 Circlip not required	GRSTY407051 top 1.5 2nd 1.5 oil 3.0 N-SWT10-104 R-28035 T-35878	
		13101-10033 13103-10033	13011-10070/71/72 13011-10080/81 13012-10070 13013-10070/71/72/81	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2K 4 cyls 72.0 mm bore 993 cc	GPKTY407201	GPNTY407201	GRSTY407201	
		length 72.1 comp. 36.0 height 0	top 2.0 2nd 2.0 oil 4.0	
		pin = 18.0 × 58.2 Circlip required	N-SWT10-029 R-28590 T-35823	
		13101-12010 13102-12010 13103-12010 13104-12010 13105-12010	13011-12010/30/31 13012-12010/30/31 13013-12010/30/31 13014-12010/30/31 13015-12010/30/31	
2SZ-FE 4 cyls 72.0 mm bore 1,296 cc	GPKTY407202	GPNTY407202	GRSTY407202	
		length 46.2 comp. 28.2 height -2.7 -4.05	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 48.0 Circlip not required	N- R- T-36019	
		13101-03020 13103-03020 13101-0J020	13011-23060 13013-23060	
3SZ-FE 4 cyls 72.0 mm bore 1,495 cc	GPKTY407203	GPNTY407203	GRSTY407203	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 45.5 comp. 28.0 height -6.7	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 54.0 Circlip not required	N- R- T-31065	
		13101-BZ100 13101-BZ140 13101-BZ170 13103-BZ020	13011-BZ110 13013-BZ020	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1NR-FE 4 cyls 72.5 mm bore 1,329 cc	GPPTY407251	GPNTY407251	GRSTY407251	
		length comp. height	top 2nd oil	
		pin = x	N- R- T-	
		13101-47020	13011-47030	
2E 4 cyls 73.0 mm bore 1,295 cc	GPPTY407301	GPNTY407301	GRSTY407301	
		length 58.0 comp. 30.0 height -9.3	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 x 59.0 Circlip not required	N-SWT10-105/143 R-28012/28971 T-35879/35883/35919	
		13101-11050 13101-11051	13011-11040/41 13011-11060/61 13011-11062/64 13011-11072/80 13011-11090 13012-11060 13013-11060/61 13013-11062/63 13013-11080/90	
2E 4 cyls 73.0 mm bore 1,295 cc	GPPTY407302	GPNTY407302	GRSTY407301	
		length 58.0 comp. 30.0 height -7.7	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 x 59.0 Circlip not required	N-SWT10-105/143 R-28012/28971 T-35879/35883/35919	
		13101-11030 13101-11090 13102-11030 13103-11030 13103-11090	13011-11040/41 13011-11060/61 13011-11062/64 13011-11072/80 13011-11090 13012-11060 13013-11060/61 13013-11062/63 13013-11080/90	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3E 3E-E 4 cyls 73.0 mm bore 1,456 cc	GPKTY407303	GPNTY407303	GRSTY407301	
		length 62.0 comp. 30.0 height -2.9	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 59.0 Circlip not required	N-SWT10-105/143 R-28012/28971 T-35879/35883/35919	
		13101-11080 13101-11081 13103-11080 13103-11081	13011-11040/41 13011-11060/61 13011-11062/64 13011-11072/80 13011-11090 13012-11060 13013-11060/61 13013-11062/63 13013-11080/90	
4E-FE 4 cyls 74.0 mm bore 1,331 cc	GPKTY407401	GPNTY407401	GRSTY407401	
		length 62.8 comp. 30.0 height 4.7	top 1.2 2nd 1.2 oil 3.0	
		pin = 18.0 × 59.0 Circlip not required	N-SWT10-128/164 R-28705/28804 T-35954	
		13101-11101	13011-11122 13011-11140 13011-11160 13011-11170 13011-11180	
5E-FE 4 cyls 74.0 mm bore 1,497 cc	GPKTY407402	GPNTY407402	GRSTY407401	
		length 58.8 comp. 30.7 height -5.4	top 1.2 2nd 1.2 oil 3.0	
		pin = 18.0 × 57.0 Circlip not required	N-SWT10-128/164 R-28705/28804 T-35954	
		13101-11130 13101-11131	13011-11122 13011-11140 13011-11160 13011-11170 13011-11180	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5E-FE 4 cyls 74.0 mm bore 1,497 cc	GPPTY407403	GPNTY407403	GRSTY407401	
		length 61.5 comp. 30.2 height 3.5	top 1.2 2nd 1.2 oil 3.0	
		pin = 18.0 × 59.0 Circlip not required	N-SWT10-128/164 R-28705/28804 T-35954	
		13101-11160 13101-11161	13011-11122 13011-11140 13011-11160 13011-11170 13011-11180	
4E-FE 4 cyls 74.0 mm bore 1,331 cc	GPPTY407404	GPNTY407404	GRSTY407401	
	HEAD ANODIZED	length 51.0 comp. 30.0 height 4.5	top 1.2 2nd 1.2 oil 3.0	
		pin = 18.0 × 53.0 Circlip not required	N-SWT10-128/164 R-28705/28804 T-35954	
		13101-11170	13011-11122 13011-11140 13011-11160 13011-11170 13011-11180	
3K/3K-H(H) 4K/4K-C(J) 4 cyls 75.0 mm bore 1,166 cc 1,290 cc	GPPTY407501	GPNTY407501	GRSTY407501	
		length 75.0 comp. 36.0 height 0	top 2.0 2nd 2.0 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N-SWT10-052 R-28510 T-35815	
		13101-24010 13101-24011 13102-24011 13103-24010 13104-24010 13105-24010	13011-22011/12 13011-24010/11/12 13011-24020/23/30 13012-22012/24010 13013-22012 13013-24010/11/12 13014-22012 13014-24010/11/12 13015-22012 13015-24010/11/12	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4K 4K-E 4K-U 4 cyls 75.0 mm bore 1,290 cc	GPKTY407502	GPNTY407502	GRSTY407502	
		length 68.9 comp. 36.0 height -7.1	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N-SWT10-109 R-28940 T-35863	
		13101-13020/13021 13103-13020/13021 13104-13020/13021 13105-13020/13021	13011-13010 13011-13060 13013-13010 13014-13010 13015-13010	
4K 4 cyls 75.0 mm bore 1,290 cc	GPKTY407503	GPNTY407503	GRSTY407503	
		length 68.9 comp. 36.0 height -7.5	top 2.0 2nd 2.0 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N- R-28851 T-35896	
		13101-13022 13103-10322 13104-13022 13105-13022	13011-13030 13013-13030 13014-13030 13015-13030	
1NZ-FE 2NZ-FE 4 cyls 75.0 mm bore 1,298 cc	GPKTY407504	GPNTY407504	GRSTY407504	
		length 49.8 comp. 30.7 height -6.2	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 53.0 Circlip not required	N-SWT10-192 R-28125 T-35973/35974	
		13101-21070 13101-21080	13011-21030 13011-21041 13011-21050 13011-21070	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1NZ-FE 4 cyls 75.0 mm bore 1,496 cc	GPKTY407505	GPNTY407505	GRSTY407504	
		length 49.1 comp. 30.0 height -6.0	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 53.0 Circlip not required	N-SWT10-192 R-28125 T-35973/35974	
		13101-21030	13011-21030 13011-21041 13011-21050 13011-21070	
2NZ-FE 4 cyls 75.0 mm bore 1,298 cc	GPKTY407506	GPNTY407506	GRSTY407504	
		length 48.9 comp. 30.0 height -2.7	top 1.2 2nd 1.2 oil 2.0	
		pin = 18.0 × 53.0 Circlip not required	N-SWT10-192 R-28125 T-35973/35974	
		13101-21040	13011-21030 13011-21041 13011-21050 13011-21070	
2NZ-FE 4 cyls 75.0 mm bore 1,298 cc	GPKTY407507	GPNTY407507	GRSTY407505	
		length 47.5 comp. 30.0 height -4.0	top 1.2 2nd 1.2 oil 3.0	
		pin = 18.0 × 53.0 Circlip not required	N-SWT10-211 R-28003 T-35975	
		13101-21050	13011-20160	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2A 4 cyls 76.0 mm bore 1,295 cc	GPKTY407601	GPNTY407601	GRSTY407601	
		length 65.0 comp. 34.0 height -2.5 -4.1	top 2.0 2nd 2.0 oil 4.0	
		pin = 18.0 × 61.0 Circlip not required	N-SX(W)T10-068 R-28070 T-35857	
		13101-14020 13103-14020 13104-14020 13105-14020	13011-14010 13011-14011 13011-14020 13011-14021 13013-14020 13014-14020 13015-14020	
2A 4 cyls 76.0 mm bore 1,295 cc	GPKTY407602	GPNTY407602	GRSTY407601	
		length 64.3 comp. 33.3 height 0	top 2.0 2nd 2.0 oil 4.0	
		pin = 18.0 × 61.0 Circlip not required	N-SX(W)T10-068 R-28070 T-35857	
		13101-14010 13103-14010 13104-14010 13105-14010	13011-14010 13011-14011 13011-14020 13011-14021 13013-14020 13014-14020 13015-14020	
3P 4 cyls 76.6 mm bore 1,345 cc	GPKTY407660	GPNTY407660	GRSTY407661	
		length 76.0 comp. 38.0 height 0	top 2.0 2nd 2.0 oil 4.0	
		pin = 20.0 × 65.5 Circlip required	N-SWT10-009 R-28500 T-35822	
		13101-23010 13101-23011	13011-23010 13011-23030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4P 4 cyls 76.6 mm bore 1,493 cc	GPKTY407661	GPNTY407661	GRSTY407661	
		length 71.0 comp. 33.0 height 0	top 2.0 2nd 2.0 oil 4.0	
		pin = 20.0 × 65.0 Circlip required	N-SWT10-009 R-28500 T-35822	
		13101-78001 13101-96001	13011-23010 13011-23030	
4P 4 cyls 76.6 mm bore 1,493 cc	GPKTY407662	GPNTY407662	GRSTY407661	
		length 72.4 comp. 34.4 height -3.5	top 2.0 2nd 2.0 oil 4.0	
		pin = 20.0 × 65.0 Circlip required	N-SWT10-009 R-28500 T-35822	
			13011-23010 13011-23030	
1A 1A-C 1A-U 4 cyls 77.5 mm bore 1,452 cc	GPKTY407751	GPNTY407751	GRSTY407751	
		length 61.0 comp. 31.0 height -2.67	top 1.5 2nd 1.5 oil 2.8	
		pin = 18.0 × 63.0 Circlip not required	N-SWT10-078 R-28200/28330/28699 T-35854	
		13101-15010	13011-15010/15011 13011-15020/15021 13011-15030/15031 13013-15010/15030 13013-15031 13014-15010/15030 13015-15010/15030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3A 4 cyls 77.5 mm bore 1,452 cc	GPKTY407752	GPNTY407752	GRSTY407751	
		length 61.0 comp. 31.0 height -2.8	top 1.5 2nd 1.5 oil 2.8	
		pin = 18.0 × 61.0 Circlip not required	N-SWT10-078 R-28200/28330/28699 T-35854	
		13101-15020 13103-15020 13104-15020 13105-15020	13011-15010/15011 13011-15020/15021 13011-15030/15031 13013-15010/15030 13013-15031 13014-15010/15030 13015-15010/15030	
2R 4 cyls 78.0 mm bore 1,490 cc	GPKTY407801	GPNTY407801	GRSTY407801	
		length 78.0 comp. 39.0 height 0	top 2.0 2nd 2.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip required	N-SWT10-014 R-28470 T-35811	
		13101-31010 13101-31011	13011-31010 13011-31030 13011-31040	
5A-F 4 cyls 78.7 mm bore 1,498 cc	GPKTY407871	GPNTY407871	GRSTY407871	
		length 59.5 comp. 30.5 height -2.4 -3.0	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 61.0 Circlip not required	N-SWT10-161 R-28244 T-35894	
		13101-15040	13011-15050	



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5A-F 4 cyls 78.7 mm bore 1,498 cc	GPKTY407872	GPNTY407872	GRSTY407872	
		length 55.5 comp. 30.5 height -1.6	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-181 R-28019 T-35920	
		13101-15050	13011-15100 13011-15120	
8A-FE 4 cyls 78.7 mm bore 1,342 cc	GPKTY407873	GPNTY407873	GRSTY407873	
		length 63.7 comp. 34.5 height 1.2	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.2 Circlip not required	N- R-28853 T-35939	
		13101-14050	13011-15130	
5A-F 4 cyls 78.7 mm bore 1,498 cc	GPKTY407874	GPNTY407874	GRSTY407871	
		length 55.5 comp. 30.5 height -1.6	top 1.5 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-161 R-28244 T-35894	
			13011-15050	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1ZZ-FE 4 cyls 79.0 mm bore 1,794 cc	GPKTY407901	GPNTY407901	GRSTY407901	
	HEAD, TOP AND 2ND RING LANDS ANODIZED	length 51.6 comp. 32.1 height -6.5	top 1.2 2nd 1.2 oil 3.0	
		pin = 20.0 × 50.0 Circlip required	N-SWT10-183 R-28785 T-35950	
		13101-22020 13101-22030 13101-22031 13101-22140	13011-0D010 13011-22030 13011-22040 13011-22090 13011-22100 13011-22111 13011-22200	
3ZZ-FE 4 cyls 79.0 mm bore 1,598 cc	GPKTY407902	GPNTY407902	GRSTY407901	
	HEAD, TOP AND 2ND RING LANDS ANODIZED	length 52.2 comp. 32.2 height -3.9	top 1.2 2nd 1.2 oil 3.0	
		pin = 20.0 × 50.0 Circlip required	N-SWT10-183 R-28785 T-35950	
		13101-0D070	13011-0D010 13011-22030 13011-22040 13011-22090 13011-22100 13011-22111 13011-22200	
4ZZ-FE 4 cyls 79.0 mm bore 1,398 cc	GPKTY407904	GPNTY407904	GRSTY407901	
	HEAD, TOP AND 2ND RING LANDS ANODIZED	length 51.7 comp. 32.2 height -1.6	top 1.2 2nd 1.2 oil 3.0	
		pin = 20.0 × 50.0 Circlip required	N-SWT10-183 R-28785 T-35950	
		13101-22051 13101-22071	13011-0D010 13011-22030 13011-22040 13011-22090 13011-22100 13011-22111 13011-22200	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1ZZ-FE 4 cyls 79.0 mm bore 1,794 cc	GPKTY407905 SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	GPNTY407905 length 51.7 comp. 32.2 height -5.3 -6.6	GRSTY407901 top 1.2 2nd 1.2 oil 3.0	
		pin = 20.0 × 50.0 Circlip required	N-SWT10-183 R-28785 T-35950	
		13101-22060	13011-0D010 13011-22030 13011-22040 13011-22090 13011-22100 13011-22111 13011-22200	
1ZZ-FE 4 cyls 79.0 mm bore 1,794 cc	GPKTY407906	GPNTY407906 length comp. height	GRSTY407902 top 1.2 2nd 1.2 oil 2.0	
		pin = ×	N- R- T-	
			13011-22240	
12R 4 cyls 80.5 mm bore 1,587 cc	GPKTY408051	GPNTY408051 length 80.0 comp. 39.0 height 0	GRSTY408051 top 2.0 2nd 2.0 oil 4.0	
		pin = 20.0 × 66.0 Circlip required	N-SW(X)T10-042 R-28810/28818/28835 T-35830/35907	
		13101-31020 13101-31021/22 13102-31020 13103-31020 13103-31021/22 13104-31020 13104-31021/22 13105-31020 13105-31021/22 13106-31020 13107-31020	13011-31050/51 13011-31060/61 13011-31070/81 13011-31090/91 13011-81088 13012-31060/70 13013-31060/61/70 13014-31060/61/70 13015-31060/61/70 13016-31060/70 13017-31060/70	



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5K 4 cyls 80.5 mm bore 1,486 cc 1,496 cc	GPPTY408052	GPNTY408052	GRSTY408052	
		length 68.9 comp. 36.0 height -8.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 61.0 Circlip required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
		13101-13030 13103-13030	13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	
5K 4 cyls 80.5 mm bore 1,486 cc 1,496 cc	GPPTY408053	GPNTY408053	GRSTY408052	
		length 69.0 comp. 36.0 height -3.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
		13101-13040 13103-13040	13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	
7K 4 cyls 80.5 mm bore 1,812 cc	GPPTY408054	GPNTY408054	GRSTY408052	
		length 58.7 comp. 33.7 height -9.7	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
		13101-06030	13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1S 1S-L 1S-U 4 cyls 80.5 mm bore 1,832 cc	GPKTY408055	GPNTY408055	GRSTY408052	
		length 67.8 comp. 33.0 height -1.6	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 x66.0 Circlip not required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
		13101-63010/63011 13103-63010/63011 13104-63010/63011 13105-63010/63011	13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	
1S 1S-L 1S-U 4 cyls 80.5 mm bore 1,832 cc	GPKTY408056	GPNTY408056	GRSTY408052	
		length 68.0 comp. 33.0 height -2.5 -4.5	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 x66.0 Circlip not required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
		13101-63020	13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	
5K 4 cyls 80.5 mm bore 1,486 cc 1,496 cc	GPKTY408057	GPNTY408057	GRSTY408052	
		length 67.7 comp. 34.7 height -7.5	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 x61.0 Circlip required	N-SWT10-080/099/160/16 R-28750/28867/28998 T-35861/35922	
			13011-13040/50 13011-13080/90 13011-13100/10 13011-13120 13011-63010/11 13011-63020/30 13011-63031 13013-13090 13013-63030 13014-63030 13015-63030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3ZR-FE 4 cyls 80.5 mm bore 1,986 cc	GPKTY408058	GPNTY408058	GRSTY408053	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 51.3 comp. 33.2 height -4.3	top 1.2 2nd 1.0 oil 2.0	
		pin = 20.0 x50.0 Circlip required	N- R- T-	
		13101-37130	13011-37150	
3ZR-FAE 3ZR-FBE 4 cyls 80.5 mm bore 1,986 cc	GPKTY408059	GPNTY408059	GRSTY408053	
		length comp. height	top 1.2 2nd 1.0 oil 2.0	
		pin = x	N- R- T-	
		13101-37150	13011-37150	
2ZR-FE 4 cyls 80.5 mm bore 1,797 cc	GPKTY40805A	GPNTY40805A	GRSTY408054	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 50.2 comp. 31.1 height -6.4	top 1.0 2nd 1.0 oil 1.5	
		pin = 20.0 x50.0 Circlip required	N- R- T-	
		13101-37071	13011-37090	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1ZR-FE 4 cyls 80.5 mm bore 1,598 cc	GPKTY40805B	GPNTY40805B	GRSTY408054	
	HEAD AND TOP RING LANDS ANODIZED	length 55.0 comp. 35.9 height -4.2	top 1.0 2nd 1.0 oil 1.5	
		pin = 20.0 x 50.0 Circlip required	N- R- T-	
		13101-37081	13011-37090	
4A-C 4A-LC 4 cyls 81.0 mm bore 1,587 cc	GPKTY408101	GPNTY408101	GRSTY408101	
		length 60.6 comp. 30.6 height -3.3	top 1.5 2nd 1.5 oil 2.8	
		pin = 18.0 x 61.0 Circlip not required	N-SWT10-101/108/145 R-28210/28560/28600/2890 T-35876/35951	
		13101-16010 13103-16010	13011-16010/11 13011-16030/31 13011-16032/50 13011-16070/80 13011-16090 13011-16180 13011-16290 13013-16032/50 13013-16070 13013-16180	
4A-GE 4A-GEL 4 cyls 81.0 mm bore 1,587 cc	GPKTY408102	GPNTY408102	GRSTY408101	
		length 64.7 comp. 30.5 height 0.2 0.5	top 1.5 2nd 1.5 oil 2.8	
		pin = 18.0 x 61.0 Circlip not required	N-SWT10-101/108/145 R-28210/28560/28600/2890 T-35876/35951	
		13101-16030 13103-16030	13011-16010/11 13011-16030/31 13011-16032/50 13011-16070/80 13011-16090 13011-16180 13011-16290 13013-16032/50 13013-16070 13013-16180	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4A/4A-GE 4A-GEC 4A-GELC 4 cyls 81.0 mm bore 1,587 cc	GPKTY408103	GPNTY408103	GRSTY408101	
		length 64.5 comp. 30.5 height 0.2 -0.9	top 1.5 2nd 1.5 oil 2.8	
		pin = 18.0 × 61.0 Circlip not required	N-SWT10-101/108/145 R-28210/28560/28600/2890 T-35876/35951	
		13101-16020 13103-16020	13011-16010/11 13011-16030/31 13011-16032/50 13011-16070/80 13011-16090 13011-16180 13011-16290 13013-16032/50 13013-16070 13013-16180	
4A-F 4-FE 4 cyls 81.0 mm bore 1,587 cc	GPKTY408104	GPNTY408104	GRSTY408102	
		length 61.0 comp. 30.5 height -2.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 61.0 Circlip not required	N-SWT10-142 R-28260/28265 T-35908	
		13101-16090 13101-16110 13101-16200 13103-16090 13103-16110 13103-16200	13011-16070 13011-16120 13011-16130 13011-16140 13011-16150 13013-16120 13013-16140	
4A-GEU 4 cyls 81.0 mm bore 1,587 cc	GPKTY408105	GPNTY408105	GRSTY408103	
		length 66.0 comp. 30.5 height 1.5	top 1.2 2nd 1.5 oil 2.8	
		pin = 20.0 × 61.0 Circlip required	N-SWT10-150 R-28212/28221 T-35910	
		13101-16121 13101-16212	13011-16190 13011-16200 13011-16210	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
7A-FE 4 cyls 81.0 mm bore 1,762 cc	GPKTY408106	GPNTY408106	GRSTY408104	
		length 55.6 comp. 30.5 height -3.3	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-156 R-28093/28256/28331/28672 T-35913/35976/35989	
		13101-16150	13011-16230/16280 13011-16290/16300 13011-16320/16330 13011-16340/16350	
4A-F 4A-FE 4 cyls 81.0 mm bore 1,762 cc	GPKTY408107	GPNTY408107	GRSTY408104	
		length 55.7 comp. 30.5 height -2.5	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-156 R-28093/28256/28331/28672 T-35913/35976/35989	
		13101-16160 13101-16171 13103-13171	13011-16230/16280 13011-16290/16300 13011-16320/16330 13011-16340/16350	
4A 4A-GEL 4A-GELC 4 cyls 81.0 mm bore 1,587 cc	GPKTY408108	GPNTY408108	GRSTY408101	
		length 64.6 comp. 30.6 height -1.0	top 1.5 2nd 1.5 oil 2.8	
		pin = 20.0 × 61.0 Circlip required	N-SWT10-101/108/145 R-28210/28560/28600/2890 T-35876/35951	
		13101-16070 13103-16070	13011-16010/11 13011-16030/31 13011-16032/50 13011-16070/80 13011-16090 13011-16180 13011-16290 13013-16032/50 13013-16070 13013-16180	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
7A-FE 4 cyls 81.0 mm bore 1,762 cc	GPKTY408109	GPNTY408109	GRSTY408104	
		length 55.6 comp. 30.5 height -3.61	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.0 Circlip not required	N-SWT10-156 R-28093/28256/28331/28672 T-35913/35976/35989	
		13101-16190 13103-16190	13011-16230/16280 13011-16290/16300 13011-16320/16330 13011-16340/16350	
4A-L 4 cyls 81.0 mm bore 1,587 cc	GPKTY40810A	GPNTY40810A	GRSTY408102	
		length 60.5 comp. 30.5 height -2.8	top 1.5 2nd 1.5 oil 3.0	
		pin = 18.0 × 61.0 Circlip not required	N-SWT10-142 R-28260/28265 T-35908	
		13101-16050 13103-16150	13011-16070 13011-16120 13011-16130 13011-16140 13011-16150 13013-16120 13013-16140	
4A-GE 4 cyls 81.0 mm bore 1,587 cc	GPKTY40810B	GPNTY40810B	GRSTY408104	
		length 50.2 comp. 30.4 height 1.8	top 1.2 2nd 1.5 oil 3.0	
		pin = 20.0 × 56.3 Circlip required	N-SWT10-156 R-28093/28256/28331/28672 T-35913/35976/35989	
		13101-16220 13101-16221 13103-16220	13011-16230/16280 13011-16290/16300 13011-16320/16330 13011-16340/16350	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2ZZ-GE 4 cyls 82.0 mm bore 1,796	GPKTY408201	GPNTY408201	GRSTY408201	
		length 56.2 comp. 31.2 height 1.5	top 1.2 2nd 1.2 oil 3.0	
		pin = 20.0 × 56.5 Circlip required	N-SWT10-196 R- T-	
		13101-88600 13101-88601	13011-88600 13011-88601	
4S-FE 4S-Fi 4 cyls 82.5 mm bore 1,838	GPKTY408251	GPNTY408251	GRSTY408251	
		length 70.3 comp. 35.4 height -3.2	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip not required	N-SWT10-123 R-23023 T-35917	
		13101-74071 13103-74071 13104-74071	13011-74110/20/21 13013-74110/20 13014-74110/20	
4S 4 cyls 82.5 mm bore 1,838	GPKTY408252	GPNTY408252	GRSTY408251	
		length 67.8 comp. 35.0 height -2.7	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-123 R-23023 T-35917	
		13101-74160 13103-74160 13104-74160	13011-74110/20/21 13013-74110/20 13014-74110/20	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
21R 4 cyls 84.0 mm bore 1,972	GPKTY408400	GPNTY408400	GRSTY408401	
		length 84.0 comp. 39.0 height 5.0	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 72.0 Circlip required	N-SXT10-067 R-28660 T-	
		13101-37010	13011-37010	
21R 4 cyls 84.0 mm bore 1,972	GPKTY408401	GPNTY408401	GRSTY408402	
		length 84.0 comp. 39.0 height 5.0	top 1.5 2nd 2.0 oil 4.0	
		pin = 22.0 × 72.5 Circlip required	N-SWT10-076 R-28920 T-35853	
		13101-37030 13101-37050 13103-37040 13103-37060 13105-37040 13105-37060	13011-37030 13011-37050 13011-37060 13013-37050 13013-37060 13015-37050 13015-37060	
21R 4 cyls 84.0 mm bore 1,972	GPKTY408402	GPNTY408402	GRSTY408403	
		length 65.4 comp. 34.9 height 2.5	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-102 R-28661/28662 T-35880	
		13101-37060 13101-37061 13103-37070 13105-37070	13011-37070 13011-37071 13013-37070 13015-37070	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
21R 21R-C 4 cyls 84.0 mm bore 1,972	GPKTY408403	GPNTY408403	GRSTY408402	
		length 85.8 comp. 39.0 height 7.1	top 1.5 2nd 2.0 oil 4.0	
		pin = 22.0 × 72.5 Circlip required	N-SWT10-076 R-28920 T-35853	
			13011-37030 13011-37050 13011-37060 13013-37050 13013-37060 13015-37050 13015-37060	
21R-C 4 cyls 84.0 mm bore 1,972	GPKTY408404	GPNTY408404	GRSTY408402	
		length 85.4 comp. 38.9 height 6.8	top 1.5 2nd 2.0 oil 4.0	
		pin = 22.0 × 72.0 Circlip required	N-SWT10-076 R-28920 T-35853	
		13101-37020 13103-37030 13105-37030	13011-37030 13011-37050 13011-37060 13013-37050 13013-37060 13015-37050 13015-37060	
2S-C 2S-ELC 4 cyls 84.0 mm bore 1,955	GPKTY408405	GPNTY408405	GRSTY408404	
		length 70.3 comp. 33.4 height -4.2	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-088 R-28007/28031 T-35866	
		13101-74010/11 13103-74010/11 13104-74010/11 13105-74010/11	13011-74010 13011-74020 13011-74030 13011-74040/41 13013-74020 13013-74030/40 13014-74020 13014-74030/40 13015-74020 13015-74030/40	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2S-EL 4 cyls 84.0 mm bore 1,955	GPKTY408406	GPNTY408406	GRSTY408404	
		length 70.2 comp. 33.4 height -3.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-088 R-28007/28031 T-35866	
		13101-74020/21 13103-74020/21 13104-74020/21 13105-74020/21	13011-74010 13011-74020 13011-74030 13011-74040/41 13013-74020 13013-74030/40 13014-74020 13014-74030/40 13015-74020 13015-74030/40	
2T 4 cyls 85.0 mm bore 1,588	GPKTY408500	GPNTY408500	GRSTY408501	
		length 91.7 comp. 39.0 height 7.0	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SW(X)T10-040 R-28030 T-35825	
		13101-26030 13103-26030 13104-26030 13105-26030	13011-26020/30 13011-26040/41 13011-27020 13012-26010/30 13012-26040/41 13013-26010/30 13013-26040/41 13013-27020 13014-26010/30 13014-26040/41 13014-27020 13015-26010/30 13015-26040/41 13015-27020	
3T 4 cyls 85.0 mm bore 1,770	GPKTY408501	GPNTY408501	GRSTY408502	
		length 82.5 comp. 35.2 height 5.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-S(W/X)T10-059 R-28900 T-35845/35958	
		13101-28010 13103-28010 13104-28010 13105-28010	13011-28010/11 13011-28012/20 13011-28030/31 13011-28070/71 13013-28011 13013-28030/31 13014-28011 13014-28030/31 13015-28011 13015-28030/31	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2T 2T-B 4 cyls 85.0 mm bore 1,588	GPKTY408502	GPNTY408502	GRSTY408501	
		length 90.6 comp. 39.0 height 5.8	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SW(X)T10-040 R-28030 T-35825	
		13101-26010/11 13102-26010/11 13103-26010/11 13104-26010/11 13105-26010/11	13011-26020/30 13011-26040/41 13011-27020 13012-26010/30 13012-26040/41 13013-26010/30 13013-26040/41 13013-27020 13014-26010/30 13014-26040/41 13014-27020 13015-26010/30 13015-26040/41 13015-27020	
2T 2T-C 4 cyls 85.0 mm bore 1,588	GPKTY408503	GPNTY408503	GRSTY408501	
		length 99.4 comp. 39.2 height 14.5	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SW(X)T10-040 R-28030 T-35825	
		13101-26020 13101-26021	13011-26020/30 13011-26040/41 13011-27020 13012-26010/30 13012-26040/41 13013-26010/30 13013-26040/41 13013-27020 13014-26010/30 13014-26040/41 13014-27020 13015-26010/30 13015-26040/41 13015-27020	
2T 2T-B 2T-C 4 cyls 85.0 mm bore 1,588	GPKTY408504	GPNTY408504	GRSTY408502	
		length 91.7 comp. 39.0 height 7.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-S(W/X)T10-059 R-28900 T-35845/35958	
		13101-26031 13103-26031 13104-26031 13105-26031	13011-28010/11 13011-28012/20 13011-28030/31 13011-28070/71 13013-28011 13013-28030/31 13014-28011 13014-28030/31 13015-28011 13015-28030/31	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2T-B 4 cyls 85.0 mm bore 1,588	GPKTY408505	GPNTY408505	GRSTY408502	
		length 90.8 comp. 39.0 height 5.8	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-S(W/X)T10-059 R-28900 T-35845/35958	
		13101-26040 13103-26040 13104-26040 13105-26040	13011-28010/11 13011-28012/20 13011-28030/31 13011-28070/71 13013-28011 13013-28030/31 13014-28011 13014-28030/31 13015-28011 13015-28030/31	
13T 4 cyls 85.0 mm bore 1,588	GPKTY408506	GPNTY408506	GRSTY408502	
		length 97.3 comp. 39.0 height 0.2 16.6	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 65.0 Circlip not required	N-S(W/X)T10-059 R-28900 T-35845/35958	
		13101-27040	13011-28010/11 13011-28012/20 13011-28030/31 13011-28070/71 13013-28011 13013-28030/31 13014-28011 13014-28030/31 13015-28011 13015-28030/31	
8R 4 cyls 86.0 mm bore 1,858	GPKTY408600	GPNTY408600	GRSTY408601	
		length 85.8 comp. 39.3 height 4.5	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 73.0 Circlip required	N-SWT10-019 R-28580 T-35820	
		13101-33021 13101-33022 13101-33023 13101-33024	13011-31010 13011-33010 13011-33020 13011-33021 13011-33022 13011-33030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
8R 4 cyls 86.0 mm bore 1,858	GPKTY408601	GPNTY408601	GRSTY408601	
		length 84.8 comp. 39.8 height 0	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 73.0 Circlip required	N-SWT10-019 R-28580 T-35820	
		13101-33010 13101-33012 13101-33013 13101-33014	13011-31010 13011-33010 13011-33020 13011-33021 13011-33022 13011-33030	
1Y 4 cyls 86.0 mm bore 1,626	GPKTY408602	GPNTY408602	GRSTY408602	
		length 74.0 comp. 39.0 height -2.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-090 R-28720/28805 T-35869/35930	
		13101-71010 13103-71010 13104-71010 13105-71010	13011-71010/20/21 13011-71030/31/33 13011-71040 13011-72020 13013-71020/21 13013-71030/31 13014-71020/21 13014-71030/31 13015-71020/21 13015-71030/31	
2Y 2Y-C 4 cyls 86.0 mm bore 1,812	GPKTY408603	GPNTY408603	GRSTY408602	
		length 70.0 comp. 35.0 height -2.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-090 R-28720/28805 T-35869/35930	
		13101-72010 13103-72010 13104-72010 13105-72010	13011-71010/20/21 13011-71030/31/33 13011-71040 13011-72020 13013-71020/21 13013-71030/31 13014-71020/21 13014-71030/31 13015-71020/21 13015-71030/31	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3Y 3Y-EC 4 cyls 86.0 mm bore 1,812	GPKTY408604	GPNTY408604	GRSTY408602	
		length 70.0 comp. 35.0 height -5.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-090 R-28720/28805 T-35869/35930	
		13101-73010 13103-73010 13104-73010 13105-73010	13011-71010/20/21 13011-71030/31/33 13011-71040 13011-72020 13013-71020/21 13013-71030/31 13014-71020/21 13014-71030/31 13015-71020/21 13015-71030/31	
3S-FE 4 cyls 86.0 mm bore 1,998	GPKTY408605	GPNTY408605	GRSTY408603	
		length 68.4 comp. 35.4 height -4.4	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip not required	N-SWT10-119 R-28001/28027 T-35885/35902/35942	
		13101-74040 13103-74040	13011-74070/71 13011-74072/80 13011-74081/91 13011-74131 13011-74280 13013-74071/72 13013-74091 13013-74131 13013-74280	
3S-FE 4 cyls 86.0 mm bore 1,998	GPKTY408606	GPNTY408606	GRSTY408603	
		length 68.0 comp. 35.0 height -4.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip required	N-SWT10-119 R-28001/28027 T-35885/35902/35942	
		13101-74100 13103-74100	13011-74070/71 13011-74072/80 13011-74081/91 13011-74131 13011-74280 13013-74071/72 13013-74091 13013-74131 13013-74280	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3S-GELU 4 cyls 86.0 mm bore 1,998 cc	GPKTY408607	GPNTY408607	GRSTY408604	
		length 67.1 comp. 35.1 height 0	top 1.2 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-141 R-28891 T-35995	
		13101-74030 13101-74031 13101-74032	13011-74100 13011-88362 13011-88363 13011-88380 13013-88380	
1RZ 4 cyls 86.0 mm bore 1,998 cc	GPKTY408608	GPNTY408608	GRSTY408605	
		length 67.4 comp. 35.5 height -4.2	top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 61.0 Circlip required	N-SWT10-125 R-28002/28775 T-35904	
		13101-75010 13103-75010	13011-75010 13011-75020 13011-75080 13013-75020 13013-75080	
1RZ 4 cyls 86.0 mm bore 1,998 cc	GPKTY408609	GPNTY408609	GRSTY408605	
		length 59.0 comp. 35.5 height -4.4	top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 61.0 Circlip required	N-SWT10-125 R-28002/28775 T-35904	
			13011-75010 13011-75020 13011-75080 13013-75020 13013-75080	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3S-FE 4 cyls 86.0 mm bore 1,998	GPKTY40860A	GPNTY40860A	GRSTY408603	
		length 68.0 comp. 35.0 height -3.9	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip not required	N-SWT10-119 R-28001/28027 T-35885/35902/35942	
		13101-74112	13011-74070/71 13011-74072/80 13011-74081/91 13011-74131 13011-74280 13013-74071/72 13013-74091 13013-74131 13013-74280	
3S-FE 4 cyls 86.0 mm bore 1,998	GPKTY40860B	GPNTY40860B	GRSTY408603	
		length 68.5 comp. 35.5 height -3.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 66.0 Circlip not required	N-SWT10-119 R-28001/28027 T-35885/35902/35942	
		13101-74120 13103-74120	13011-74070/71 13011-74072/80 13011-74081/91 13011-74131 13011-74280 13013-74071/72 13013-74091 13013-74131 13013-74280	
3S-FE 4 cyls 86.0 mm bore 1,998	GPKTY40860C	GPNTY40860C	GRSTY408603	
		length 65.5 comp. 35.0 height -3.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-119 R-28001/28027 T-35885/35902/35942	
		13101-74170 13103-74170	13011-74070/71 13011-74072/80 13011-74081/91 13011-74131 13011-74280 13013-74071/72 13013-74091 13013-74131 13013-74280	



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3S-GEL 3S-GELC 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860D	GPNTY40860D	GRSTY408604	
		length 69.2 comp. 35.1 height 2.1	top 1.2 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-141 R-28891 T-35995	
		13101-88362	13011-74100 13011-88362 13011-88363 13011-88380 13013-88380	
3S-GE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860E	GPNTY40860E	GRSTY408604	
		length 71.6 comp. 35.1 height 4.5	top 1.2 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-141 R-28891 T-35995	
		13101-88363 13103-88363	13011-74100 13011-88362 13011-88363 13011-88380 13013-88380	
3S-FE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860F	GPNTY40860F	GRSTY408606	
		length 59.2 comp. 35.0 height -3.0	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 56.0 Circlip not required	N-SWT10-162 R- T-35984	
		13101-14180 13101-74180 13103-74180	13011-74320 13011-74340 13011-74361 13013-74320 13013-74340	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3Y 3Y-C 4 cyls 86.0 mm bore 1,998	GPKTY40860G	GPNTY40860G	GRSTY408602	
		length 70.0 comp. 35.0 height -10.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-090 R-28720/28805 T-35869/35930	
		13101-73020 13103-73020 13104-73020 13105-73020	13011-71010/20/21 13011-71030/31/33 13011-71040 13011-72020 13013-71020/21 13013-71030/31 13014-71020/21 13014-71030/31 13015-71020/21 13015-71030/31	
1AZ-FE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860H	GPNTY40860H	GRSTY408607	
	SKIRT MOS2 TREATED	length 60.8 comp. 40.8 height -6.0	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 56.0 Circlip required	N-SWT10-186 R- T-35963	
		13101-28061	13011-28120 13011-28121	
1TR-FE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860J	GPNTY40860J	GRSTY408608	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 55.0 comp. 35.0 height -6.3	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 56.0 Circlip required	N-SDT10-185 R- T-35960	
		13101-75120 13103-75120	13011-75100 13011-75120 13013-75100	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1AZ-FSE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860L	GPNTY40860L	GRSTY408609	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 62.0 comp. 38.9 height 3.1 -9.8	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 56.0 Circlip required	N- R- T-35997	
		13211-28040	13011-28110 13011-28200	
3S-FE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860M	GPNTY40860M	GRSTY408606	
		length 59.1 comp. 35.0 height -3.9	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 56.0 Circlip not required	N-SWT10-162 R- T-35984	
		13101-74191	13011-74320 13011-74340 13011-74361 13013-74320 13013-74340	
3S-GE 4 cyls 86.0 mm bore 1,998 cc	GPKTY40860K	GPNTY40860K	GRSTY408604	
		length comp. height	top 1.2 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-141 R-28891 T-35995	
		13101-74090	13011-74100 13011-88362 13011-88363 13011-88380 13013-88380	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5S-FE 4 cyls 87.0 mm bore 2,164 cc	GPKTY408701	GPNTY408701	GRSTY408701	
		length 63.0 comp. 32.5 height -4.8	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required 13101-74080 13101-74130 13103-74080 13103-74130	N-SWT10-133 R-28683 T-35921/35943 13011-74190 13011-74260 13011-74261 13011-74290 13011-74300 13013-74190 13013-74290	
5S-FE 4 cyls 87.0 mm bore 2,164 cc	GPKTY408702	GPNTY408702	GRSTY408702	
		length 56.5 comp. 32.5 height -4.3	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 66.0 Circlip required 13101-03060	N-SWT10-166/171 R-28913 T-35944 13011-74370 13011-74380 13011-74410 13013-74370	
3R 4 cyls 88.0 mm bore 1,897 cc	GPKTY408800	GPNTY408800	GRSTY408800	
		length 91.0 comp. 41.0 height 0	top 2.5 2nd 2.5 oil 5.0	
		pin = 24.0 × 76.0 Circlip required 13101-40010	N-SWT10-022 R-28460 T- 13011-40010 13011-49010 13011-49021	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5R 4 cyls 88.0 mm bore 1,994 cc	GPKTY408801	GPNTY408801	GRSTY408801	
		length 85.0 comp. 39.0 height 0 pin = 22.0 × 75.0 Circlip required	top 2.0 2nd 2.5 oil 4.0 N-S(W/X)T10-069 R-28550 T-35810/35905 13011-44010/11/30 13011-44031/32/33 13011-44040/41/42 13011-44043/44/60 13011-44061/62 13011-44063/73 13012-44032/33/40 13012-44041/60 13013-44032/33/40 13013-44041/43/44 13013-44060/61/62 13014-44032/33/40 13014-44041/43/44 13014-44060/61 13016-44032/33/40 13016-44041/43/44 13016-44060/62 13016-44040/41/60 13017-44040/41/60	
5R 4 cyls 88.0 mm bore 1,994 cc	GPKTY408802	GPNTY408802	GRSTY408801	
		length 85.0 comp. 38.8 height 0.3 pin = 22.0 × 75.0 Circlip required	top 2.0 2nd 2.5 oil 4.0 N-S(W/X)T10-069 R-28550 T-35810/35905 13011-44010/11/30 13011-44031/32/33 13011-44040/41/42 13011-44043/44/60 13011-44061/62 13011-44063/73 13012-44041/60 13013-44032/33/40 13013-44041/43/44 13013-44060/61/62 13014-44032/33/40 13014-44041/43/44 13014-44060/61 13016-44032/33/40 13016-44041/43/44 13016-44060/62 13016-44040/41/60 13017-44040/41/60	
5R 4 cyls 88.0 mm bore 1,994 cc	GPKTY408803	GPNTY408803	GRSTY408801	
		length 85.0 comp. 39.0 height -3.9 pin = 22.0 × 75.0 Circlip required	top 2.0 2nd 2.5 oil 4.0 N-S(W/X)T10-069 R-28550 T-35810/35905 13011-44010/11/30 13011-44031/32/33 13011-44040/41/42 13011-44043/44/60 13011-44061/62 13011-44063/73 13012-44032/33/40 13012-44041/60 13013-44032/33/40 13013-44041/43/44 13013-44060/61/62 13014-44032/33/40 13014-44041/43/44 13014-44060/61 13016-44032/33/40 13016-44041/43/44 13016-44060/62 13016-44040/41/60 13017-44040/41/60	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
18R 4 cyls 88.5 mm bore 1,968 cc	GPPTY408851	GPNTY408851	GRSTY408851	
		length 84.8 comp. 39.6 height 0	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 75.5 Circlip required	N-S(J/X)T10-043 R-28820 T-35831	
		13101-34010/30/40 13102-34010 13103-34010/30/40 13104-34010 13105-34010/30/40	13011-34012/13/20 13011-34021/22/23 13011-34030/40/50 13011-38010/20 13011-38040/60 13012-34022 13013-34022/23 13013-34030/40 13013-38010 13014-34022 13015-34022/23 13015-34030/40 13015-38010	
20R 4 cyls 88.5 mm bore 2,189 cc	GPPTY408852	GPNTY408852	GRSTY408851	
		length 88.6 comp. 39.0 height 2.7	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-S(J/X)T10-043 R-28820 T-35831	
		13101-38010 13101-38020	13011-34012/13/20 13011-34021/22/23 13011-34030/40/50 13011-38010/20 13011-38040/60 13012-34022 13013-34022/23 13013-34030/40 13013-38010 13014-34022 13015-34022/23 13015-34030/40 13015-38010	
20R 4 cyls 88.5 mm bore 2,189 cc	GPPTY408853	GPNTY408853	GRSTY408851	
		length 88.9 comp. 39.0 height 2.9	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-S(J/X)T10-043 R-28820 T-35831	
		13101-38050	13011-34012/13/20 13011-34021/22/23 13011-34030/40/50 13011-38010/20 13011-38040/60 13012-34022 13013-34022/23 13013-34030/40 13013-38010 13014-34022 13015-34022/23 13015-34030/40 13015-38010	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
20R (4) RINGS 4 cyls 88.5 mm bore 2,189 cc	GPKTY408854	GPNTY408854	GRSTY408852	
		length 88.6 comp. 39.0 height 2.7	top 2.0 2nd 2.5 oil 4.0 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-SJT10-063 R- T-35849	
		13101-38030 13101-38031 13103-38030 13105-38030	13011-38030 13013-38030 13015-38030	
2AZ-FE 4 cyls 88.5 mm bore 2,362 cc	GPKTY408855	GPNTY408855	GRSTY408853	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 55.8 comp. 35.8 height -8.6	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 56.0 Circlip required	N-SWT10-172/182/187 R- T-35967	
		13211-28030 13211-28031	13011-23100/28100 13011-28101/28102 13011-28141/28150 13011-28151/28180	
4Y 4Y-EC 4 cyls 91.0 mm bore 2,237 cc	GPKTY409101	GPNTY409101	GRSTY409101	
		length 65.0 comp. 35.0 height -6.2	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-111 R-28008/28420 T-35887/35932	
		13101-73030 13101-73031 13101-73032 13103-73030 13103-73031	13011-73020/21 13011-73030/31 13011-73032/40 13011-73042 13013-71031/33 13013-73020/21	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4Y 4 cyls 91.0 mm bore 2,237 cc	GPKTY409102	GPNTY409102	GRSTY409101	
		length 65.0 comp. 35.0 height -10.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip not required	N-SWT10-111 R-28008/28420 T-35887/35932	
		13101-73040 13103-73040	13011-73020/21 13011-73030/31 13011-73032/40 13011-73042 13013-71031/33 13013-73020/21	
22R 22R-E 22R-EC 4 cyls 92.0 mm bore 2,366 cc	GPKTY409201	GPNTY409201	GRSTY409201	
		length 64.0 comp. 35.0 height -2.2	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 70.0 Circlip required	N-SWT10-103 R-28025/28541 T-35881/35933/35945	
		13101-35030/31/32 13103-35040/41/42 13105-35040/41/42	13011-35040/41 13011-35050/51 13011-35052/60 13011-35061/70 13011-35071 13013-35040/41 13013-35050/51 13013-35052 13015-35040/41 13015-35051/52	
22R 4 cyls 92.0 mm bore 2,366 cc	GPKTY409202	GPNTY409202	GRSTY409202	
		length 92.0 comp. 39.0 height 6.0	top 2.0 2nd 2.5 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-S(W/X)T10-077 R-28540 T-35852	
		13101-35010 13101-35020 13103-35030 13105-35030	13011-35010 13011-35020 13011-35030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
22R-TEC 4 cyls 92.0 mm bore 2,366 cc	GPKTY409203	GPNTY409203	GRSTY409201	
		length 63.8 comp. 34.8 height -5.6	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 73.0 Circlip required	N-SWT10-103 R-28025/28541 T-35881/35933/35945	
		13101-35050 13103-35050 13105-35050	13011-35040/41 13011-35050/51 13011-35052/60 13011-35061/70 13011-35071 13013-35040/41 13013-35050/51 13013-35052 13015-35040/41 13015-35051/52	
5P 4 cyls 93.0 mm bore 2,771 cc	GPKTY409301	GPNTY409301	GRSTY409301	
		length 97.2 comp. 52.2 height -17.1	top 2.5 2nd 2.5 oil 4.0	
		pin = 27.0 × 74.0 Circlip required	N-SWT10-048 R- T-	
		13101-78101 13101-96101	13011-96102	
2RZ 4 cyls 95.0 mm bore 2,438 cc	GPKTY409501	GPNTY409501	GRSTY409501	
	HEAD, TOP AND 2ND RING LANDS ANODIZED	length 67.6 comp. 35.5 height -5.7	top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-127 R-28185/28315/28653 T-35952/35956	
		13101-75020 13103-75020	13011-75030 13011-75060 13011-75070 13011-76010 13011-76050 13013-75030 13013-75070	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3RZ-FE 4 cyls 95.0 mm bore 2,693 cc	GPKTY409502 SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	GPNTY409502 length 61.0 comp. 37.5 height -2.6	GRSTY409502 top 1.5 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-139 R-28313 T-36004	
		13101-75040 13101-75041 13103-75040 13103-75041	13011-75040 13011-75041 13013-75040 13013-75041	
2RZ-FE 4 cyls 95.0 mm bore 2,438 cc	GPKTY409503 SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	GPNTY409503 length 58.9 comp. 35.5 height -0.8	GRSTY409502 top 1.5 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-139 R-28313 T-36004	
		13101-75070 13103-75070	13011-75040 13011-75041 13013-75040 13013-75041	
2RZ-E 4 cyls 95.0 mm bore 2,438 cc	GPKTY409504	GPNTY409504 length 58.1 comp. 35.2 height -6.0	GRSTY409501 top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-127 R-28185/28315/28653 T-35952/35956	
		13101-75080 13103-75080	13011-75030 13011-75060 13011-75070 13011-76010 13011-76050 13013-75030 13013-75070	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2TZ-FE 4 cyls 95.0 mm bore 2,438 cc	GPKTY409505	GPNTY409505	GRSTY409501	
		length 67.5 comp. 35.5 height -2.5	top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-127 R-28185/28315/28653 T-35952/35956	
		13101-76041 13103-76041	13011-75030 13011-75060 13011-75070 13011-76010 13011-76050 13013-75030 13013-75070	
2TR-FE 4 cyls 95.0 mm bore 2,694 cc	GPKTY409506	GPNTY409506	GRSTY409503	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 59.3 comp. 39.3 height -4.5 -8.6	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 62.0 Circlip required	N-SDT10-193 R- T-35961	
		13101-75130 13101-0C020 13103-75130	13011-75110 13011-75130 13011-0C030 13013-75110 13013-75130	
3RZ-FE 4 cyls 95.0 mm bore 2,693 cc	GPKTY409507	GPNTY409507	GRSTY409501	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 61.0 comp. 37.5 height -2.6	top 1.75 2nd 1.5 oil 4.0	
		pin = 24.0 × 70.0 Circlip required	N-SWT10-127 R-28185/28315/28653 T-35952/35956	
			13011-75030 13011-75060 13011-75070 13011-76010 13011-76050 13013-75030 13013-75070	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1G-E 6 cyls 75.0 mm bore 1,988 cc	GPPTY607501	GPNTY607501	GRSTY607501	
		length 67.5 comp. 32.5 height 5.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N-S(W/X)T10-073 R-28690 T-35858	
		13101-70020 13103-70020 13104-70020 13105-70020	13011-70010/30/80 13013-70030/80 13014-70030/80 13015-70030/80	
1G-E 6 cyls 75.0 mm bore 1,988 cc	GPPTY607502	GPNTY607502	GRSTY607501	
		length 62.5 comp. 32.5 height 0	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 61.0 Circlip required	N-S(W/X)T10-073 R-28690 T-35858	
		13101-70010 13013-70010 13014-70010 13015-70010	13011-70010/30/80 13013-70030/80 13014-70030/80 13015-70030/80	
1G-GZE 6 cyls 75.0 mm bore 1,988 cc	GPPTY607503	GPNTY607503	GRSTY607501	
		length 62.5 comp. 32.5 height -5.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 20.0 × 61.0 Circlip required	N-S(W/X)T10-073 R-28690 T-35858	
		13101-70040 13103-70040	13011-70010/30/80 13013-70030/80 13014-70030/80 13015-70030/80	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1G-FE 6 cyls 75.0 mm bore 1,988 cc	GPKTY607504	GPNTY607504	GRSTY607501	
		length 62.5 comp. 32.5 height 0	top 1.5 2nd 1.5 oil 4.0	
		pin = 18.0 × 61.0 Circlip not required	N-S(W/X)T10-073 R-28690 T-35858	
			13011-70010/30/80 13013-70030/80 13014-70030/80 13015-70030/80	
1G-GEU 6 cyls 75.0 mm bore 1,988 cc	GPKTY607505	GPNTY607505	GRSTY607504	
		length 62.5 comp. 32.5 height -2.3	top 1.2 2nd 1.5 oil 2.8	
		pin = 18.0 × 61.0 Circlip required	N-SDT10-212 R-28963 T-	
		13101-88300 13103-88300	13011-88300 13013-88300	
2M 6 cyls 75.0 mm bore 2,253 cc	GPKTY607506	GPNTY607506	GRSTY607503	
		length 80.2 comp. 33.5 height 8.7	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 63.0 Circlip required	N-SXT10-004 R-28480 T-35816	
		13101-42010	13011-41011 13011-41015 13011-41040	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2M 6 cyls 75.0 mm bore 2,253 cc	GPKTY607507	GPNTY607507	GRSTY607503	
		length 78.1 comp. 32.9 height 7.2	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 64.0 Circlip required	N-SXT10-004 R-28480 T-35816	
		13101-42011	13011-41011 13011-41015 13011-41040	
4M 6 cyls 80.0 mm bore 2,563 cc	GPKTY608001	GPNTY608001	GRSTY608001	
		length 74.5 comp. 33.3 height 3.2	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 63.0 Circlip required	N-SXT10-041 R-28010 T-35832	
		13101-45010	13011-45021 13011-45040 13011-46030 13013-45021 13013-45040 13014-45021 13014-45040 13015-45021 13015-45040	
4M 6 cyls 80.0 mm bore 2,563 cc	GPKTY608002	GPNTY608002	GRSTY608001	
		length 81.6 comp. 33.0 height 10.6	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 63.0 Circlip required	N-SXT10-041 R-28010 T-35832	
		13101-45011 13103-45011 13104-45011 13105-45011	13011-45021 13011-45040 13011-46030 13013-45021 13013-45040 13014-45021 13014-45040 13015-45021 13015-45040	



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4M 6 cyls 80.0 mm bore 2,563 cc	GPKTY608003	GPNTY608003	GRSTY608001	
		length 71.1 comp. 33.0 height -2.0	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 63.0 Circlip required	N-SXT10-041 R-28010 T-35832	
		13101-45020/21 13103-45020/21 13104-45020/21 13105-45020/21	13011-45021 13011-45040 13011-46030 13013-45021 13013-45040 13014-45021 13014-45040 13015-45021 13015-45040	
5M-GE 6 cyls 83.0 mm bore 2,759 cc	GPKTY608301	GPNTY608301	GRSTY608302	
		length 72.5 comp. 33.0 height 1.7	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-079/115 R-28806/28970 T-35860/35893	
		13101-43041 13103-43041 13104-43041 13105-43041	13011-42010/11 13011-42020/30 13011-42040/60 13011-43050/80 13013-42011/12 13013-42040/60 13013-43050/80 13014-43050/80 13015-43050/80	
5M 5M-E 6 cyls 83.0 mm bore 2,759 cc	GPKTY608302	GPNTY608302	GRSTY608301	
		length 71.0 comp. 33.0 height -3.9	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-S(W/X)T10-072 R-28325/28930 T-35859	
		13101-43010/30/31 13103-43030/31 13104-43030/31 13105-43030/31	13011-43010 13011-43030 13011-43031 13013-43030 13014-43030 13015-43030	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
7M-GE 6 cyls 83.0 mm bore 2,954 cc	GPKTY608303	GPNTY608303	GRSTY608302	
		length 71.0 comp. 33.0 height -2.9	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-079/115 R-28806/28970 T-35860/35893	
		13101-42060 13101-42068 13101-42070 13103-42070	13011-42010/11 13011-42020/30 13011-42040/60 13011-43050/80 13013-42011/12 13013-42040/60 13013-43050/80 13014-43050/80 13015-43050/80	
5M-GE 6 cyls 83.0 mm bore 2,759 cc	GPKTY608304	GPNTY608304	GRSTY608302	
		length 74.1 comp. 33.0 height 3.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-079/115 R-28806/28970 T-35860/35893	
		13101-43051 13103-43051 13104-43051 13105-43051	13011-42010/11 13011-42020/30 13011-42040/60 13011-43050/80 13013-42011/12 13013-42040/60 13013-43050/80 13014-43050/80 13015-43050/80	
7M-GTE 6 cyls 83.0 mm bore 2,954 cc	GPKTY608305	GPNTY608305	GRSTY608302	
		length 71.0 comp. 33.0 height -5.6	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-079/115 R-28806/28970 T-35860/35893	
		13101-42050 13101-42080 13103-42080	13011-42010/11 13011-42020/30 13011-42040/60 13011-43050/80 13013-42011/12 13013-42040/60 13013-43050/80 13014-43050/80 13015-43050/80	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
4GR-FSE (L/R) 6 cyls 83.0 mm bore 2,499 cc	GPKTY608306	GPNTY608306	GRSTY608303	
		length comp. height	top 2nd oil	
		pin = x Circlip required	N- R- T-	
		13101-31050 (R) 13301-31020 (L)	13011-31120	
2JZ-GE 6 cyls 86.0 mm bore 2,997 cc	GPKTY608601	GPNTY608601	GRSTY608601	
	SKIRT MOS2 TREATED	length 65.0 comp. 34.0 height -1.2 -6.7	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-134 R-28011/28085/28915 T-35946	
		13101-46030 13101-46031	13011-46030 13011-46040 13011-46041 13011-46050	
2JZ-GTE 6 cyls 86.0 mm bore 2,997 cc	GPKTY608602O	GPNTY608602O	GRSTY608601	
	SKIRT MOS2 TREATED HEAD ANODIZED WITH OIL GALLERY	length 65.0 comp. 34.0 height -3.6	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 66.0 Circlip required	N-SWT10-134 R-28011/28085/28915 T-35946	
		13101-42090 13101-42091	13011-46030 13011-46040 13011-46041 13011-46050	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3VZ-FE 6 cyls 87.5 mm bore 2,958 cc	GPKTY608751	GPNTY608751	GRSTY608751	
		length 62.0 comp. 34.0 height -3.0	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 62.0 Circlip required	N-SWT10-144 R-28410/28482 T-35934	
		13101-62040 13103-62040	13011-62060 13011-65020 13011-65021 13013-62060 13013-65021	
3VZ-E (L/R) 6 cyls 87.5 mm bore 2,958 cc	GPKTY608752	GPNTY608752	GRSTY608751	
		length 62.9 comp. 34.0 height -3.5	top 1.5 2nd 1.5 oil 4.0	
		pin = 21.0 × 63.0 Circlip not required	N-SWT10-144 R-28410/28482 T-35934	
		13101-65040 (R) 13103-65040 (R) 13301-65040 (L) 13303-65040 (L)	13011-62060 13011-65020 13011-65021 13013-62060 13013-65021	
2VZ-FE 6 cyls 87.5 mm bore 2,507 cc	GPKTY608753	GPNTY608753	GRSTY608752	
		length 65.0 comp. 32.2 height -2.1	top 1.5 2nd 1.5 oil 3.0	
		pin = 21.0 × 62.0 Circlip not required	N-SWT10-148 R-28321 T-	
		13101-62020 13103-62020	13011-62040 13013-62040	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1MZ-FE (L/R) 6 cyls 87.5 mm bore 2,994 cc	GPKTY608754	GPNTY608754	GRSTY608753	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANJODIZED	length 51.2 comp. 31.2 height -0.8 -2.4	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 54.0 Circlip required	N-SWT10-177 R-28033/28955 T-35935	
		13101-20010 (R) 13301-20010 (L)	13011-0A020 13011-20010 13011-20012 13011-20020 13011-20021 13011-20022 13011-20050	
1MZ-FE (L/R) 6 cyls 87.5 mm bore 2,994 cc	GPKTY608755	GPNTY608755	GRSTY608753	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANJODIZED	length 55.2 comp. 31.2 height -1.3 -2.7	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 54.0 Circlip required	N-SWT10-177 R-28033/28955 T-35935	
		13101-0A020 (R) 13301-0A020 (L)	13011-0A020 13011-20010 13011-20012 13011-20020 13011-20021 13011-20022 13011-20050	
F 6 cyls 90.0 mm bore 3,878 cc	GPKTY609001	GPNTY609001	GRSTY609001	
		length 95.5 comp. 47.5 height 0	top 3.0 2nd 3.0 oil 4.0 oil 4.0	
		pin = 25.15 × 80.0 Circlip not required	N-S(W/N)T10-026 R-28610 T-35806	
		13101-60010 13101/13102-60011 13104/13106-60011 13107/13108-60011 13109/13301-60011	13011-60011/69021 13013/13015-60011 13016/13017-60011 13018/13019-60011 13013/13015-69021 13016/13017-69021	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
F 6 cyls 90.0 mm bore 3,878 cc	GPKTY609002	GPNTY609002	GRSTY609002	
		length 95.5 comp. 47.43 height 0	top 2.0 2nd 2.5 oil 4.0 oil 4.0	
		pin = 25.15 × 80.0 Circlip not required	N-S(W/C)T10-044 R-28100 T-35835	
		13101-60021 13102-60020 13103-60020 13104-60020 13105-60020 13107-60020	13011-60040 13012-60040 13013-60040 13014-60040 13015-60040 13017-60040	
F 6 cyls 90.0 mm bore 3,878 cc	GPKTY609003	GPNTY609003	GRSTY609002	
		length 99.4 comp. 47.5 height 3.9	top 2.0 2nd 2.5 oil 4.0 oil 4.0	
		pin = 25.15 × 80.0 Circlip not required	N-S(W/C)T10-044 R-28100 T-35835	
		13101-60030 13103-60030 13105-60030	13011-60040 13012-60040 13013-60040 13014-60040 13015-60040 13017-60040	
3MZ-FE 6 cyls 92.0 mm bore 3,310 cc	GPKTY609201	GPNTY609201	GRSTY609201	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANJODIZED	length 54.5 comp. 31.2 height -0.6 -1.35	top 1.2 2nd 1.2 oil 3.0	
		pin = 22.0 × 56.0 Circlip required	N- R- T-	
		13101-0A040 13101-20050	13011-20060 13011-20061	




TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
5VZ-FE 6 cyls 93.5 mm bore 3,378 cc	GPKTY609351	GPNTY609351	GRSTY609351	
	HEAD ANODIZED	length 63.0 comp. 34.0 height -4.9	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 62.0 Circlip required	N-SWT10-178 R-28305 T-35959	
		13101-62060 13103-62060	13011-62100 13011-62110 13011-62120 13013-62100 13013-62110	
2F 6 cyls 94.0 mm bore 4,230 cc	GPKTY609400	GPNTY609400	GRSTY609401	
		length 102.5 comp. 47.5 height 7.0	top 2.0 2nd 2.5 oil 4.0	
		pin = 25.15 × 71.0 Circlip not required	N-SXT10-049 R-28090 T-35836	
		13101-61020 13103-61020 13105-61020 13107-61020	13011-61010/61040 13013-61010/61020 13015-61010/61020 13017-61010/61020	
2F 6 cyls 94.0 mm bore 4,230 cc	GPKTY609401	GPNTY609401	GRSTY609401	
		length 95.75 comp. 47.55 height 0.2	top 2.0 2nd 2.5 oil 4.0	
		pin = 25.15 × 71.8 Circlip not required	N-SXT10-049 R-28090 T-35836	
		13101-61010/61011 13103-61010/61011 13105-61010/61011 13107-61010/61011	13011-61010/61040 13013-61010/61020 13015-61010/61020 13017-61010/61020	



TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
3F 6 cyls 94.0 mm bore 3,955 cc	GPKTY609402	GPNTY609402	GRSTY609402	
		length 79.5 comp. 37.5 height 0.3	top 1.5 2nd 1.5 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-SWT10-106 R-28040/28140 T-35882	
		13101-61030/61031 13103-61030/61031 13105-61030/61031 13107-61030/61031	13011-61060/61061 13013-61060/61061 13015-61060/61061 13017-61060/61061	
3F-E 6 cyls 94.0 mm bore 3,955 cc	GPKTY609403	GPNTY609403	GRSTY609403	
	HEAD ANODIZED	length 71.2 comp. 37.3 height 0.2	top 2.0 2nd 2.0 oil 4.0	
		pin = 22.0 × 75.0 Circlip required	N-SWT10-140/151 R-28060 T-35914	
		13101-61032 13103-61032 13105-61032 13107-61032	13011-61062 13013-61062 13015-61062 13017-61062	
1GR-FE 6 cyls 94.0 mm bore 3,955 cc	GPKTY609404	GPNTY609404	GRSTY609404	
	SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	length 55.4 comp. 32.5 height 1.9 -3.4	top 1.2 2nd 1.2 oil 2.0	
		pin = 22.0 × 62.0 Circlip required	N-SWT10-195 R- T-35968	
		13101-31030	13011-31100	

TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
2GR-FE 6 cyls 94.0 mm bore 3,456 cc	GPKTY609405 SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	GPNTY609405 length 50.5 comp. 31.0 height 4.0 pin = 22.0 × 56.0 Circlip required	GRSTY609405 top 1.2 2nd 1.2 oil 2.0 N-SDT10-194 R- T-36002	
		13101-31090	13011-31130	
1FZ-FE 6 cyls 100.0 mm bore 4,476 cc	GPKTY610001	GPNTY610001 length 76.0 comp. 42.0 height -4.0 pin = 26.0 × 62.8 Circlip required	GRSTY610001 top 2.0 2nd 2.0 oil 4.0 N-SWT10-168 R-28021 T-36015	
		13101-66020	13011-66020	
1FZ-FE 6 cyls 100.0 mm bore 4,477 cc	GPKTY610002 SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED	GPNTY610002 length 76.0 comp. 42.0 height -1.4 -2.5 pin = 26.0 × 62.8 Circlip required	GRSTY610002 top 1.75 2nd 2.0 oil 4.0 N-SWT10-184 R-28484 T-35941	
		13101-66040 13103-66040 13105-66040	13011-66021 13013-66021 13015-66021	

TOYOTA GASOLINE

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
<p>1FZ-FE</p> <p>6 cyls</p> <p>100.0 mm bore</p> <p>4,477 cc</p>	GPKTY610003	GPNTY610003	GRSTY610002	
	<p>SKIRT MOS2 TREATED HEAD, TOP AND 2ND RING LANDS ANODIZED</p>	<p>length 66.0</p> <p>comp. 42.0</p> <p>height -1.1</p>	<p>top 1.75</p> <p>2nd 2.0</p> <p>oil 4.0</p>	
		<p>pin = 26.0 × 62.7</p> <p>Circlip required</p> <p>13101-66050</p> <p>13103-66050</p> <p>13105-66050</p>	<p>N-SWT10-184</p> <p>R-28484</p> <p>T-35941</p> <p>13011-66021</p> <p>13013-66021</p> <p>13015-66021</p>	
<p>1UZ-FE (L/R)</p> <p>8 cyls</p> <p>87.5 mm bore</p> <p>3,968 cc</p>	GPKTY808751	GPNTY808751	GRSTY808751	
		<p>length 65.0</p> <p>comp. 34.0</p> <p>height -0.5</p>	<p>top 1.5</p> <p>2nd 1.5</p> <p>oil 3.0</p>	
		<p>pin = 22.0 × 62.0</p> <p>Circlip required</p> <p>13101-50010 (L)</p> <p>13301-50010 (L)</p> <p>13101-50020 (R)</p>	<p>N-SWT10-147</p> <p>R-28693</p> <p>T-35947/35948</p> <p>13011-50040</p> <p>13011-50060</p>	