



















VOLKSWAGEN DIESEL INDEX







Engine Model	BoreSize (mm)	Page	Engine Model	BoreSize (mm)	Page
1G/1V/CY/DV/MF/JR/JX/RA/SB	76.5	2			
1S/CP/CR/CS/DW/JK/JP/ME	76.5				
AFB/AKN TURBO	78.3	3			
AFB/AKN TURBO	78.3				
BAU TURBO	78.3				
BAU TURBO	78.3				
BDG/BDH TURBO	78.3	4			
BDG/BDH TURBO	78.3				
KY	79.5				
1Z/AEY/AFN/AGD/AHF/AHH/A	79.5	5			
1Z/AEY/AFN/AGD/AHF/AHH/A	79.5				
1X/1Y/AAB/ADG/AEF/AJA	79.5				
AAZ/ABL/ADE TURBO	79.5	6			
ARL/ASZ/AVF/AWX TURBO	79.5				
ARL/ASZ/AVF/AWX TURBO	79.5				
AJM/ATJ/AUY/BVK TURBO	79.5	7			
AJM/ATJ/AUY/BVK TURBO	79.5				
ANU/ATD/AVB/AVQ/AXR/BEW	79.5				
ANU/ATD/AVB/AVQ/AXR/BEW	79.5	8			
AMF/BAY	79.5				
AMF/BAY	79.5				
AGP/ANC/AQM/ASY/AYQ/BGL	79.5	9			
AGP/ANC/AQM/ASY/AYQ/BGL	79.5				
BJB/BLS/BMT/BSU/BXE/BXF/BX	79.5				
BJB/BLS/BMT/BSU/BXE/BXF/BX	79.5	10			
ACV/AGX/AHD/AHY/AJT/ANJ/A	81.0				
ACV/AGX/AHD/AHY/AJT/ANJ/A	81.0	11			
BDJ/BDK/BST	81.0				
BDJ/BDK/BST	81.0				
AZV/BKD	81.0	12			
BMM/BMP/BSS/BWW	81.0				
BMM/BMP/BSS/BWW	81.0				
AZV/BKD/BKP/BMA/BMN/BMR	81.0	13			
AXD/AXE/BAC/BLJ/BLK TURBO	81.0				
AXD/AXE/BAC/BLJ/BLK TURBO	81.0				
CBBB/CBDA/CBDB/CBDC/CEGA	81.0	14			
AGK/ATA/AUH/BCQ	93.0				




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1G/1V/CY DV/MF/JR JX/RA/SB TURBO 4/6 cyls 76.5 mm bore 1,588 cc 2,383 cc	DPKVW107651A	DPNVW107651A	DRSWV107651	 
	ALFIN HEAD ANODIZED FITS TAPERED CON.ROD K-90732600 M-0297900 N-8710980010	length(STD) 71.7 length(O/S) 71.45 comp.(STD) 41.7 comp.(O/S) 41.45 height -1.6 pin = 24.0 × 64.0	top 1.75 2nd 2.0 oil 3.0 A-R43850 A-R45270 G-0810950000 G-0810980000 K-800000610000 M-02954N0 M-02955N0 068 197 151/151A/151C 069 198 151/151A/157A	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	068 107 065 AT 068 107 065 BC 068 107 065 BD 068 107 065 BE 068 107 065 C 068 107 101 AF/AD		
1S/CP/CR/CS DW/JK/JP/ME 4/6 cyls 76.5 mm bore 1,588 cc 2,383 cc	DPKVW107652A	DPNVW107652A	DRSWV107651	 
	ALFIN K-93260600 M-0295500 N-8710950000	length 71.7 comp. 41.7 height -1.6 pin = 24.0 × 64.0	top 1.75 2nd 2.0 oil 3.0 A-R43850 A-R45270 G-0810950000 G-0810980000 K-800000610000 M-02954N0 M-02955N0 068 197 151/151A/151C 069 198 151/151A/157A	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	068 107 605 AH 068 107 065 AQ 068 107 065 BA 068 107 065 E/F/N 068 107 101 E		
AFB TURBO AKN TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107831B (for cyl 1/2/3)	DPNVW107831B (for cyl 1/2/3)	DRSVW107831	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-99776600 M-0334000	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -6.5 -16.5 pin = 26.0 × 65.5	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙	059 107 066 E 059 107 105 H		




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AFB TURBO AKN TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107832B (for cyl 4/5/6)	DPNVW107832B (for cyl 4/5/6)	DRSVW107831	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED K-99777600 M-0334100	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -6.5 -16.5 pin = 26.0 × 65.5	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙	059 107 065 N 059 107 065 Q 059 107 065 R		
BAU TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107833B (for cyl 1/2/3)	DPNVW107833B (for cyl 1/2/3)	DRSVW107831	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99534600 M-0334200	length(STD) 71.83 length(O/S) 71.83 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.25 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) 0.50 (020) 1.00 (040)			
BAU TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107834B (for cyl 4/5/6)	DPNVW107834B (for cyl 4/5/6)	DRSVW107831	
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99535600 M-0334300	length(STD) 71.83 length(O/S) 71.83 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.25 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) 0.50 (020) 1.00 (040)			




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BDG TURBO BDH TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107835B (for cyl 1/2/3)	DPNVW107835B (for cyl 1/2/3)	DRSVW107831	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99542600	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.4 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) 0.50 (020)			
BDG TURBO BDH TURBO 6 cyls 78.3 mm bore 2,496 cc	DPKVW107835B (for cyl 4/5/6)	DPNVW107835B (for cyl 4/5/6)	DRSVW107831	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99543600	length(STD) 71.83 length(O/S) 71.58 comp.(STD) 47.83 comp.(O/S) 47.58 height -1.38 -17.4 pin = 26.0 × 58.0	top 1.75 2nd 2.0 oil 3.0 A-R66900 G-0810300000 K-800051540000 M-03340V0 059 198 151 H	
	piston stock size 0.00 (STD) 0.50 (020)			
KY 4 cyls 79.5 mm bore 1,716 cc	DPKVW407950A	DPNVW407950A	DRSWV407951	 
	ALFIN K-93921600 M-0298100	length(STD) 71.7 length(O/S) 71.7 comp.(STD) 41.7 comp.(O/S) 41.45 height -1.6 pin = 24.0 × 64.0	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ☉ 0.50 (020) ☉			




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
1Z/AEY/AFN AGD/AHF/AHH ALE/ASV/AVG TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVW107951A (for cyl 1/2)	DPNVW107951A (for cyl 1/2)	DRSVW107951	
	ALFIN TOP RING LAND AND SKIRT MOS2 TREATED K-94427700 M-0304000 N-8711490095	length(STD/0.25) 71.8 length(0.50/1.00) 71.8 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -8.8 -17.8 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙	028 107 081 D 028 107 107 AG		
1Z/AEY/AFN AGD/AHF/AHH ALE/ASV/AVG TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVW107952A (for cyl 3/4)	DPNVW107952A (for cyl 3/4)	DRSVW107951	
	ALFIN TOP RING LAND AND SKIRT MOS2 TREATED K-94428700 M-0304100 N-8711490090	length(STD/0.25) 71.8 length(0.50/1.00) 71.8 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -8.8 -17.8 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙	038 107 065 J		
1X/1Y/AAB ADG/AEF/AJA 4/5 cyls 79.5 mm bore 1,896 cc 2,370 cc	DPKVW107953A	DPNVW107953A	DRSWV107951	
	ALFIN K-91386600 M-0298200 N-8799010040	length(STD/0.25) 65.7 length(0.50/1.00) 65.7 comp.(STD/0.25) 39.65 comp.(0.50/1.00) 39.4 height -1.9 pin = 24.0 × 64.0	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙			







ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AAZ TURBO ABL TURBO ADE TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVVW407954A	DPNVW407954A	DRSWV407951	 
	ALFIN HEAD ANODIZED SKIRT MOS2 TREATED K-91429600 M-0299600 N-8799010010	length(STD/0.25) 71.65 length(0.50/1.00) 71.65 comp.(STD/0.25) 45.65 comp.(0.50/1.00) 45.4 height -1.9 pin = 26.0 × 66.0	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙			
ARL/ASZ AVF/AWX TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVVW107955B (for cyl 1/2)	DPNVW107955B (for cyl 1/2)	DRSVW107951	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99470600 M-0308600 N-8711490045	length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.3 -17.5 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
ARL/ASZ AVF/AWX TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVVW107956B (for cyl 3/4)	DPNVW107956B (for cyl 3/4)	DRSVW107951	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99471600 M-0308700 N-8711490046	length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.3 -17.5 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
AJM/ATJ AUY/BVK TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVW107957B (for cyl 1/2)	DPNVW107957B (for cyl 1/2)	DRSVW107951		
	ALFIN OIL GALLERY TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99842600 M-0305600 N-8711490005	length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.4 -17.8	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
AJM/ATJ AUY/BVK TURBO 4 cyls 79.5 mm bore 1,896 cc	DPKVW107958B (for cyl 3/4)	DPNVW107958B (for cyl 3/4)	DRSVW107951		
	ALFIN OIL GALLERY TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99843600 M-0305700 N-8711490015	length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.4 -17.8	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
ANU/ATD/AVB AVQ/AXR/BEW BJB/BKC/BRU BSW/BXE/BXF BXJ 4 cyls 79.5 mm bore 1,896 cc	DPKVW107959B (for cyl 1/2)	DPNVW107959B (for cyl 1/2)	DRSVW107951		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99850600 M-0306500	length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -1.1 -17.75	top 1.75 2nd 2.0 oil 3.0		A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			




ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
ANU/ATD/AVB AVQ/AXR/BEW BJB/BKC/BRU BSW/BXE/BXF BXJ 4 cyls 79.5 mm bore 1,896 cc	DPKVW10795AB (for cyl 3/4) ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-99851600 M-0306600	DPNVW10795AB (for cyl 3/4) length(STD) 69.8 length(0/S) 69.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -1.1 -17.75 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSVW107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
AMF/BAY 3 cyls 79.5 mm bore 1,422 cc	DPKVW10795BA (for cyl 1/2) ALFIN TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON.ROD M-0305400	DPNVW10795BA (for cyl 1/2) length(STD) 69.8 length(0/S) 69.8 comp.(STD) 45.8 comp.(0/S) 45.5 height -8.7 -17.6 pin = 26.0 × 63.0 PIN BUSHING INSERTED	DRSVW107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			
AMF/BAY 3 cyls 79.5 mm bore 1,422 cc	DPKVW10795CA (for cyl 3) ALFIN TOP RING LAND AND SKIRT MOS2 TREATED FITS TAPERED CON.ROD M-0305500	DPNVW10795CA (for cyl 3) length(STD) 69.8 length(0/S) 69.8 comp.(STD) 45.8 comp.(0/S) 45.5 height -8.7 -17.6 pin = 26.0 × 63.0 PIN BUSHING INSERTED	DRSVW107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙ 1.00 (040) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AGP/ANC/AQM ASY/AYQ/BGL BGM/CDXA CDXB 4 cyls 79.5 mm bore 1,896 cc	DPKVW10795DA (for cyl 1/2)	DPNVW10795DA (for cyl 1/2)	DRSVW107951	
	ALFIN	length 60.8 comp. 39.8 height -17.8	top 1.75 2nd 2.0 oil 3.0	
	K-40092700 M-0308000 N-8711490020	pin = 24.0 × 59.0	A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			
AGP/ANC/AQM ASY/AYQ/BGL BGM/CDXA CDXB 4 cyls 79.5 mm bore 1,896 cc	DPKVW10795EA (for cyl 3/4)	DPNVW10795EA (for cyl 3/4)	DRSVW107951	
	ALFIN	length 60.8 comp. 39.8 height -17.8	top 1.75 2nd 2.0 oil 3.0	
	K-40093700 M-0308100 N-8711490030	pin = 24.0 × 59.0	A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			
BJB/BLS BMT/BSU BXE/BXF BXJ 4 cyls 79.5 mm bore 1,896 cc	DPKVW10795FA (for cyl 1/2)	DPNVW10795FA (for cyl 1/2)	DRSVW107951	
	ALFIN FITS TAPERED CON.ROD	length(STD/0.25) 69.8 length(0.50/1.00) 69.55 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -17.34	top 1.75 2nd 2.0 oil 3.0	
	K-40421600	pin = 26.0 × 66.0 PIN BUSHING INSERTED	A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BJB/BLS BMT/BSU BXE/BXF BXJ 4 cyls 79.5 mm bore 1,896 cc	DPKVW10795GA (for cyl 3/4) ALFIN FITS TAPERED CON.ROD K-40422600	DPNVW10795GA (for cyl 3/4) length(STD/0.25) 69.8 length(0.50/1.00) 69.55 comp.(STD/0.25) 45.8 comp.(0.50/1.00) 45.55 height -17.34 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSVW107951 top 1.75 2nd 2.0 oil 3.0 A-R60370 G-0811490000 K-800000810000 K-800051640000 M-03020N0	
	piston stock size 0.00 (STD) 0.25 (010) 0.50 (020) 1.00 (040)			
ACV/AGX/AHD AHY/AJT/ANJ APA/AUF/AXG AYC/AYY/BBE BBF 5 cyls 81.0 mm bore 2,461 cc	DPKVW108103A (for cyl 1/2) ALFIN HEAD ANODIZED SKIRT MOS2 TREATED PIN BOSS GAP=27mm K-99742700 M-0305800 N-8750150000	DPNVW108103A (for cyl 1/2) length(STD) 69.75 length(0/S) 69.5 comp.(STD) 45.75 comp.(0/S) 45.5 height -6.9 -17.2 pin = 26.0 × 68.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			
ACV/AGX/AHD AHY/AJT/ANJ APA/AUF/AXG AYC/AYY/BBE BBF 5 cyls 81.0 mm bore 2,461 cc	DPKVW108104A (for cyl 3/4/5) ALFIN HEAD ANODIZED SKIRT MOS2 TREATED PIN BOSS GAP=27mm K-99743700 M-0305900 N-8750150010	DPNVW108104A (for cyl 3/4/5) length(STD) 69.75 length(0/S) 69.5 comp.(STD) 45.75 comp.(0/S) 45.5 height -6.9 -17.2 pin = 26.0 × 68.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙ 0.50 (020) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
BDJ BDK BST 4 cyls 81.0 mm bore 1,968 cc	DPKVW108105A (for cyl 1/2)	DPNVW108105A (for cyl 1/2)	DRSVW108102	 
	ALFIN FITS TAPERED CON.ROD K-99833600	length(STD) 58.3 length(0/S) 58.05 comp.(STD) 37.8 comp.(0/S) 37.55 height -17.35 pin = 22.0 × 60.0	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) 0.50 (020)			
BDJ BDK BST 4 cyls 81.0 mm bore 1,968 cc	DPKVW108106A (for cyl 3/4)	DPNVW108106A (for cyl 3/4)	DRSVW108102	 
	ALFIN FITS TAPERED CON.ROD K-99832600	length(STD) 58.3 length(0/S) 58.05 comp.(STD) 37.8 comp.(0/S) 37.55 height -17.35 pin = 22.0 × 60.0	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) 0.50 (020)			
AZV/BKD 4 cyls 81.0 mm bore 1,968 cc	DPKVW408107B	DPNVW408107B	DRSVW408102	 
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40356600	length(STD/0.25) 68.8 length(0.50) 68.5 comp.(STD/0.25) 45.8 comp.(0.50) 45.5 height -10.5 -18.0 pin = 26.0 × 66.0 PIN BUSHING INSERTED	top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) ☉ 0.25 (010) 0.50 (020) ☉			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD	
BMM/BMP BSS/BWW 4 cyls 81.0 mm bore 1,968 cc	DPKVW108108B (for cyl 1/2)	DPNVW108108B (for cyl 1/2)	DRSVW108102		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40408600 M-0280600	length(STD) 68.8 length(0/S) 68.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.4 -17.5	top 1.75 2nd 2.0 oil 3.0		G-0813950000 K-800070540000 K-800072710000
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
BMM/BMP BSS/BWW 4 cyls 81.0 mm bore 1,968 cc	DPKVW108109B (for cyl 3/4)	DPNVW108109B (for cyl3/4)	DRSVW108102		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40409600 M-0280700	length(STD) 68.8 length(0/S) 68.55 comp.(STD) 45.8 comp.(0/S) 45.55 height -10.4 -17.5	top 1.75 2nd 2.0 oil 3.0		G-0813950000 K-800070540000 K-800072710000
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			
AZV/BKD BKP/BMA BMN/BMR BUZ/BVE BWV 4 cyls 81.0 mm bore 1,968 cc	DPKVW40810AB	DPNVW40810AB	DRSVW408102		
	ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40387600 N-8713950000	length(STD/0.25) 68.8 length(0.50) 68.55 comp.(STD/0.25) 45.8 comp.(0.50) 45.55 height -10.1 -17.8	top 1.75 2nd 2.0 oil 3.0		G-0813950000 K-800070540000 K-800072710000
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙	pin = 26.0 × 66.0 PIN BUSHING INSERTED			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AXD/AXE BAC/BLJ/BL K TURBO 5 cyls 81.0 mm bore 2,461 cc 2,498 cc	DPKVW10810BB (for cyl 1/2) ALFIN OIL GALLERY FITS TAPERED CON.ROD M-0309700 N-8742100010	DPNVW10810BB (for cyl 1/2) length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	DPKVW10810CB (for cyl 3/4/5) ALFIN OIL GALLERY FITS TAPERED CON.ROD M-0309800 N-8742100020	DPNVW10810CB (for cyl3/4/5) length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙			
AXD/AXE BAC/BLJ/BL K TURBO 5 cyls 81.0 mm bore 2,461 cc 2,498 cc	DPKVW10810CB (for cyl 3/4/5) ALFIN OIL GALLERY FITS TAPERED CON.ROD M-0309800 N-8742100020	DPNVW10810CB (for cyl3/4/5) length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	DPKVW10810CB (for cyl 3/4/5) ALFIN OIL GALLERY FITS TAPERED CON.ROD M-0309800 N-8742100020	DPNVW10810CB (for cyl3/4/5) length 69.75 comp. 45.75 height -18.2 pin = 26.0 × 65.0 PIN BUSHING INSERTED	DRSVW108101 top 2.5 2nd 2.0 oil 3.0 A-R60330 G-0842100000 G-0850150000 K-800001150000 K-800073910000 M-03048N0 M-03490N0	
	piston stock size 0.00 (STD) ⊙			
CBDB/BDCA CBDB/BDCA CEGB 4 cyls 81.0 mm bore 1,968 cc	DPKVW40810DB ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40558600	DPNVW40810DB length 68.8 comp. 45.8 height -7.9 -12.7 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSVW408102 top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	DPKVW40810DB ALFIN OIL GALLERY SKIRT MOS2 TREATED FITS TAPERED CON.ROD K-40558600	DPNVW40810DB length 68.8 comp. 45.8 height -7.9 -12.7 pin = 26.0 × 66.0 PIN BUSHING INSERTED	DRSVW408102 top 1.75 2nd 2.0 oil 3.0 G-0813950000 K-800070540000 K-800072710000	
	piston stock size 0.00 (STD) ⊙ 0.25 (010) 0.50 (020) ⊙ 1.00 (040) ⊙			

ENGINE MODEL	PISTON KIT piston set+rings	PISTON SET piston+pin+clips	PISTON RINGS piston rings set	PISTON HEAD
AGK/ATA AUH/BCQ 4 cyls 93.0 mm bore 2,798 cc	DPK VW409301A	DPN VW409301A	DRS VW409301	
	ALFIN	length 86.2 comp. 56.2 height -7.7 -20.7	top(DK) 2.5 2nd 2.0 oil 3.0	
	K-97412600 K-97412700 M-1511000	pin = 35.0 x 74.0	G-0814300000 K-800044340000 M-15110N0	
piston stock size 0.00 (STD) ⊙				